American Heart Journal

An international publication for the study of the circulation

George E. Burch *Editor*
James A. Cronvich *Assistant Editor*
Peter C. Gazes *Assistant Editor*

International Editorial Board

Walter H. Abelmann, *Boston, Mass.*
David I. Abramson, *Oak Park, Ill.*
Raymond P. Ahlquist, *Augusta, Ga.*
James K. Alexander, *Houston, Tex.*
A. C. Arntzenius, *Leiden, The Netherlands*
John B. Barlow, *Johannesburg, South Africa*
Giorgio Baroldi, *Milan, Italy*
Henry W. Blackburn, *Minneapolis, Minn.*
Thomas M. Blake, *Jackson, Miss.*
S. Gilbert Blount, Jr., *Denver, Colo.*
Howard B. Burchell, *Minneapolis, Minn.*
Eugenii I. Chazov, *Moscow, U.S.S.R.*
Henri Chevalier, *Paris, France*
Te-Chuan Chou, *Cincinnati, Ohio*
Arthur C. DeGraff, *New York, N.Y.*
H. Denolin, *Brussels, Belgium*
James E. Doherty, *Little Rock, Ark.*
Jesse E. Edwards, *St. Paul, Minn.*
Robert H. Eich, *Syracuse, N.Y.*
Mary Allen Engle, *New York, N.Y.*
Ali M. Fakhro, *Manama, Bahrain*
M. Irené Ferrer, *New York, N.Y.*
Nancy C. Flowers, *Louisville, Ky.*
Nicholas J. Fortuin, *Baltimore, Md.*
Martin J. Frank, *Augusta, Ga.*
Edward D. Freis, *Washington, D.C.*
Julian Frieden, *New Rochelle, N.Y.*
Meyer Friedman, *San Francisco, Cal.*
Jacques Genest, *Montreal, Canada*
Allan V.N. Goodyer, *New Haven, Conn.*
Mervyn S. Gotsman, *Jerusalem, Israel*
Robert L. Grissom, *Omaha, Neb.*
Dale Groom, *Oklahoma City, Okla.*
Rolf M. Gunnar, *Chicago, Ill.*
Warren G. Guntheroth, *Seattle, Wash.*
E. William Hancock, *Stanford, Cal.*
Herbert N. Hultgren, *Palo Alto, Cal.*
Hyoe Ishikawa, *Nara, Japan*
Lewis E. January, *Iowa City, Iowa*
James N. Karnegis, *Minneapolis, Minn.*
John A. Kastor, *Philadelphia, Pa.*
Nodar N. Kipshidze, *Tbilisi, U.S.S.R.*
Henri E. Kulbertus, *Liège, Belgium*
Richard Langendorf, *Chicago, Ill.*
Jean Lequime, *Brussels, Belgium*
Maurice Lev, *Chicago, Ill.*
Harold D. Levine, *Boston, Mass.*
R. J. Linden, *Leeds, England*
F. Loogen, *Dusseldorf, Germany*
Hugh A. McAllister, Jr., *Washington, D.C.*
Dan G. McNamara, *Houston, Tex.*
George E. Maha, *West Point, Pa.*
Alberto Malliani, *Milan, Italy*
Bill L. Martz, *Indianapolis, Ind.*
Rashid A. Massumi, *Tehran, Iran*
Clifford V. Nelson, *Portland, Maine*
Satoshi Ohta, *Tokyo, Japan*
Eckhardt G. J. Olsen, *London, England*
Morton Lee Pearce, *Los Angeles, Cal.*
Alfred Pick, *Chicago, Ill.*
Hubert V. Pipberger, *Washington, D. C.*
Ray Pryor, *Denver, Colo.*
William Roberts, *Bethesda, Md.*
Robert C. Schlant, *Atlanta, Ga.*
H. A. Snellen, *Leiden, The Netherlands*
Walter Somerville, *London, England*
John Thomas, *Nashville, Tenn.*
Hironori Toshima, *Kyushu, Japan*
William H. Wehrmacher, *Chicago, Ill.*
Hein J. J. Wellens, *Maastricht, The Netherlands*
Alberto Zanchetti, *Milan, Italy*
Douglas P. Zipes, *Indianapolis, Ind.*

VOLUME 99

JANUARY-JUNE 1980

VOLUME 99
COPYRIGHT © 1980 BY
THE C.V. MOSBY COMPANY
All rights reserved

Printed in the United States of America

Author index*

A

ABRAHAM, ABRAHAM S., SONNENBLICK, MOSHE, ENI, MAYA, SHEMESH, OVADIAH, AND BATT, AHRON P. Serum chromium in patients with recent and old myocardial infarction, 604

ABRAHAM, M. THOMAS. (*See* Kunhali et al.), 225

ABRAMS, JONATHAN. Nitrate tolerance and dependence, 113

ACHUFF, STEPHEN C. (*See* Schuster et al.), 506

ADAMO, BRUNA. (*See* de Caprio et al.), 413

ADGEY, A. A. J. (*See* Geddes, Adgey, and Pantridge), 243

ALEXANDER, JOHN C. (*See* Ferguson et al.), 579

ALIMURUNG, BENJAMIN N., GILBERT, CHARLES A., FELNER, JOEL M., AND SCHLANT, ROBERT C. The influence of early repolarization variant on the exercise electrocardiogram: a correlation with coronary arteriograms, 739

ALPERT, J. S. (*See* Vieweg et al.), 707

ANDERSON, SETH E. (*See* Blair et al.), 783

ANDERSON, STANLEY T. (*See* Pitt et al.), 574

ARANI, DJAVAD T., GREENE, DAVID G., AND KLOCKE, FRANCIS J. Reply, 133 (Letter)

ARIF, MOHAMMED. (*See* Tommaso et al.), 149

ARNOLD, WILLIAM L., DEWALL, RICHARD A., KEZDI, PAUL, AND ZWART, HANS H. J. The effect of allopurinol on the degree of early myocardial ischemia, 614

ARONOW, WILBERT S. (*See* Olson et al.), 459

ASHWORTH, HALBERT E. (*See* Blair et al.), 783

ASKANAS, ALEXANDER, UDOSHI, MALIKARJUN, AND SADJADI, SEYED A. The heart in chronic alcoholism: a noninvasive study, 9

ATTIE, FAUSE, MUÑOZ-CASTELLANOS, LUIS, OVSEYEVITZ, JACOBO, FLORES-DELGADO, ISMAEL, TESTELLI, MARIO R., BUENDIA, ALFONSO, KURI, JORGE, AND MOLINA, BERNARDO. Crossed atrioventricular connections, 163

AYARS, GARRISON H., AND TIKOFF, GERASIM. Incidence of thrombocytopenia in medical patients on "mini-dose" heparin prophylaxis, 816 (Letter to Editor)

B

BABBS, CHARLES, F., TACKER, WILLIS A., VANVLEET, JOHN F., BOURLAND, JOE D., AND GEDDES, LESLIE A. Therapeutic indices for transchest defibrillator shocks: Effective, damaging, and lethal electrical doses, 734

BACOS, JAMES M. (*See* Lindsay et al.), 310

BAIN, W. H. (*See* Kaul et al.), 686

BAKTHAVIZIAM, A. (*See* Kunhali et al.), 225

BARASH, PAUL G. Cardiopulmonary bypass and postoperative neurologic dysfunction, 675 (Annot.)

BARNARD, R. JAMES, BUCKBERG, GERALD D., AND DUNCAN, HENRY W. Limitations of the standard transthoracic electrocardiogram in detecting subendocardial ischemia, 476

BASSLER, THOMAS J. Physical training in patients with coronary artery disease, 274

BATT, AHRON P. (*See* Abraham et al.), 604

BECKER, RONALD M. (*See* Oka et al.), 255

BELLE, WILLIAM R. (*See* Schuster et al.), 506

BELLOTTI, PAOLO. (*See* de Caprio et al.), 413

BEM, THOMAS P. (*See* Blair et al.), 783

BENGE, WILLIAM, MARTINS, JAMES B., AND FUNK, DAVID C. Morbidity associated with anomalous origin of the right coronary artery from the left sinus of Valsalva, 96

BERESFORD-KROEGER, D. (*See* Biro and Beresford-Kroeger), 64

BERMUDEZ, GUSTAVO A. (*See* Midell and Bermudez), 133 (Letter to Editor)

BESSINGER, F. BLANTON. (*See* Epstein et al.), 510

BESSINGER, F. BLANTON, JR. (*See* Orsmond, Bessinger, and Moller), 76

BICKERS, WILLIAM J. (*See* Patterson et al.), 135 (Letter to Editor)

BIRO, G. P., AND BERESFORD-KROEGER, D. The effect of hemodilution with stroma-free hemoglobin and dextran on collateral perfusion of ischemic myocardium in the dog, 64

BISNO, ALAN L., DURACK, DAVID T., FRASER, DAVID W., KAPLAN, EDWARD L., AND OLIVEIRA, MARK A. Failure of prophylaxis for bacterial endocarditis: American Heart Association Registry, 274 (Letter to Editor)

BISSETT, JOE K., WATSON, JOHN W., SCOVIL, JAMES A., DE SOYZA, NEIL, AND OHRT, DAVID W. Sudden death in cardiomyopathy: Role of bradycardia-dependent repolarization changes, 625

BLACK, PETER MCL. From heart to brain: the new definitions of death, 279

BLACKLOCK, N. J. Bladder trauma from jogging, 813 (Annot.)

BLACKMAN, MARIE S. (*See* Byrum et al.), 354

BLAIR, TIMOTHY P., WAUGH, ROBERT A., POLLACK, MATTHEW, ASHWORTH, HALBERT E., YOUNG, NATHANIEL A., ANDERSON, SETH E., AND BEM, THOMAS P. *Histoplasma capsulatum* endocarditis, 783

BLUM, ELISABETH (*See* Burckhardt and Raeder), 443

BODEM, GUNTHER. (*See* Ochs et al.), 468

BOSHER, L. P[illegible]. (*See* Thubrikar et al.), 217

BOURLAND, JOE D. (*See* Babbs et al.), 734

BOWEN, THOMAS E. (*See* Chun et al.) 230

BRASSEUR, L. (*See* Clerbaux et al.), 404

BREST, ALBERT N. (*See* Walinsky et al.), 494

BRIGDEN, WALLACE. (*See* Leatham and Brigden), 659

BROWN, RICHARD. (*See* Schweiger et al.), 630

BUCKBERG, GERALD D. (*See* Barnard, Buckberg, and Duncan), 476

BUENDIA, ALFONSO. (*See* Attie et al.), 163

BULKLEY, BERNADINE H. (*See* Schuster et al.), 506

BURCH, GEORGE E. Of T waves and chronic congestive heart failure, 132

——. Of The Constitution, 273

——. Of bibliographies, 410 (Annot.)

——. Of "now myocardial imaging" 540 (Annot.)

——. Of generic medicine bottles, 671 (Annot.)

——. Of pulmonary venous receptors, 814 (Annot.)

BURCKHARDT, DIETER, AND RAEDER, ERNST A., with the technical assistance of Elisabeth Blum. The effect of acebutolol on cardiac arrhythmias in patients with chronic coronary artery disease, 443

*January, pp. 1-138; February, pp. 139-278; March, pp. 279-408; April, pp. 409-546; May, pp. 547-682; June, pp. 683-840.

BURKE, JAMES F., JR. (*See* Ferguson et al.), 579
BUSSMANN, WULF-DIRK, SCHREIBER, SYBILLE, AND KALTENBACH, MARTIN. Comparison of antiarrhythmic effects of oral prajmalium bitartrate and intravenous lidocaine in acute myocardial infarction, 589
BUŢIU, IOAN. (*See* Georgescu et al.), 397
BYRUM, CRAIG J., BALCKMAN, MARIE S., SCHNEIDER, BERNARD, SONDHEIMER, HENRY M., AND KAVEY, RAE-ELLEN W. Congenital atresia of the left coronary ostium and hypoplasia of the left main coronary artery, 354

C

CADY, WILLIAM J., WILSON, CHARLES S., CHAMBERS, WARD A., MILES, RICHARD R., HOLCSLAW, TERRY L., AND FORKER, ALAN D. Mexiletine in the treatment of refractory ventricular arrhythmias: A report of five cases, 181
CAMERON, BRUCE F. (*See* Sheps et al.), 193
CAMM, A. JOHN, EVANS, K. E., WARD, D. E., AND MARTIN, ANTHONY. The rhythm of the heart in active elderly subjects, 598
CARRILLO, A. (*See* Sobrino et al.), 319
CAZOR, J. L. (*See* Letac et al.), 694
CHAMBERS, WARD A. (*See* Cady et al.), 181
CHERIAN, GEORGE. (*See* Kunhali et al.), 225
CHILD, JOHN S. (*See* Krivokapich, Child, and Skorton), 425
CHIZNER, MICHAEL A., PEARLE, DAVID L., AND DELEON, ANTONIO C., JR. The natural history of aortic stenosis in adults, 419
CHO, SANG YON. (*See* Walinsky et al.), 494
CHUN, PATRICK K. C., RAJFER, SOL I., DONOHUE, DENNIS J., BOWEN, THOMAS E., AND DAVIA, JAMES E. Björk-Shiley mitral valvular dehiscence. Documented by radiography, echocardiography, fluoroscopy, and cineangiography, 230
——, SAN ANTONIO, RICHARD P., AND DAVIA, JAMES E. Laennec's cirrhosis and primary pulmonary hypertension, 779
CLEMAN, MICHAEL, VARGHESE, P. JACOB, AND PITT, BERTRAM. Myocardial blood flow as a determinant factor in the electrical stability of the myocardium, 325
CLERBAUX, TH., ROUSSEAU, M., NEMERY, B., FRANS, A., AND BRASSEUR, L. Nitroglycerin and oxyhemoglobin dissociation curve of human coronary sinus blood, 404
COBBS, B. WOODFIN, JR., HATCHER, CHARLES R., JR., CRAVER, JOSEPH M., JONES, ELLIS L., AND SEWELL, CHARLES W. Transverse midventricular disruption after mitral valve replacement, 33
COHN, JAY N. (*See* Pierpont et al.), 208
COLETTA, DEBORAH (*See* Win et al.), 93
COMBS, ROBERT L., SHAH, PRAVIN M., KLORMAN, RHONDA S., KLORMAN, RAFAEL, AND SYLVESTER, LINDA J. Effects of induced psychological stress on click and rhythm in mitral valve prolapse, 714
CRAVER, JOSEPH M. (*See* Cobbs et al.), 33
CRIBIER, A. (*See* Letac et al.), 694
CUOMO, SERGIO. (*See* de Caprio et al.), 413

D

DALE, JON, LEVANG, OLAF, AND ENGE, IVAR. Long-term results after aortic valve replacement with four different prostheses, 155
——, MYHRE, ERIC, AND LOEW, DIETER. Bleeding during acetylsalicylic acid and anticoagulant therapy in patients with reduced platelet reactivity after aortic valve replacement, 746
DAVIA, JAMES E. (*See* Chun et al.), 230
——. (*See* Chun, San Antonio, and Davia), 779
DE CAPRIO, LORENZO, CUOMO, SERGIO, BELLOTTI, PAOLO, ADAMO, BRUNA, POSTIGLIONE, MAURIZIO, VIGORITO, CARLO, AND RENGO, FRANCO. R wave amplitude changes during stress testing. Comparison with ST segment depression and angiographic correlation, 413
DECK, J. DAVID. (*See* Thubrikar et al.), 217
DELEON, ANTONIO C. (*See* Chizner, Pearle, and deLeon), 419
DELLIPIANI, A. W. Coronary care-the limits, 400 (Annot.)
DEL RIO, A. (*See* Sobrino et al.), 319
DENBOW, CHARLES E., PLUTH, JAMES R., AND GIULIANI, EMILIO R. The role of echocardiography in the selection of mitral valve prosthesis, 586
DENNISH, G. W. (*See* Vieweg et al.), 707
DE SOYZA, NEIL. (*See* Bissett et al.), 625
DEWALL, RICHARD A. (*See* Arnold et al.), 614
DIOSI, PETER. (*See* Georgescu et al.), 397
DISCIASCIO, GERMANO, AND TARANTA, ANGELO. Rheumatic fever in children, 635
DONOHUE, DENNIS J. (*See* Chun et al.), 230
DRENICK, ERNST J. The risks of intestinal bypass operations, 271
DUNCAN, HENRY W. (*See* Barnard, Buckberg, and Duncan), 476
DURACK, DAVID T. (*See* Bisno et al.), 274
DURRER, DIRK. (*See* Tans, Lie, and Durrer), 4

E

EDWARDS, JESSE E. (*See* Jeraj et al.), 185
——. (*See* Epstein et al.), 510
EDWARDS, WILLIAM D. (*See* Jeraj et al.), 185
EMMANOULIDES, GEORGE. (*See* Hohn et al.), 403
ENGE, IVAR. (*See* Dale, Levang, and Enge), 155
ENGELBERG, HYMAN. Heparin and atherosclerosis. A review of old and recent findings, 359
ENGELMAN, KARL. (*See* Martin et al.), 282
ENI, MAYA. (*See* Abraham et al.), 604
EPSTEIN, MICHAEL L., FORMANEK, AUGUSTIN G., BESSINGER, F. BLANTON, AND EDWARDS, JESSE E. Clinical pathologic conference, 510
EVANS, K. E. (*See* Camm et al.), 598

F

FACTOR, STEPHEN M., MINASE, TAKASHI, AND SONNENBLICK, EDMUND H. Clinical and morphological features of human hypertensive-diabetic cardiomyopathy, 446
——, AND REICHEL, JOSEPH. Primary pulmonary hypertension, 789
FAUCI, ANTHONY S. (*See* Parrillo and Fauci), 547
FELNER, JOEL M. (*See* Alimurung et al.), 739
FERGUSON, ROGER K., VLASSES, PETER H., KOPLIN, JANICE R., SHIRINIAN, ANNE, BURKE, JAMES F., JR., AND ALEXANDER, JOHN C. Captopril in severe treatment-resistant hypertension, 579
FLASHNER, MICHAEL. (*See* Hanson et al.), 483
FLORES-DELGADO, ISMAEL. (*See* Attie et al.), 163
FLOWERS, NANCY C. (*See* Yamour et al.), 294
——. (*See* Masden and Flowers), 342
FORKER, ALAN D. (*See* Cady et al.), 181
FORMANEK, AGUSTIN. The clinical value of cardiac fluoroscopy, 131
——. (*See* Epstein et al.), 510
FRANCIOSA, JOSEPH A. (*See* Pierpont et al.), 208
FRANS, A. (*See* Clerbaux et al.), 404
FRASER, DAVID W. (*See* Bisno et al.), 274
FRATER, ROBERT. (*See* Oka et al.), 255
FREED, MICHAEL D. (*See* Winkler, Freed, and Nadas), 87
FREI, EMIL, III. (*See* Henderson and Frei), 671
FRIEDMAN, GARY D. Cigarette smoking and coronary heart disease: new evidence and old reactions, 398 (Annot.)

FRISHMAN, WILLIAM. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 9. Nadolol: A new long-acting beta-adrenoceptor blocking drug, 124
——. (*See* Oka et al.), 255
——. (*See* Halprin et al.), 388
——. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 12. Beta-adrenoceptor blockade in myocardial infarction: the continuing controversy, 528
——. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 13. The beta-adrenoceptor blocking drugs: A perspective, 665
FUNK, DAVID C. (*See* Benge, Martins, and Funk), 96
FURUYA, HIDEO. (*See* Tomoda et al.), 701

G

GARVEY, JULIUS. (*See* Hamby et al.), 607
GEDDES, J. S., ADGEY, A. A. J., AND PANTRIDGE, J. F. Prevention of cardiogenic shock, 243
GEDDES, LESLIE A. (*See* Babbs et al.), 734
GEORGESCU, LEONIDA, DIOSI, PETER, BUŢIU, IOAN, PLAVOŞIN, LIVIA, AND HERZOG, GEORGETA. Coronaviruses in Balkan nephritis, 397 (Annot.)
GESSNER, IRA. (*See* Hohn et al.), 403
GIANELLY, RALPH E. (*See* Schweiger et al.), 630
GILAT, T. (*See* Walker et al.), 130
GILBERT, CHARLES A. (*See* Alimurung et al.), 739
GIULIANI, EMILIO R. (*See* Denbow, Pluth, and Giuliani), 586
GOLDSTEIN, STEVEN A. (*See* Lindsay et al.), 310
GOTSMAN, MERVYN S. (*See* Lewis and Gotsman), 101
GREENBERG, MARK A., AND RUBIN, IRA. Reply, 275 (Letter)
GREENBLATT, DAVID J. (*See* Ochs et al.), 468
GREENE, DAVID G. (*See* Arani, Greene, and Klocke), Reply, 133 (Letter to Editor)
GRISWOLD, HERBERT E. (*See* Silverstein et al.), 727
GRUBE, EBERHARD. (*See* Ochs et al.), 468
GUNTHEROTH, WARREN G. Reply, 403 (Letter to Editor)
GYÖRY, AKOS Z., KESSON, ALISON M., AND TALBOT, JANE M. Microscopy of urine-now you see it, now you don't! 537 (Annot.)

H

HABERSBERGER, PETER G. (*See* Pitt et al.), 574
HAFER, JESSE G., JR. (*See* Schweiger et al.), 630
HAGAN, A. D. (*See* Vieweg et al.), 707
HALE, KATHRYN A. (*See* Pierpont et al.), 208
HALPRIN, STANLEY, FRISHMAN, WILLIAM, KIRSCHNER, MARC, AND STROM, JOEL. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 11. Effects of oral labetalol in patients with both angina pectoris and hypertension: a preliminary experience, 388
HAMBY, ROBERT I., HOFFMAN, IRWIN, WEISZ, DANIEL, GARVEY, JULIUS, AND WISOFF, B. GEORGE. Recurrent angina after bypass surgery: evaluation by early and late arteriography, 607
HANSEN, DAVID P. (*See* Silverstein et al.), 727
HANSON, VICTOR A., JR., LANDAW, STEPHEN A., FLASHNER, MICHAEL, WAX, STENNIS D., AND WEBB, WATTS R. Sialic acid-depleted red cells following acute myocardial infarction, 483
HANSING, CHARLES E. The risk of coronary angiography and National Health planning, 812 (Annot.)
HARKNESS, DONALD R. (*See* Sheps et al.), 193
HATCHER, CHARLES R., JR. (*See* Cobbs et al.), 33
HAWK, WILLIAM A. (*See* Shirey, Proudfit, and Hawk), 198
HELIN, M. (*See* Raunio et al.), 565
HENDERSON, I. CRAIG, AND FREI, EMIL, III. Adriamycin cardiotoxicity, 671 (Annot.)
HERZOG, GEORGETA. (*See* Georgescu et al.), 397
HILLERT, M. C. (*See* Nixon et al.), 772
HIRSCHFELD, STEPHEN. (*See* Riggs, Hirschfeld, and Rajai), 301
HOFFMAN, IRWIN. (*See* Hamby et al.), 607
HOHN, ARNO, GESSNER, IRA, LAUER, RONALD M., ROBINSON, SAUL, SCHIEBLER, GERALD, AND EMMANOULIDES, GEORGE. Proficiency and cost-effectiveness in pediatric hospitals, 403 (Letter to Editor)
HOLCSLAW, TERRY L. (*See* Cady et al.), 181
HOPE, RONALD R., SCHERLAG, BENJAMIN J., AND LAZZARA, RALPH. Excitation of ischemic myocardium: altered properties of conduction, refractoriness, and excitability, 753
HOROWITZ, C. (*See* Walker et al.), 130
HOSHIAI, MITSUMOTO. (*See* Tomoda et al.), 701
HUTCHINS, GROVER M. (*See* Rothko, Moore, and Hutchins), 17

I

IMIZCOZ, M. A. (*See* Sobrino et al.), 319
ISHIKAWA, KYOZO. (*See* Shirato and Ishikawa), 722
ISLES, CHRISTOPHER. Excess smoking in malignant hypertension, 538 (Annot.)
ISNER, JEFFREY M., VIRMANI, RENU, ITSCOITZ, SAMUEL B., AND ROBERTS, WILLIAM C. Left and right ventricular myocardial infarction in idiopathic dilated cardiomyopathy, 235
ITSCOITZ, SAMUEL B. (*See* Isner et al.), 235

J

JEFFCOATE, W. J. Brain peptides and pain sensation, 1
JERAJ, KARIM, OGBURN, PHILLIP N., EDWARDS, WILLIAM D., AND EDWARDS, JESSE E. Atrial standstill, myocarditis and destruction of cardiac conduction system: Clinicopathologic correlation in a dog, 185
JEWELL, GREGORY M., MAGORIEN, RAYMOND D., SCHAAL, STEPHEN F., AND LEIER, CARL V. Autonomic tone of patients during an electrophysiological catheterization. The role of autonomic influences on the reproducibility of sinus node function studies, 51
JOHNSON, A. D. (*See* Vieweg et al.), 707
JOHNSTON, LOUIS C. The abnormal heart rate response to a deep breath in borderline labile hypertension: a sign of autonomic nervous system dysfunction, 487
JOHNSTON, PHILLIP E. (*See* Patterson et al.), 135 (Letter to Editor)
JOKINEN, Y. (*See* Raunio et al.), 565
JONES, ELLIS L. (*See* Cobbs et al.), 33
JUNDA, RUDOLPH J. (*See* Win et al.), 93

K

KADISH, ALAN. (*See* Oka et al.), 255
KALTENBACH, MARTIN. (*See* Bussmann, Schreiber, and Kaltenbach), 589
KAPLAN, EDWARD L. (*See* Bisno et al.), 274
KASTOR, JOHN A. (*See* Martin et al.), 282
KATKOV, HAROLD. (*See* Singh et al.), 25
KAUL, T. K., MACFARLANE, P. W., THOMSON, R. M., AND BAIN, W. H. An analysis of electrocardiographic, radiographic, and vectorcardiographic findings in patients with implanted cardiac pacemakers, 686
KAVEY, RAE-ELLEN W. (*See* Byrum et al.), 354
KAWAI, CHUICHI. (*See* Matsumori and Kawai), 542
KÉKES, EDE. (*See* Tenczer et al.), 349
KENT, KENNETH M. (*See* Roberts, Shemin, and Kent), 142
KERSHBAUM, KENNETH L. (*See* Martin et al.), 282
KESSON, ALISON M. (*See* Györy, Kesson, and Talbot), 537
KEZDI, PAUL. (*See* Arnold et al.), 614
KHALILULLAH, MOHAMMAD, SATHYAMURTHY, IMMANENI, AND SINGHAL, NARENDRA K. Ajmaline in WPW syndrome: an electrophysiologic study, 766

KIRSCHNER, MARC. (*See* Halprin et al.), 388
KLOCKE, FRANCIS J. (*See* Arani, Greene, and Klocke), Reply, 133 (Letter to Editor)
KLORMAN, RAFAEL. (*See* Combs et al.), 714
KLORMAN, RHONDA S. (*See* Combs et al.), 714
KLUTZ, WILLIAM. (*See* Tommaso et al.), 149
KOIDE, SHIROSAKU. (*See* Tomoda et al.), 701
KOPLIN, JANICE R. (*See* Ferguson et al.), 579
KRISHNASWAMI, S. (*See* Kunhali et al.), 225
KRIVOKAPICH, JANINE, CHILD, JOHN S., AND SKORTON, DAVID J. Flail aortic valve leaflets: M-mode and two-dimensional echocardiographic manifestations, 425
KUNHALI, K., CHERIAN, GEORGE, BAKTHAVIZIAM, A., ABRAHAM, M. THOMAS, AND KRISHNASWAMI, S. Rupture of a papillary muscle of the tricuspid valve in primary pulmonary hypertension, 225
KUPERUS, JOHN. (*See* Olson et al.), 459
KURI, JORGE. (*See* Attie et al.), 163
KURIBAYASHI, SACHIO. (*See* Tomoda et al.), 701

L

LAMPMAN, JAMES H., AND WILSON, JOHN R. Reply, 818 (Letter to Editor)
LANCHAS, C. HERNÁNDEZ. (*See* Sobrino et al.), 319
LANDAW, STEPHEN A. (*See* Hanson et al.), 483
LAPORTE, JEAN-MARIE. Improved circulation by coronary bypass? 678 (Letter to Editor)
LAUER, RONALD M. (*See* Hohn et al.), 403
LAZZARA, RALPH. (*See* Hope, Scherlag, and Lazzara), 753
LEATHAM, AUBREY, AND BRIGDEN, WALLACE. Mild mitral regurgitation and the mitral prolapse fiasco, 659
LEIER, CARL V. (*See* Jewell et al.), 51
—, AND SCHAAL, STEPHEN F. Biatrial electrograms during coarse atrial fibrillation and flutter-fibrillation, 331
LETAC, B., CAZOR, J. L., CRIBIER, A., SIBILLE, C., AND TOUSSAINT, C. Large multiple coronary artery aneurysm in adult patients: a report on three patients and a review of the literature, 694
LEVANG, OLAF. (*See* Dale, Levang, and Enge), 155
LEVI, G. F. Bradyarrhythmia after digitalis-chronic cardiotoxicity, 403 (Letter to Editor)
LEWIS, BASIL S., AND GOTSMAN, MERVYN S. Current concepts of left ventricular relaxation and compliance, 101
LIE, K. I. (*See* Tans, Lie, and Durrer), 4
LIEBERMAN, JERROLD S. Instrumental methods in the study of vascular disease, 517
LINDSAY, JOSEPH, JR., NOLAN, NICHOLAS G., GOLDSTEIN, STEVEN A., AND BACOS, JAMES M. The usefulness of radionuclide ventriculography for the identification and assessment of patients with coronary heart disease, 310
LITTMANN, LÁSZLÓ. (*See* Tenczer et al.), 349
LO, WILLIAM C. (*See* Sheps et al.), 193
LOCHAYA, SOMCHART, THONGMITR, VIPA, AND SUVACHITTANONT, ORAWAN. Antihypertensive effect of BS 100-141, a new central acting antihypertensive agent, 58
LOEW, DIETER. (*See* Dale, Myhre, and Loew), 746
LYONS, KENNETH P. (*See* Olson et al.), 459

M

MACALPIN, REX N. Correlation of the location of coronary arterial spasm with the lead distribution of ST segment elevation during variant angina, 555
MACARTHUR, COLIN, AND MCKENNA, WILLIAM. HL-A and hypertrophic cardiomyopathy, 542 (Letter to Editor)
MCCABE, CAROLYN H. (*See* Weiner, McCabe, and Ryan), 811
MACFARLANE, P. W. (*See* Kaul et al.), 686
MCKENNA, WILLIAM. (*See* MacArthur and McKenna), 542
MCKENZIE, F. N. (*See* Youngson, McKenzie, and Nichol), 503
MCLEOD, JAMES D. (*See* Singh et al.), 25
MAGORIEN, RAYMOND D. (*See* Jewell et al.), 51
MALLON, STEPHEN M. (*See* Sheps et al.), 193
MANION, CARL V., WHITSETT, THOMAS L., AND WILSON, MICHAEL F. Applicability of correcting the QT interval for heart rate, 678 (Letter to Editor)
MARTIN, ANTHONY. (*See* Camm et al.), 598
MARTIN, THOMAS R., KASTOR, JOHN A., KERSHBAUM, KENNETH L., AND ENGELMAN, KARL. The effects of atropine administered with standard syringe and a self-injector device, 282
MARTINS, JAMES B. (*See* Benge, Martins, and Funk), 96
MASDEN, RONALD R., AND FLOWERS, NANCY C. Extension of experimental infarction with nicotine and estimates of infarct size, 342
MATÉ, I. (*See* Sobrino et al.), 319
MATSUMORI, AKIRA, AND KAWAI, CHUICHI. Reply, 542 (Letter to Editor)
MATSUMOTO, MASAYUKI. (*See* Oka et al.), 255
MATSUMOTO, SADATOSHI. (*See* Tomoda et al.), 701
MATSUYAMA, SEIYA. (*See* Tomoda et al.), 701
MENOTTI, ALESSANDRO. (*See* Puddu, Menotti, and Signoretti), 539
MIDELL, ALLEN T AND BERMUDEZ, GUSTAVO A. Surgical closure of coronary artery fistula emptying into left ventricle, 133 (Letter to Editor)
MILES, RICHARD R. (*See* Cady et al.), 181
MILLER, STEPHEN T. (*See* Patterson et al.), 135 (Letter to Editor)
MINASE, TAKASHI. (*See* Factor, Minase, and Sonnenblick). 446
MOLINA, BERNARDO. (*See* Attie et al.), 163
MOLLER, JAMES H. (*See* Ormond, Bessinger, and Moller), 75
MOLNAR, FERENC. (*See* Tenczer et al.), 349
MONSON, ROBERTA A. Doctors, drugs, and complicance, 272 (Annot.)
MOORE, G. WILLIAM. (*See* Rothko, Moore, and Hutchins), 17
MUÑOZ-CASTELLANOS, LUIS. (*See* Attie et al.), 163
MYERBURG, ROBERT J. (*See* Sheps et al.), 193
MYHRE, ERIC. (*See* Dale, Myhre, and Loew), 746

N

NADAS, ALEXANDER S. (*See* Winkler, Freed, and Nadas), 87
NELSON, D. P. (*See* Vieweg et al.), 707
NEMERY, B. (*See* Clerbaux et al.), 404
NEUMANN, HANS H. Simplifying cardiopulmonary resuscitation rules, 541 (Letter to Editor)
NICHOL, P. M. (*See* Youngson, McKenzie, and Nichol), 503
NIXON, J. V., HILLERT, M. C., SHAPIRO, WILLIAM, AND SMITHERMAN, THOMAS C. Submaximal exercise testing after unstable angina, 772
NOLAN, NICHOLAS G. (*See* Lindsay et al.), 310
NOLAN, STANTON P. (*See* Thubrikar et al.), 217
NORRIS, R. M. Beta adrenoceptor blockade in acute myocardial infarction, 683

O

OCHS, HERMANN R., GRUBE, EBERHARD, GREENBLATT, DAVID J., WOO, ELAINE, AND BODEM, GUNTHER. Intravenous quinidine: pharmacokinetic properties and effects on left ventricular performance in humans, 468
OEDA, YASUAKI. (*See* Tomoda et al.), 701
OGBURN, PHILLIP N. (*See* Jeraj et al.), 185
OHRT, DAVID W. (*See* Bissett et al.), 625
OJIAMBO, HILLARY P. (*See* Silverstein et al.), 727

OKA, YASU, FRISHMAN, WILLIAM, BECKER, RONALD M., KADISH, ALAN, STROM, JOEL, MATSUMOTO, MASAYUKI, ORKIN, LOUIS, AND FRATER, ROBERT. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 10. Beta-adrenoceptor blockade and coronary artery surgery, 255
OLIVEIRA, MARK A. (*See* Bisno et al.), 274
OLSON, HAROLD G., LYONS, KENNETH P., ARONOW, WILBERT S., KUPERUS, JOHN, ORLANDO, JOAN R., AND WATERS, HARRIS J. Technetium-99m stannous pyrophosphate myocardial scintigrams in pericardial disease, 459
ORKIN, LOUIS (*See* Oka et al.), 255
ORLANDO, JOAN R. (*See* Olson et al.), 459
ORSMOND, GARTH S., BESSINGER, BLANTON, JR., AND MOLLER, JAMES H. Rest and exercise hemodynamics in children before and after aortic valvotomy, 76
OSTER, KURT A. Duplicity in a Committee Report on Diet and Coronary Heart Disease, 409
OVSEYEVITZ, JACOBO. (*See* Attie et al.), 163

P

PANTRIDGE, J. F. (*See* Geddes, Adgey, and Pantridge), 243
PARRILLO, JOSEPH E., AND FAUCI, ANTHONY S. Necrotizing vasculitis, coronary angiitis, and the cardiologist, 547
PASTORE, JOHN O. (*See* Win et al.), 93
PATNAIK, B. C. (*See* Sarangi et al.), 289
PATTERSON, JAMES H., SELF, TIMOTHY H., WICKE, WALLACE, JOHNSTON, PHILLIP E., MILLER, STEPHEN T., AND BICKERS, WILLIAM J. Single daily dosing of propranolol in hypertension, 135 (Letter to Editor)
PEARLE, DAVID L. (*See* Chizner, Pearle, and deLeon), 419
PIERPONT, GORDON, HALE, KATHRYN A., FRANCIOSA JOSEPH A., COHN, JAY N., ZIESCH, SUSAN, AND WILEN, MARY. Effects of vasodilators on pulmonary hemodynamics and gas exchange in left ventricular failure, 208
PIPBERGER, HUBERT V. Reduction of QRS amplitudes after cardiac dilatation, 679 (Letter to Editor)
PITT, AUBREY, ANDERSON, STANLEY T., HABERSBERGER, PETER G., AND ROSENGARTEN, DAVID S. Low dose heparin in the prevention of deep-vein thromboses in patients with acute myocardial infarction, 574
PITT, BERTRAM. (*See* Cleman, Varghese, and Pitt), 325
PLAVOŞIN, LIVIA. (*See* Georgescu et al.), 397
PLUTH, JAMES R. (*See* Denbow, Pluth, and Giuliani), 586
POEHLMAN, JOHN H., AND SILVERMAN, MARK E. Clinical characteristics, electrocardiographic and enzyme correlations, and long-term prognosis of patients with chest pain associated with ST depression and/or T wave inversion, 173
POLLACK, MATTHEW. (*See* Blair et al.), 783
POSTIGLIONE, MAURIZIO. (*See* de Caprio et al.) 413
PRESTON, THOMAS A. Measuring ventricular function after coronary bypass surgery, 270
PROUDFIT, WILLIAM L. (*See* Shirey, Proudfit, and Hawk), 198
PUDDU, VITTORIO, MENOTTI, ALESSANDRO, AND SIGNORETTI, PAOLO. Drinking water and cardiovascular disease, 539 (Annot.)
PYÖRÄLÄ, K. (*See* Raunio et al.), 565

R

RAEDER, ERNST A. (*See* Burckhardt and Raeder), 443
RAINWATER, JOSEPH. (*See* Steele and Rainwater), 438
RAJAI, HOOSHANG. (*See* Riggs, Hirschfeld, and Rajai), 301
RAJFER, SOL I. (*See* Chun et al.), 230
RAO, P. SYAMASUNDAR. A unified classification for tricuspid atresia, 799
RAUNIO, H., RISSANEN, V., REHNBERG, S., JOKINEN, Y., HELIN, M., AND PYÖRÄLÄ, K. Prognostic significance of an ST segment depression of patients with an acute coronary attack, 565
REHNBERG, S. (*See* Raunio et al.), 565
REICHEL, JOSEPH. (*See* Factor and Reichel), 789
RENGO, FRANCO. (*See* de Caprio et al.), 413
RICE, JOHN F. (*See* Yamour et al.), 294
RIGGS, THOMAS, HIRSCHFELD, STEPHEN, AND RAJAI, HOOSHANG. The pediatric spectrum of dynamic left ventricular obstruction, 301
RISSANEN, V. (*See* Raunio et al.), 565
ROBERTS, WILLIAM C., SHEMIN, RICHARD J., AND KENT, KENNETH M. Frequency and direction of interatrial shunting in valvular pulmonic stenosis with intact ventricular septum and without left ventricular inflow or outflow obstruction. An analysis of 127 patients treated by valvulotomy, 142
——. (*See* Isner et al.), 235
ROBINSON, SAUL. (*See* Hohn et al.), 403
ROSENGARTEN, DAVID S. (*See* Pitt et al.), 574
ROTHKO, KATE, MOORE, G. WILLIAM, AND HUTCHINS, GROVER M. Truncus arteriosus malformation: a spectrum including fourth and sixth aortic arch interruptions, 17
ROUSSEAU, M. (*See* Clerbaux et al.), 404
RUBIN, IRA. (*See* Greenberg and Rubin), 275
RYAN, THOMAS J. (*See* Weiner, McCabe, and Ryan), 811

S

SADJADI, SEYED A. (*See* Askanas, Udoshi, and Sadjadi), 9
SALZEIDER, KEN (*See* Tommaso et al.), 149
SAN ANTONIO, RICHARD P. (*See* Chun, San Antonio, and Davia), 779
SANE, SHASHIKANT, M. (*See* Singh et al.), 25
SANTAMORE, WILLIAM. (*See* Walinsky et al.), 494
SARANGI, A., TRIPATHY, N., LAL, D., PATNAIK, B. C., AND SWAIN, A. K. Study of serum digoxin status in digitoxicity by radioimmunoassay, 289
SASAMOTO, HIROSHI. (*See* Tomoda et al.), 701
SASSÉ, LEWIS. (*See* Steiner and Sassé), 275
SATHYAMURTHY, IMMANENI. (*See* Khalilullah, Sathyamurthy, and Singhal), 766
SCHAAL, STEPHEN F. (*See* Jewell et al.), 51
——. (*See* Leier and Schaal), 331
SCHERLAG, BENJAMIN J. (*See* Hope, Scherlag, and Lazzara), 753
SCHIEBLER, GERALD. (*See* Hohn et al.), 403
SCHLANT, ROBERT C. (*See* Alimurung et al.), 739
SCHNEIDER, BERNARD. (*See* Byrum et al.), 354
SCHREIBER, SYBILLE. (*See* Bussmann, Schreiber, and Kaltenbach), 589
SCHROEDER, STEVEN A. The complications of coronary arteriography: a problem that won't go away, 139
SCHUSTER, EDWARD H., ACHUFF, STEPHEN C., BELL, WILLIAM R., AND BULKLEY, BERNADINE H. Multiple coronary thromboses in previously normal coronary arteries: a rare cause of acute myocardial infarction, 506
SCHWEIGER, MARC J., HAFER, JESSE G., JR., BROWN, RICHARD, AND GIANELLY, RALPH E. Spontaneous cure of infected left atrial myxoma following embolization, 630
SCOVIL, JAMES A. (*See* Bissett et al.), 625
SEGAL, I. (*See* Walker et al.), 130
SELF, TIMOTHY H. (*See* Patterson et al.), 135 (Letter to Editor)
——, AND VANDERBUSH, ROSS E. Cost of continuous infusion vs intermittent IV heparin, 816 (Letter to Editor)
SEWELL, CHARLES W. (*See* Cobbs et al.), 33
SHAH, PRAVIN M. (*See* Combs et al.), 714
SHAPIRO, WILLIAM. (*See* Nixon et al.), 772
SHEMESH, OVADIAH. (*See* Abraham et al.), 604
SHEMIN, RICHARD J. (*See* Roberts, Shemin, and Kent), 142
SHEPS, DAVID S., CAMERON, BRUCE F., MALLON, STEPHEN M., SOMMER, LEONARD S., LO, WILLIAM C., HARKNESS, DONALD R., AND MYERBURG, ROBERT J. Depression of intramyocardial oxyhemoglobin dissociation by angiographic contrast media, 193

SHIRATO, CHIAKI, AND ISHIKAWA, KYOZO. Newly developed systolic murmur in patients with a transvenous pacemaker, 722
SHIREY, EARL K., PROUDFIT, WILLIAM L., AND HAWK, WILLIAM A. Primary myocardial disease. Correlation with clinical findings, angiographic and biopsy diagnosis. Follow-up of 139 patients, 198
SHIRINIAN, ANNE. (*See* Ferguson et al.), 579
SIBILLE, C. (*See* Letac et al.), 694
SIGNORETTI, PAOLO. (*See* Puddu, Menotti, and Signoretti), 539
SILVERMAN, MARK E. (*See* Poehlman and Silverman), 173
SILVERSTEIN, DAVID M., HANSEN, DAVID P., OJIAMBO, HILLARY P., AND GRISWOLD, HERBERT E. Left ventricular function in severe pure mitral stenosis as seen at the Kenyatta National Hospital, 727
SINGH, AMARJIT, KATKOV, HAROLD, ZAVORAL, JAMES H., SANE, SHASHIKANT M., AND MCLEOD, JAMES D. Congenital aneurysms of the left ventricle, 25
SINGHAL, NARENDRA K. (*See* Khalilullah, Sathyamurthy, and Singhal), 766
SKORTON, DAVID J. (*See* Krivokapich, Child, and Skorton), 425
SMITHERMAN, THOMAS C. (*See* Nixon et al.), 772
SOBRINO, J. A., LANCHAS, C. HERNÁNDEZ, DEL RIO, A., MATÉ, I, CARRILLO, A., IMIZCOZ, M. A., AND SOBRINO, N. Left ventricular cavity obliteration: hemodynamic behavior of the postextrasystolic beat, 319
SOBRINO, N. (*See* Sobrino et al.), 319
SOLOFF, LOUIS A. On Duroziez's disease, 815 (Letter to Editor)
SOMMER, LEONARD S. (*See* Sheps et al.), 193
SONDHEIMER, HENRY M. (*See* Byrum et al.), 354
SONNENBLICK, EDMUND H. (*See* Factor, Minase, and Sonnenblick), 446
SONNENBLICK, MOSHE. (*See* Abraham et al.), 604
SRIDHARAN, M. R. (*See* Yamour et al.), 294
STEELE, PETER, AND RAINWATER, JOSEPH. Relationship of plasma anti-heparin activity and platelet survival time in coronary disease, 438
STEINER, LYLE, AND SASSÉ, LEWIS. Asystole after pacemaker placement, 275 (Letter to Editor)
STROM, JOEL. (*See* Oka et al.), 255
——. (*See* Halprin et al.), 388
SUVACHITTANONT, ORAWAN. (*See* Lochaya, Thongmitr, and Suvachittanont), 58
SWAIN, A. K. (*See* Sarangi et al.), 289
SYLVESTER, LINDA J. (*See* Combs et al.), 714

T

TACKER, WILLIS A. (*See* Babbs et al.), 734
TALBOT, JANE M. (*See* Györy, Kesson, and Talbot), 537
TAMACHI, HIROMITSU. (*See* Tomoda et al.), 701
TANABE, TERUHISA. (*See* Tomoda et al.), 701
TANS, ALFRED C., LIE, K. I., AND DURRER, DIRK. Clinical setting and prognostic significance of high degree atrioventricular block in acute inferior myocardial infarction: a study of 144 patients, 4
TARANTA, ANGELO. (*See* DeSciascio and Taranta), 635
TENCZER, JÓZSEF, LITTMANN, LÁSZLÓ, MOLNAR, FERENC, AND KÉKES, EDE. Atrial reentry in chronic repetitive supraventricular tachycardia, 349
TESTELLI, MARIO R. (*See* Attie et al.), 163
THOMSON, R. M. (*See* Kaul et al.), 686
THONGMITR, VIPA. (*See* Lochaya, Thongmitr, and Suvachittanont), 58
THUBRIKAR, MANO, NOLAN, STANTON P., BOSHER, L. PAUL, AND DECK, J. DAVID. The cyclic changes and structure of the base of the aortic valve, 217
TIDEIKSAAR, REIN. Bleeding complications with heparin therapy, 541 (Letter to Editor)
TIKOFF, GERASIM. (*See* Ayars and Tikoff), 816
TOMMASO, CARL L., SALZEIDER, KEN, ARIF, MOHAMMED, AND KLUTZ, WILLIAM. Serial myoglobin vs. CPK analysis as an indicator of uncomplicated myocardial infarction size and its use in assessing early infarct extension, 149
TOMODA, HARUO, HOSHIAI, MITSUMOTO, FURUYA, HIDEO, OEDA, YASUAKI, MATSUMOTO, SADATOSHI, TANABE, TERUHISA, TAMACHI, HIROMITSU, SASAMOTO, HIROSHI, KOIDE, SHIROSAKU, KURIBAYASHI, SACHIO, AND MATSUYAMA, SEIYA. Evaluation of pericardial effusion with computed tomography, 701
TOUSSAINT, C. (*See* Letac et al.), 694
TRIPATHY, N. (*See* Sarangi et al.), 289
TROMPETER, RICHARD S. Vascular permeability factor and nephrotic syndrome, 674 (Annot.)

U

UDOSHI, MALLIKARJUN. (*See* Askanas, Udoshi, and Sadjadi), 9

V

VANDERBUSH, ROSS E. (*See* Self and Vanderbush), 816
VANVLEET, JOHN F. (*See* Babbs et al.), 734
VARGHESE, P. JACOB. (*See* Cleman, Varghese, and Pitt), 325
VIEWEG, W. V. R., ALPERT, J. S., JOHNSON, A. D., DENNISH, G. W., NELSON, D. P., WARREN, S. E., AND HAGAN, A. D. Distribution and severity of left ventricular wall motion abnormalities according to age and coronary arterial pattern in 500 patients with coronary artery disease and angina pectoris, 707
VIGORITO, CARLO. (*See* de Caprio et al.), 413
VIRMANI, RENU. (*See* Isner et al.), 235
VLASSES, PETER H. (*See* Ferguson et al.), 579

W

WALINSKY, PAUL, SANTAMORE, WILLIAM, WIENER, LESLIE, CHO, SANG YON, AND BREST, ALBERT N. Effect of norepinephrine on coronary hemodynamics in coronary stenotic canine model, 494
WALKER, A. R. P., SEGAL, I., GILAT, T., AND HOROWITZ, C. Excessive proneness of Jews to ischemic heart and bowel diseases, 130
WANDERMAN, KENNETH L. Regression equations and normal values for children, 134 (Letter to Editor)
WARD, D. E. (*See* Camm et al.), 598
WARREN, S. E. (*See* Vieweg et al.), 707
WATERS, HARRIS J. (*See* Olson et al.), 459
WATSON, JOHN W. (*See* Bissett et al.), 625
WAUGH, ROBERT A. (*See* Blair et al.), 783
WAX, STENNIS D. (*See* Hanson et al.), 483
WEBB, WATTS R. (*See* Hanson et al.), 483
WEINER, DONALD A., MCCABE, CAROLYN H., AND RYAN, THOMAS J. Exercise testing for the diagnosis of coronary artery disease, 811 (Annot.)
WEISZ, DANIEL. (*See* Hamby et al), 607
WHEAT, MYRON W., JR. Acute dissecting aneurysms of the aorta: diagnosis and treatment-1979, 373
WHISNANT, JACK P. The Canadian trial of aspirin and sulfinpyrazone in threatened stroke, 129
WHITSETT, THOMAS L. (*See* Manion, Whitsett, and Wilson), 678
WICKE, WALLACE. (*See* Patterson et al.), 135 (Letter to Editor)
WIENER, LESLIE. (*See* Walinsky et al.), 494
WILEN, MARY. (*See* Pierpont et al.), 208
WILSON, CHARLES S. (*See* Cady et al.), 181
WILSON, JOHN R. (*See* Lampman and Wilson), 818

WILSON, MICHAEL F. (*See* Manion, Whitsett, and Wilson), 678
WIN, AUNG, PASTORE, JOHN O., COLETTA, DEBORAH, AND JUNDA, RUDOLPH J. Echocardiographic detection of a retained left atrial catheter, 93
WINKLER, ROBIN B., FREED, MICHAEL D., AND NADAS, ALEXANDER S. Exercise-induced ventricular ectopy in children and young adults with complete heart block, 87
WISOFF, B. GEORGE. (*See* Hamby et al.), 607
WOO, ELAINE, (*See* Ochs et al.), 468

Y

YAMOUR, BEVERLY J., SRIDHARAN, M. R., RICE, JOHN F., AND FLOWERS, NANCY C. Electrocardiographic changes in cerebrovascular hemorrhage, 294
YOUNG, NATHANIEL A. (*See* Blair et al.), 783
YOUNGSON, G. G., MCKENZIE, F. N., AND NICHOL, P. M. Superior vena cava syndrome: Case report. A complication of permanent transvenous endocardial cardiac pacing requiring surgical correction, 503

Z

ZAVORAL, JAMES H. (*See* Singh et al.), 25
ZEMA, MICHAEL J. Lyle's maneuver—an overdue critique, 679 (Letter to Editor)
ZIESCH, SUSAN. (*See* Peirpont et al.), 208
ZSOTÉR, THOMAS T. Calcium antagonists, 805
ZWART, HANS H. J. (*See* Arnold et al.), 614

Subject index*

A

Abnormal heart rate response to a deep breath in borderline labile hypertension: a sign of autonomic nervous system dysfunction (Johnston), 487

Acebutolol on cardiac arrhythmias, effect of in patients with chronic coronary artery disease (Burckhardt and Raeder), 443 *With the technical assistance of E. Blum*

Acetylsalicylic acid and anticoagulant therapy, bleeding during in patients with reduced platelet reactivity after aortic valve replacement (Dale, Myhre, and Loew), 746

Acid-depleted red cells, sialic, following acute myocardial infarction (Hanson et al.), 483

Active elderly subjects, rhythm of the heart in (Camm et al.), 598

Acute dissecting aneurysms of the aorta: diagnosis and treatment—1979 (Wheat), 373

Adrenoceptor blockade, beta, in acute myocardial infarction (Norris), 683

Adriamycin cardiotoxicity (Henderson and Frei), 671 (Annot.)

Adults, natural history of aortic stenosis in (Chizner, Pearle, and deLeon), 419

Ajmaline in WPW syndrome: an electrophysiologic study (Khalilullah, Sathyamurthy, and Singhal), 766

Alcoholism, chronic, the heart in: a non-invasive study (Askanas, Udoshi, and Sadjadi), 9

Allopurinol on the degree of early myocardial ischemia, effect of (Arnold et al.), 614

American Heart Association Registry—Failure of prophylaxis for bacterial endocarditis (Bisno et al.), 274 (Letter to Editor)

Aneurysm(s), coronary artery, multiple, large, in adult patients: a report on three patients and a review of the literature (Letac et al.), 694

of the aorta, acute dissecting: diagnosis and treatment—1979 (Wheat), 373

of the left ventricle, congenital (Singh et al.), 25

Angiitis, coronary, necrotizing vasculitis, and the cardiologist (Parrillo and Fauci), 547

Angina pectoris and coronary artery disease, distribution and severity of left ventricular wall motion abnormalities according to age and coronary arterial pattern in 500 patients with (Vieweg et al.), 707

and hypertension, effects of oral labetalol in patients with both: a preliminary experience. Clinical pharmacology of the new beta-adrenergic blocking drugs (Halprin et al.), 388

recurrent, after bypass surgery: evaluation by early and late arteriography (Hamby et al.), 607

unstable, submaximal exercise testing after (Nixon et al.), 772

variant, correlation of the location of coronary arterial spasm with the lead distribution of ST segment elevation during (MacAlpin), 555

Angiographic and biopsy diagnosis, and clinical findings, correlation with in primary myocardial disease. Follow-up of 139 patients (Shirey, Proudfit, and Hawk), 198

Angiographic—continued

contrast media, depression of intramyocardial oxyhemoglobin dissociation by (Sheps et al.), 193

correlation and ST segment depression, comparison with. R wave amplitude changes during stress testing (de Caprio et al.), 413

Angiography, coronary, and National Health planning, the risk of (Hansing), 812 (Annot.)

Announcements, 138, 277, 408, 546, 682, 820

Antagonists, calcium (Zsotér), 805

Antiarrhythmic effects of oral prajmalium bitartrate and intravenous lidocaine in acute myocardial infarction, comparison of (Bussmann, Schreiber, and Kaltenbach), 589

Anticoagulant therapy and acetylsalicylic acid, bleeding during in patients with reduced platelet reactivity after aortic valve replacement (Dale, Myhre, and Loew), 746

Anti-heparin activity, plasma, and platelet survival time in coronary disease, relationship of (Steele and Rainwater), 438

Antihypertensive agent, BS 100-141, a new central acting, antihypertensive effect of (Lochaya, Thongmitr, and Suvachittanont), 58

effect of BS 100-141, a new central acting antihypertensive agent (Lochaya, Thongmitr, and Suvachittanont), 58

Aorta, acute dissecting aneurysms of the: diagnosis and treatment—1979 (Wheat), 373

Aortic arch interruptions, fourth and sixth, a spectrum including: truncus arteriosus malformation (Rothko, Moore, and Hutchins), 17

stenosis in adults, natural history of (Chizner, Pearle, and deLeon), 419

valve, base of the, cyclic changes and structure of the (Thubrikar et al.), 217

leaflets, flail: M-mode and two-dimensional echocardiographic manifestations (Krivokapich, Child, and Skorton) 425

replacement, bleeding during acetylsalicylic acid and anticoagulant therapy in patients with reduced platelet reactivity after (Dale, Myhre, and Loew), 746

with four different prostheses, long-term results after (Dale, Levang, and Enge), 155

valvotomy, rest and exercise hemodynamics in children before and after (Ormond, Bessinger, and Moller), 76

Applicability of correcting the QT interval for heart rate (Manion, Whitsett, and Wilson), 678 (Letter to Editor)

Arrhythmias, cardiac, effects of acebutolol on in patients with chronic coronary artery disease (Burckhardt and Raeder), 443 *With the technical assistance of E. Blum*

ventricular, refractory, mexiletine in the treatment of: a report of five cases (Cady et al.), 181

Arterial spasm, coronary, correlation of the location of with the lead distribution of ST segment elevation during variant angina (MacAlpin), 555

*January, pp. 1-138; February, pp. 139-278; March, pp. 279-408; April, pp. 409-546; May, pp. 547-682; June, pp. 683-840.

Arteriograms, coronary, a correlation with: influence of early repolarization variant on the exercise electrocardiogram (Alimurung et al.), 739
Arteriography, coronary, the complications of: a problem that won't go away (Schroeder), 139
early and late, evaluation of recurrent angina after bypass surgery by (Hamby et al.), 607
Arteriosus, truncus, malformation: a spectrum including fourth and sixth aortic arch interruptions (Rothko, Moore, and Hutchins), 17
Artery(ies) aneurysm, coronary, multiple, large, in adult patients: a report on three patients and a review of the literature (Letac et al.), 694
coronary, previously normal, multiple coronary thromboses in: rare cause of acute myocardial infarction (Schuster et al.), 506
right, from the left sinus of Valsalva, morbidity associated with anomalous origin of the (Benge, Martins, and Funk), 96
disease, coronary, chronic, effect of acebutolol on cardiac arrhythmias in patients with (Burckhardt and Raeder), 443 *With the technical assistance of E. Blum*
exercise testing for the diagnosis of (Weiner, McCabe, and Ryan), 811 (Annot.)
physical training in patients with (Bassler), 274 (Letter to Editor)
Reply (Greenberg and Rubin), 275
fistula, coronary, emptying into left ventricle, surgical closure of (Midell and Bermudez), 133 (Letter to Editor)
Reply (Arani, Greene, and Klocke), 133
surgery, coronary, and beta-adrenoceptor blockade. Part 10 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Oka et al.), 255
Aspirin and sulfinpyrazone in threatened stroke, the Canadian trial of (Whisnant), 129 (Annot.)
Asystole after pacemaker placement (Steiner and Sassé), 275 (Letter to Editor)
Atherosclerosis and heparin. A review of old and recent findings (Engelberg), 359
Atresia, congenital, of the left coronary ostium and hypoplasia of the left main coronary artery (Byrum et al.), 354
tricuspid, a unified classification for (Rao), 799
Atrial catheter, left, retained, echocardiographic detection of a (Win et al.), 93
fibrillation and flutter-fibrillation, coarse, biatrial electrograms during (Leier and Schaal), 331
myxoma, left, infected, spontaneous cure of following embolization (Schweiger et al.), 630
reentry in chronic repetitive supraventricular tachycardia (Tenczer et al.), 349
standstill, myocarditis and destruction of cardiac conduction system: clinicopathologic correlation in a dog (Jeraj et al.), 185
Atrioventricular block, high degree, in acute inferior myocardial infarction, clinical setting and prognostic significance of: a study of 144 patients (Tans, Lie, and Durrer), 4
connections, crossed (Attie et al.), 163
Atropine, effects of, administered with standard syringe and a self-injector device (Martin et al.), 282
Autonomic nervous system dysfunction, a sign of: abnormal heart rate response to a deep breath in borderline labile hypertension (Johnston), 487
tone of patients during an electrophysiological catheterization. The role of autonomic influences on the reproducibility of sinus node function studies (Jewell et al.), 51

B

Bacterial endocarditis, failure of prophylaxis for: American Heart Association Registry (Bisno et al.), 274 (Letter to Editor)
Balkan nephritis, coronaviruses in (Georgescu et al.), 397 (Annot.)
Base of the aortic valve, the cyclic changes and structure of the (Thubrikar et al.), 217
Beta-adrenergic blocking drugs, clinical pharmacology of the new. Part 9. Nadolol: A new long-acting beta-adrenoceptor blocking drug (Frishman), 124
Part 10. Beta-adrenoceptor blockade and coronary artery surgery (Oka et al.), 255
Part 11. Effects of oral labetalol in patients with both angina pectoris and hypertension: a preliminary experience (Halprin et al.), 388
Part 12. Beta-adrenoceptor blockade in myocardial infarction: the continuing controversy (Frishman), 528
Part 13. The beta-adrenoceptor blocking drugs: A perspective (Frishman), 665
adrenoceptor blockade and coronary artery surgery. Part 10 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Oka et al.), 255
in acute myocardial infarction (Norris), 683
in myocardial infarction: the continuing controversy. Part 12 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 528
blocking drug(s): A perspective. Part 13 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 665
–Nadolol: a new: Clinical pharmacology of the new beta-adrenergic blocking drugs, Part 9 (Frishman), 124
Biatrial electrograms during coarse atrial fibrillation and flutter-fibrillation (Leier and Schaal), 331
Bibliographies, of (Burch), 401 (Annot.)
Biopsy and angiographic diagnosis, and clinical findings, correlation with in primary myocardial disease. Follow-up of 139 patients (Shirey, Proudfit, and Hawk), 198
Björk-Shiley mitral valvular dehiscence. Documented by radiography, echocardiography, fluoroscopy, and cineangiography (Chun et al.), 230
Bladder trauma from jogging (Blacklock), 813 (Annot.)
Bleeding complications with heparin therapy (Tideiksaar), 541 (Letter to Editor)
during acetylsalicylic acid and anticoagulant therapy in patients with reduced platelet reactivity after aortic valve replacement (Dale, Myhre, and Loew), 746
Block, atrioventricular, high degree, in acute inferior myocardial infarction, clinical setting and prognostic significance of: a study of 144 patients (Tans, Lie, and Durrer), 4
heart, complete, exercise-induced ventricular ectopy in children and young adults with (Winkler, Freed, and Nadas), 87
Blockade, beta-adrenoceptor, and coronary artery surgery. Part 10 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Oka et al.), 255
in acute myocardial infarction (Norris), 683
in myocardial infarction: the continuing controversy. Part 12 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 528
Blocking drugs, beta-adrenergic, new, clinical pharmacology of the. Part 9. Nadolol: A new long-acting beta-adrenoceptor blocking drug (Frishman), 124
Part 10. Beta-adrenoceptor blockade and coronary artery surgery (Oka et al.), 255
Part 11. Effects of oral labetalol in patients with both angina pectoris and hypertension: a preliminary experience (Halprin et al.), 388
Part 12. Beta-adrenoceptor blockade in myocardial infarction: the continuing controversy (Frishman), 528
Part 13. The beta-adrenoceptor blocking drugs: A perspective (Frishman), 665
beta-adrenoceptor: A perspective. Part 13 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 665

Blood flow, myocardial, as a determinant factor in the electrical stability of the myocardium (Cleman, Varghese, and Pitt), 325
human coronary sinus, nitroglycerin and oxyhemoglobin dissociation curve of (Clerbaux et al.), 404 (Letter to Editor)
Book reviews, 136, 276, 406, 544, 681, 819
Books received, 137, 276, 407, 545, 681, 819
Bottles, medicine, of generic (Burch), 671 (Annot.)
Bowel and ischemic heart diseases, excessive proneness of Jews to (Walker et al.), 130 (Annot.)
Bradyarrhythmia after digitalis—chronic cardiotoxicity? (Levi), 403 (Letter to Editor)
Bradycardia-dependent repolarization changes, role of: sudden death in cardiomyopathy (Bissett et al.), 625
Brain, from heart to: the new definitions of death (Black), 279
peptides and pain sensation (Jeffcoate), 1
BS-100-141, a new central acting antihypertensive agent, antihypertensive effect of (Lochaya, Thongmitr, and Suvachittanont), 58
Bypass, cardiopulmonary, and postoperative neurologic dysfunction (Barash), 675 (Annot.)
coronary, improved circulation by? (Laporte), 678 (Letter to Editor)
operations, intestinal, the risks of (Drenick), 271 (Annot.)
surgery, coronary, measuring ventricular function after (Preston), 270 (Annot.)
recurrent angina after: evaluation by early and late arteriography (Hamby et al.), 607

C

Calcium antagonists (Zsotér), 805
Canadian trial of aspirin and sulfinpyrazone in threatened stroke, the (Whisnant), 129 (Annot.)
Captopril in severe treatment-resistant hypertension (Ferguson et al.), 579
Cardiac arrhythmias, acebutolol on, effects of in patients with chronic coronary artery disease (Burckhardt and Raeder), 443 *With the technical assistance of E. Blum*
conduction system, destruction of, and myocarditis and atrial standstill: clinicopathologic correlation in a dog (Jeraj et al.), 185
dilatation, reduction of QRS amplitudes after (Pipberger), 679 (Letter to Editor)
fluoroscopy, the clinical value of (Formanek), 131 (Annot.)
pacemakers, implanted, analysis of electrocardiographic, radiographic, and vectorcardiographic findings in patients with (Kaul et al.), 686
pacing, endocardial, transvenous, permanent, a complication of requiring surgical correction: Superior vena cava syndrome: case report (Youngson, McKenzie, and Nichol), 503
Cardiogenic shock, prevention of (Geddes, Adgey, and Pantridge), 243
Cardiologist, the, necrotizing vasculitis, coronary angiitis, and (Parrillo and Fauci), 547
Cardiomyopathy, hypertensive-diabetic, human, clinical and morphological features of (Factor, Minase, and Sonnenblick), 446
hypertrophic, and HL-A (MacArthur and McKenna), 542 (Letter to Editor)
Reply (Matsumori and Kawai), 542
idiopathic dilated, left and right ventricular myocardial infarction in (Isner et al.), 235
sudden death in: role of bradycardia-dependent repolarization changes (Bissett et al.), 625
Cardiopulmonary bypass and postoperative neurologic dysfunction (Barash), 675 (Annot.)
resuscitation rules, simplifying (Neumann), 541 (Letter to Editor)
Cardiotoxicity, adriamycin (Henderson and Frei), 671 (Annot.)
Cardiotoxicity—continued
chronic—bradyarrhythmia after digitalis? (Levi), 403 (Letter to Editor)
Cardiovascular disease, drinking water and (Puddu, Menotti, and Signoretti), 539 (Annot.)
Care, coronary—the limits? (Dellipiani), 400 (Annot.)
Catheter, atrial, retained left, echocardiographic detection of a (Win et al.), 93
Catheterization, electrophysiological, autonomic tone of patients during. The role of autonomic influences on the reproducibility of sinus node function studies (Jewell et al.), 51
Cavity obliteration, left ventricular: hemodynamic behavior of the postextrasystolic beat (Sobrino et al.), 319
Central acting antihypertensive agent, a new, BS 100-141, antihypertensive effect of (Lochaya, Thongmitr, and Suvachittanont), 58
Cerebrovascular hemorrhage, electrocardiographic changes in (Yamour et al.), 294
Chest pain associated with ST depression and/or T wave inversion, patients with, clinical characteristics, electrocardiographic and enzyme correlations, and long-term prognosis of (Poehlman and Silverman), 173
Children, normal values for, regression equations and (Wanderman), 134 (Letter to Editor)
rest and exercise hemodynamics in before and after aortic valvotomy (Orsmond, Bessinger, and Moller), 76
rheumatic fever in (DiSciascio and Taranta), 635
Chromium, serum, in patients with recent and old myocardial infarction (Abraham et al.), 604
Chronic alcoholism, the heart in: a noninvasive study (Askanas, Udoshi, and Sadjadi), 9
cardiotoxicity—bradyarrhythmia after digitalis? (Levi), 403 (Letter to Editor)
congestive heart failure, of T waves and (Burch), 132 (Annot.)
repetitive supraventricular tachycardia, atrial reentry in (Tenczer et al.), 349
Cigarette smoking and coronary heart disease: new evidence and old reactions (Friedman), 398 (Annot.)
Circulation, improved, by coronary bypass? (Laporte), 678 (Letter to Editor)
Cirrhosis, Laennec's, and primary pulmonary hypertension (Chun, San Antonio, and Davia), 779
Classification, unified, for tricuspid atresia, a (Rao), 799
Clinical and morphological features of human hypertensive-diabetic cardiomyopathy (Factor, Minase, and Sonnenblick), 446
characteristics, electrocardiographic and enzyme correlations, and long-term prognosis of patients with chest pain associated with ST depression and/or T wave inversion (Poehlman and Silverman), 173
pathologic conference (Isner et al.), 235
(Epstein et al.), 510
(Factor and Reichel), 789
pharmacology of the new beta-adrenergic blocking drugs. Part 9. Nadolol: A new long-acting beta-adrenoceptor blocking drug (Frishman), 124
Part 10. Beta-adrenoceptor blockade and coronary artery surgery (Oka et al.), 255
Part 11. Effects of oral labetalol in patients with both angina pectoris and hypertension: a preliminary experience (Halprin et al.), 388
Part 12. Beta-adrenoceptor blockade in myocardial infarction: the continuing controversy (Frishman), 528
Part 13. The beta-adrenoceptor blocking drugs: A perspective (Frishman), 665
value of cardiac fluoroscopy, the (Formanek), 131 (Annot.)
Compliance and left ventricular relaxation, current concepts of (Lewis and Gotsman), 101
,drugs, and doctors (Monson), 272 (Annot.)
Complications, bleeding, with heparin therapy (Tideiksaar), 541 (Letter to Editor)

Complications—continued
of coronary arteriography: a problem that won't go away (Schroeder), 139
Computed tomography, evaluation of pericardial effusion with (Tomoda et al.), 701
Conduction, refractoriness, and excitability, altered properties of—excitation of ischemic myocardium (Hope, Scherlag, and Lazzara), 753
system, cardiac, destruction of, and myocarditis and atrial standstill: clinicopathologic correlation in a dog (Jeraj et al.), 185
Conference, clinical pathologic (Isner et al.), 235
(Epstein et al.), 510
(Factor and Reichel), 789
Congenital aneurysms of the left ventricle (Singh et al.), 25
atresia of the left coronary ostium and hypoplasia of the left main coronary artery (Byrum et al.), 354
Congestive heart failure, chronic, of T waves and (Burch), 132 (Annot.)
Connections, crossed atrioventricular (Attie et al.), 163
Constitution, The, of (Burch), 273 (Annot.)
Continuous infusion vs intermittent IV heparin, cost of (Self and Vanderbush), 816 (Letter to Editor)
Reply (Lampman and Wilson), 818
Contrast media, angiographic, depression of intramyocardial oxyhemoglobin dissociation by (Sheps et al.), 193
Coronary angiitis, necrotizing vasculitis, and the cardiologist (Parrillo and Fauci), 547
angiography and National Health planning, the risk of (Hansing), 812 (Annot.)
arterial spasm, correlation of the location of with the lead distribution of ST segment elevation during variant angina (MacAlpin), 555
arteriograms, a correlation with: influence of early repolarization variant on the exercise electrocardiogram (Alimurung et al.), 739
arteriography, the complications of: a problem that won't go away (Schroeder), 139
artery(ies) aneurysm, multiple, large, in adult patients: a report on three patients and a review of the literature (Letac et al.), 694
disease and angina pectoris, distribution and severity of left ventricular wall motion abnormalities according to age and coronary arterial pattern in 500 patients with (Vieweg et al.), 707
chronic, effect of acebutolol on cardiac arrhythmias in patients with (Burckhardt and Raeder), 443 *With the technical assistance of E. Blum*
exercise testing for the diagnosis of (Weiner, McCabe, and Ryan), 811 (Annot.)
physical training in patients with (Bassler), 274 (Letter to Editor)
Reply (Greenberg and Rubin), 275
fistula emptying into left ventricle, surgical closure of (Midell and Bermudez), 133 (Letter to Editor)
Reply (Arani, Greene, and Klocke), 133
left main, hypoplasia of the and congenital atresia of the left coronary ostium (Byrum et al.), 354
previously normal, multiple coronary thromboses in: rare cause of acute myocardial infarction (Schuster et al.), 506
right, from the left sinus of Valsalva, morbidity associated with anomalous origin of the (Benge, Martins, and Funk), 96
surgery and beta-adrenoceptor blockade. Part 10 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Oka et al.), 255
arterial pattern in 500 patients with coronary artery disease and angina pectoris, distribution and severity of left ventricular wall motion abnormalities according to age and (Vieweg et al.), 707
attack, acute, prognostic significance of an ST segment depression of patients with an (Raunio et al.), 565
bypass, improved circulation by? (Laporte), 678 (Letter to Editor)
Coronary bypass—continued
surgery, measuring ventricular function after (Preston), 270 (Annot.)
care—the limits? (Dellipiani), 400 (Annot.)
disease, relationship of plasma anti-heparin activity and platelet survival time in (Steele and Rainwater), 438
Heart Disease and Diet, duplicity in a Committee Report on (Oster), 409
cigarette smoking and: new evidence and old reactions (Friedman), 398 (Annot.)
usefulness of radionuclide ventriculography for the identification and assessment of patients with (Lindsay et al.), 310
hemodynamics in coronary stenotic canine model, effect of norepinephrine on (Walinsky et al.), 494
ostium, left, congenital atresia of the and hypoplasia of the left main coronary artery (Byrum et al.), 354
sinus blood, human, nitroglycerin and oxyhemoglobin dissociation curve of (Clerbaux et al.), 404 (Letter to Editor)
stenotic canine model, effect of norepinephrine on coronary hemodynamics in (Walinsky et al.), 494
thromboses, multiple, in previously normal coronary arteries: a rare cause of acute myocardial infarction (Schuster et al.), 506
Coronaviruses in Balkan nephritis (Georgescu et al.), 397 (Annot.)
Cost-effectiveness and proficiency in pediatric hospitals (Hohn et al.), 403 (Letter to Editor)
Reply (Guntheroth), 403
of continuous infusion vs intermittent IV heparin (Self and Vanderbush), 816 (Letter to Editor)
Reply (Lampman and Wilson), 818
CPK vs. serial myoglobin analysis as an indicator of uncomplicated myocardial infarction size and its use in assessing early infarct extension (Tommaso et al.), 149
Critique, overdue, of Lyle's maneuver (Zema), 679 (Letter to Editor)
Crossed atrioventricular connections (Attie et al.), 163
Cyclic changes and structure of the base of the aortic valve, the (Thubrikar et al.), 217

D

Daily dosing of propranolol in hypertension, single (Patterson et al.), 135 (Letter to Editor)
Death, definitions of, the new: from heart to brain (Black), 279
sudden, in cardiomyopathy: role of bradycardia-dependent repolarization changes (Bissett et al.), 625
Deep-vein thromboses in patients with acute myocardial infarction, low dose heparin in the prevention of (Pitt et al.), 574
Defibrillator shocks, transchest, therapeutic indices for: effective, damaging, and lethal electrical doses (Babbs et al.), 734
Definitions of death, the new: from heart to brain (Black), 279
Dehiscence, Björk-Shiley mitral valvular. Documented by radiography, echocardiography, fluoroscopy, and cineangiography (Chun et al.), 230
Dependence and tolerance, nitrate (Abrams), 113
Device, self-injector, effects of atropine administered with a standard syringe and a (Martin et al.), 282
Dextran and stroma-free hemoglobin, effect of hemodilution with on collateral perfusion of ischemic myocardium in the dog (Biro and Beresford-Kroeger), 64
Diet and Coronary Heart Disease, duplicity in a Committee Report on (Oster), 409
Digitalis, bradyarrhythmia after—chronic cardiotoxicity? (Levi), 403 (Letter to Editor)
Digitoxicity by radioimmunoassay, study of serum digoxin status in (Sarangi et al.), 289

Digoxin status, serum, in digitoxicity by radioimmunoassay, study of (Sarangi et al.), 289
Dilatation, cardiac, reduction of QRS amplitudes after (Pipberger), 679 (Letter to Editor)
Disease, cardiovascular, drinking water and (Puddu, Menotti, and Signoretti), 539 (Annot.)
Duroziez's, on (Soloff), 815 (Letter to Editor)
vascular, instrumental methods in the study of (Lieberman), 517
Dissecting aneurysms of the aorta, acute: diagnosis and treatment—1979 (Wheat), 373
Dissociation curve, oxyhemoglobin, of human coronary sinus blood, nitroglycerin and (Clerbaux et al.), 404 (Letter to Editor)
Doctors, drugs, and compliance (Monson), 272 (Annot.)
Dosing of propranolol, single daily, in hypertension (Patterson et al.), 135 (Letter to Editor)
Drinking water and cardiovascular disease (Puddu, Menotti, and Signoretti), 539 (Annot.)
Drugs, doctors, and compliance (Monson), 272 (Annot.)
Duplicity in a Committee Report on Diet and Coronary Heart Disease (Oster), 409
Duroziez's disease, on (Soloff), 815 (Letter to Editor)
Dysfunction, neurologic, postoperative, and cardiopulmonary bypass (Barash), 675 (Annot.)

E

Early repolarization variant, influence of on the exercise electrocardiogram: a correlation with coronary arteriograms (Alimurung et al.), 739
Echocardiographic detection of a retained left atrial catheter (Win et al.), 93
manifestations, two-dimensional and M-mode in flail aortic valve leaflets (Krivokapich, Child, and Skorton), 425
Echocardiography in the selection of mitral valve prosthesis, role of (Denbow, Pluth, and Giuliani), 586
Ectopy, ventricular, exercise-induced, in children and young adults with complete heart block (Winkler, Freed, and Nadas), 87
Effect of allopurinol on the degree of early myocardial ischemia (Arnold et al.), 614
Effusion, pericardial, with computed tomography, evaluation of (Tomoda et al.), 701
Elderly subjects, active, rhythm of the heart in (Camm et al.), 598
Electrical doses—effective, damaging, and lethal—in therapeutic indices for transchest defibrillator shocks (Babbs et al.), 734
stability of the myocardium, myocardial blood flow as a determinant factor in the (Cleman, Varghese, and Pitt), 325
Electrocardiogram, exercise, influence of early repolarization variant on the: a correlation with coronary arteriograms (Alimurung et al.), 739
transthoracic, standard, limitations of the in detecting subendocardial ischemia (Barnard, Buckberg, and Duncan), 476
Electrocardiographic changes in cerebrovascular hemorrhage (Yamour et al.), 294
radiographic, and vectorcardiographic findings in patients with implanted cardiac pacemakers, an analysis of (Kaul et al.), 686
Electrograms, biatrial, during coarse atrial fibrillation and flutter-fibrillation (Leier and Schaal), 331
Electrophysiologic study of ajmaline in WPW (Wolff-Parkinson-White) syndrome (Khalilullah, Sathyamurthy, and Singhal), 766
Electrophysiological catheterization, autonomic tone of patients during. The role of autonomic influences on the reproducibility of sinus node function studies (Jewell et al.), 51
Embolization, spontaneous cure of infected left atrial myxoma following (Schweiger et al.), 630
Endocardial cardiac pacing, transvenous, permanent, a complication of requiring surgical correction. Superior vena cava syndrome: case report (Youngson, McKenzie and Nichol), 503
Endocarditis, bacterial, failure of prophylaxis for: American Heart Association Registry (Bisno et al.), 274 (Letter to Editor)
Histoplasma capsulatum (Blair et al.), 783
Equations, regression, and normal values for children (Wanderman), 134 (Letter to Editor)
Evaluation of pericardial effusion with computed tomography (Tomoda et al.), 701
Excess smoking in malignant hypertension (Isles), 538 (Annot.)
Excitability, conduction, and refractoriness, altered properties of—excitation of ischemic myocardium (Hope, Scherlag, and Lazzara), 753
Exercise electrocardiogram, influence of early repolarization variant on the: a correlation with coronary arteriograms (Alimurung et al.), 739
-induced ventricular ectopy in children and young adults with complete heart block (Winkler, Freed, and Nadas), 87
testing for the diagnosis of coronary artery disease (Weiner, McCabe, and Ryan), 811 (Annot.)
submaximal, after unstable angina (Nixon et al.), 772
Experimental infarction, extension of with nicotine and estimates of infarct size (Masden and Flowers), 342
Extension of experimental infarction with nicotine and estimates of infarct size (Masden and Flowers), 342

F

Failure, heart, chronic congestive, of T waves and (Burch), 132 (Annot.)
of prophylaxis for bacterial endocarditis: American Heart Association Registry (Bisno et al.), 274 (Letter to Editor)
Fever, rheumatic, in children (DiSciascio and Taranta), 635
Fibrillation, atrial, coarse, and flutter-fibrillation, biatrial electrograms during (Leier and Schaal), 331
Fistula, coronary artery, emptying into left ventricle, surgical closure of (Midell and Bermudez), 133 (Letter to Editor)
Reply (Arani, Greene, and Klocke), 133
Flail aortic valve leaflets: M-mode and two-dimensional echocardiographic manifestations (Krivokapich, Child, and Skorton), 425
Fluoroscopy, cardiac, the clinical value of (Formanek), 131 (Annot.)
Flutter-fibrillation and coarse atrial fibrillation, biatrial electrograms during (Leier and Schaal), 331
From heart to brain: the new definitions of death (Black), 279

G

Gas exchange and pulmonary hemodynamics in left ventricular failure, effects of vasodilators on (Pierpont et al.), 208
Generic medicine bottles, of (Burch), 671 (Annot.)

H

Heart block, complete, exercise-induced ventricular ectopy in children and young adults with (Winkler, Freed, and Nadas), 87
Disease(s), Coronary, and Diet, duplicity in a Committee Report on (Oster), 409
cigarette smoking and: new evidence and old reactions (Friedman), 398 (Annot.)
usefulness of radionuclide ventriculography for the identification and assessment of patients with (Lindsay et al.), 310

Heart disease—continued
ischemic, and bowel diseases, excessive proneness of Jews to (Walker et al.), 130 (Annot.)
failure, congestive, chronic, of T waves and (Burch), 132 (Annot.)
in chronic alcoholism, the: a noninvasive study (Askanas, Udoshi, and Sadjadi), 9
rate, applicability of correcting the QT interval for (Manion, Whitsett, and Wilson), 678 (Letter to Editor)
response, abnormal, to a deep breath in borderline labile hypertension: a sign of autonomic nervous system dysfunction (Johnston), 487
rhythm of the in active elderly subjects (Camm et al.), 598
to brain, from: the new definitions of death (Black), 279
Hemodilution with stroma-free hemoglobin and dextran on collateral perfusion of ischemic myocardium in the dog, effect of (Biro and Beresford-Kroeger), 64
Hemodynamics, coronary, in coronary stenotic canine model, effect of norepinephrine on (Walinsky et al.), 494
pulmonary, and gas exchange in left ventricular failure, effects of vasodilators on (Pierpont et al.), 208
rest and exercise, in children before and after aortic valvotomy (Orsmond, Bessinger, and Moller), 76
Hemoglobin, stroma-free, and dextran, effect of hemodilution with on collateral perfusion of ischemic myocardium in the dog (Biro and Beresford-Kroeger), 64
Hemorrhage, cerebrovascular, electrocardiographic changes in (Yamour et al.), 294
Heparin and atherosclerosis. A review of old and recent findings (Engelberg), 359
intravenous, intermittent, vs continuous infusion, cost of (Self and Vanderbush), 816 (Letter to Editor)
Reply (Lampman and Wilson), 818
low dose, in the prevention of deep-vein thromboses in patients with acute myocardial infarction (Pitt et al.), 574
prophylaxis, "mini-dose," incidence of thrombocytopenia in medical patients on (Ayars and Tikoff), 816 (Letter to Editor)
therapy, bleeding complications with (Tideiksaar), 541 (Letter to Editor)
High degree atrioventricular block in acute inferior myocardial infarction, clinical setting and prognostic significance of: a study of 144 patients (Tans, Lie, and Durrer), 4
Histoplasma capsulatum endocarditis (Blair et al.), 783
HL-A and hypertrophic cardiomyopathy (MacArthur and McKenna), 542 (Letter to Editor)
Reply (Matsumori and Kawai), 542
Hospitals, pediatric, proficiency and cost-effectiveness in (Hohn et al.), 403 (Letter to Editor)
Reply (Guntheroth), 403
Hypertension and angina pectoris, effects of oral labetalol in patients with both: a preliminary experience. Clinical pharmacology of the new beta-adrenergic blocking drugs, Part 11 (Halprin et al.), 388
labile, borderline, abnormal heart rate response to a deep breath in: a sign of autonomic nervous system dysfunction (Johnston), 487
malignant, excess smoking in (Isles), 538 (Annot.)
primary pulmonary (Factor and Reichel), 789 (Clinical Pathologic Conference)
and Laennec's cirrhosis (Chun, San Antonio, and Davia), 779
rupture of a papillary muscle of the tricuspid valve in (Kunhali et al.), 225
single daily dosing of propranolol in (Patterson et al.), 135 (Letter to Editor)
treatment-resistant, severe, captopril in (Ferguson et al.), 579
Hypertensive-diabetic cardiomyopathy, human, clinical and morphological features of (Factor, Minase, and Sonnenblick), 446
Hypertrophic cardiomyopathy and HL-A (MacArthur and McKenna), 542 (Letter to Editor)
Reply (Matsumori and Kawai), 542
Hypoplasia of the left main coronary artery and congenital atresia of the left coronary ostium (Byrum et al.), 354

I

Idiopathic dilated cardiomyopathy, left and right ventricular myocardial infarction in (Isner et al.), 235
Imaging, myocardial, of now (Burch), 540 (Annot.)
Implanted cardiac pacemakers, analysis of electrocardiographic, radiographic, and vectorcardiographic findings in patients with (Kaul et al.), 686
Improved circulation by coronary bypass? (Laporte), 678 (Letter to Editor)
Incidence of thrombocytopenia in medical patients on "mini-dose" heparin prophylaxis (Ayars and Tikoff), 816 (Letter to Editor)
Infarct extension, early, serial myoglobin vs. CPK analysis as an indicator of uncomplicated myocardial infarction size and its use in assessing (Tommaso et al.), 149
size, estimates of, extension of experimental infarction with nicotine and (Masden and Flowers), 342
Infarction, experimental, extension of with nicotine and estimates of infarct size (Masden and Flowers), 342
myocardial, acute, beta adrenoceptor blockade in (Norris), 683
comparison of antiarrhythmic effects of oral prajmalium bitartrate and intravenous lidocaine in (Bussmann, Schreiber, and Kaltenbach), 589
inferior, clinical setting and prognostic significance of high degree atrioventricular block in: a study of 144 patients (Tans, Lie, and Durrer), 4
low dose heparin in the prevention of deep-vein thromboses in patients with (Pitt et al.), 574
sialic acid-depleted red cells following (Hanson et al.), 483
beta-adrenoceptor blockade in: the continuing controversy. Part 12 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 528
rare cause of: multiple coronary thromboses in previously normal coronary arteries (Schuster et al.), 506
recent and old, serum chromium in patients with (Abraham et al.), 604
ventricular, left and right, in idiopathic dilated cardiomyopathy (Isner et al.), 235
size, myocardial, and its use in assessing early infarct extension, serial myoglobin vs. CPK analysis as an indicator of uncomplicated (Tommaso et al.), 149
Interatrial shunting, frequency and direction of in valvular pulmonic stenosis with intact ventricular septum and without left ventricular outflow or outflow obstruction. An analysis of 127 patients treated by valvulotomy (Roberts, Shemin, and Kent), 142
Instrumental methods in the study of vascular disease (Lieberman), 517
Intermittent IV heparin vs continuous infusion, cost of (Self and Vanderbush), 816 (Letter to Editor)
Reply (Lampman and Wilson), 818
Interval, QT, applicability of correcting the for heart rate (Manion, Whitsett, and Wilson), 678 (Letter to Editor)
Intestinal bypass operations, the risks of (Drenick), 271 (Annot.)
Intramyocardial oxyhemoglobin dissociation, depression of by angiographic contrast media (Sheps et al.), 193
Intravenous heparin, intermittent, vs continuous infusion, cost of (Self and Vanderbush), 816 (Letter to Editor)
Reply (Lampman and Wilson), 818
quinidine: pharmacokinetic properties and effects on left ventricular performance in humans (Ochs et al.), 468
Ischemia, myocardial, early, effect of allopurinol on the degree of (Arnold et al.), 614

Ischemia—continued
subendocardial, limitations of the standard transthoracic electrocardiogram in detecting (Barnard, Buckberg, and Duncan), 476
Ischemic heart and bowel diseases, excessive proneness of Jews to (Walker et al.), 130 (Annot.)
myocardium, excitation of: altered properties of conduction, refractoriness, and excitability (Hope, Scherlag, and Lazzara), 753
in the dog, effect of hemodilution with stroma-free hemoglobin and dextran on collateral perfusion of (Biro and Beresford-Kroeger), 64

J

Jews, excessive proneness of to ischemic heart and bowel diseases (Walker et al.), 130 (Annot.)
Jogging, bladder trauma from (Blacklock), 813 (Annot.)

K

Kenyatta National Hospital, left ventricular function in severe pure mitral stenosis as seen at the (Silverstein et al.), 727

L

Labetalol, oral, effects of in patients with both angina pectoris and hypertension: a preliminary experience. Clinical pharmacology of the new beta-adrenergic blocking drugs, Part 11 (Halprin et al)., 388
Labile hypertension, borderline, abnormal heart rate response to a deep breath in: a sign of autonomic nervous system dysfunction (Johnston), 487
Laennec's cirrhosis and primary pulmonary hypertension (Chun, San Antonio, and Davia), 779
Left atrial catheter, retained, echocardiographic detecton of a (Win et al.), 93
myxoma, infected, spontaneous cure of following embolization (Schweiger et al.), 630
sinus of Valsalva, morbidity associated with anomalous origin of the right coronary artery from the (Benge, Martins, and Funk), 96
ventricle, congenital aneurysms of the (Singh et al.), 25
ventricular cavity obiliteration: hemodynamic behavior of the postextrasystolic beat (Sobrino et al.), 319
function in severe pure mitral stenosis as seen at the Kenyatta National Hospital (Silverstein et al.), 727
inflow or outflow obstruction, without, frequency and direction of interatrial shunting in valvular pulmonic stenosis with intact ventricular septum and. An analysis of 127 patients treated by valvulotomy (Roberts, Shemin, and Kent), 142
obstruction, dynamic, pediatric spectrum of (Riggs, Hirschfeld, and Rajai), 301
performance in humans, intravenous quinidine—pharmacokinetic properties and effects on (Ochs et al.), 468
relaxation and compliance, current concepts of (Lewis and Gotsman), 101
wall motion abnormalities, distribution and severity of according to age and coronary arterial pattern in 500 patients with coronary artery disease and angina pectoris (Vieweg et al.), 707
Lidocaine, intravenous, and oral prajmalium bitartrate in acute myocardial infarction, comparison of antiarrhythmic effects of (Bussmann, Schreiber, and Kaltenbach), 589
Limits of coronary care? (Dellipiani), 400 (Annot.)
Low dose heparin in the prevention of deep-vein thromboses in patients with acute myocardial infarction (Pitt et al.), 574
Lyle's maneuver—an overdue critique (Zema), 679 (Letter to Editor)

M

Malignant hypertension, excess smoking in (Isles), 538 (Annot.)
Maneuver, Lyle's—an overdue critique (Zema), 679 (Letter to Editor)
Measuring ventricular function after coronary bypass surgery (Preston), 270 (Annot.)
Medicine bottles, of generic (Burch), 671 (Annot.)
Mexiletine in the treatment of refractory ventricular arrhythmias: a report of five cases (Cady et al.), 181
Microscopy of urine—now you see it, now you don't! (György, Kesson, and Talbot), 537 (Annot.)
Midventricular disruption, transverse, after mitral valve replacement (Cobbs et al.), 33
Mild mitral regurgitation and the mitral prolapse fiasco (Leatham and Brigden), 659
"Mini-dose" heparin prophylaxis, incidence of thrombocytopenia in medical patients on (Ayars and Tikoff), 816 (Letter to Editor)
Mitral prolapse fiasco, mild mitral regurgitation and the (Leatham and Brigden), 659
regurgitation, mild, and the mitral prolapse fiasco (Leatham and Brigden), 659
stenosis, severe pure, as seen at the Kenyatta National Hospital, left ventricular function in (Silverstein et al.), 727
valve prolapse, effects of induced psychological stress on click and rhythm in (Combs et al.), 714
prosthesis, role of echocardiography in the selection of (Denbow, Pluth, and Giuliani), 586
replacement, transverse midventricular disruption after (Cobbs et al.), 33
valvular dehiscence, Björk-Shiley. Documented by radiography, echocardiography, fluoroscopy, and cineangiography (Chun et al.), 230
M-mode and two-dimensional echocardiographic manifestations in flail aortic valve leaflets (Krivokapich, Child, and Skorton), 425
Morbidity associated with anomalous origin of the right coronary artery from the left sinus of Valsalva (Benge, Martins, and Funk), 96
Morphological and clinical features of human hypertensive-diabetic cardiomyopathy (Factor, Minase, and Sonnenblick), 446
Multiple coronary artery aneurysm, large, in adult patients: a report on three patients and a review of the literature (Letac et al.), 694
thromboses in previously normal coronary arteries: a rare cause of acute myocardial infarction (Schuster et al.), 506
Murmur, systolic, newly developed, in patients with a transvenous pacemaker (Shirato and Ishikawa), 722
Myocardial blood flow as a determinant factor in the electrical stability of the myocardium (Cleman, Varghese, and Pitt), 325
disease, primary. Correlation with clinical findings, angiographic and biopsy diagnosis. Follow-up of 139 patients (Shirey, Proudfit, and Hawk), 198
imaging, of now (Burch), 540 (Annot.)
infarction, acute, beta adrenoceptor blockade in (Norris), 683
comparison of antiarrhythmic effects of oral prajmalium bitartrate and intravenous lidocaine in (Bussmann, Schreiber, and Kaltenbach), 589
inferior, clinical setting and prognostic significance of high degree atrioventricular block in: a study of 144 patients (Tans, Lie, and Durrer), 4
low dose heparin in the prevention of deep-vein thromboses in patients with (Pitt et al.), 574
sialic acid-depleted red cells following (Hanson et al.), 483

Myocardial infarction—continued
beta-adrenoceptor blockade in: the continuing controversy. Part 12 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 528
rare cause of: multiple coronary thromboses in previously normal coronary arteries (Schuster et al.), 506
recent and old, serum chromium in patients with (Abraham et al.), 604
size and its use in assessing early infarct extension, serial myoglobin vs. CPK analysis as an indicator of uncomplicated (Tommaso et al.), 149
ventricular, left and right, in idiopathic dilated cardiomyopathy (Isner et al.), 235
ischemia, early, effect of allopurinol on the degree of (Arnold et at.), 614
scintigrams, technetium-99m stannous pyrophosphate, in pericardial disease (Olson et al.), 459
Myocarditis, atrial standstill, and destruction of cardiac conduction system: clinicopathologic correlation in a dog (Jeraj et al), 185
Myocardium, electrical stability of the, myocardial blood flow as a determinant factor in the (Cleman, Varghese, and Pitt), 325
ischemic, excitation of: altered properties of conduction, refractoriness, and excitability (Hope, Scherlag, and Lazzara), 753
in the dog, effect of hemodilution with stroma-free hemoglobin and dextran on collateral perfusion of (Biro and Beresford-Kroeger), 64
Myxoma, atrial, left, infected, spontaneous cure of following embolization (Schweiger et al.), 630

N

Nadolol: A new long-acting beta-adrenoceptor blocking drug. Clinical pharmacology of the new beta-adrenergic blocking drugs (Frishman), 124
National Health planning, risk of coronary angiography and (Hansing), 812 (Annot.)
Natural history of aortic stenosis in adults, the (Chizner, Pearle, and deLeon), 419
Necrotizing vasculitis, coronary angiitis, and the cardiologist (Parrillo and Fauci), 547
Nephritis, Balkan, coronaviruses in (Georgescu et al.), 397 (Annot.)
Nephrotic syndrome and vascular permeability factor (Trompeter), 674 (Annot.)
Neurologic dysfunction, postoperative, and cardiopulmonary bypass (Barash), 675 (Annot.)
Nicotine, extension of experimental infarction with and estimates of infarct size (Masden and Flowers), 342
Nitrate tolerance and dependence (Abrams), 113
Nitroglycerin and oxyhemoglobin dissociation curve of human coronary sinus blood (Clerbaux et al.), 404 (Letter to Editor)
Norepinephrine, effect of on coronary hemodynamics in coronary stenotic canine model (Walinsky et al.), 494
Normal values for children, regression equations and (Wanderman), 134 (Letter to Editor)
"Now myocardial imaging," of (Burch), 540 (Annot.)

O

Obstruction, dynamic left ventricular, pediatric spectrum of (Riggs, Hirschfeld, and Rajai), 301
Of bibliographies (Burch), 401 (Annot.)
generic medicine bottles (Burch), 671 (Annot.)
"now myocardial imaging" (Burch), 540 (Annot.)
pulmonary venous receptors (Burch), 814 (Annot.)
T waves and chronic congestive heart failure (Burch), 132 (Annot.)
The Constitution (Burch), 273 (Annot.)
On Duroziez's disease (Soloff), 815 (Letter to Editor)
Operations, bypass, intestinal, the risks of (Drenick), 271 (Annot.)
Oral prajmalium bitartrate and intravenous lidocaine in acute myocardial infarction, comparison of antiarrhythmic effects of (Bussmann, Schreiber, and Kaltenbach), 589
Ostium, coronary, left, congenital atresia of the and hypoplasia of the left main coronary artery (Byrum et al.), 354
Overdue critique of Lyle's maneuver (Zema), 679 (Letter to Editor)
Oxyhemoglobin dissociation curve of human coronary sinus blood, nitroglycerin and (Clerbaux et al.), 404 (Letter to Editor)
intramyocardial, depression of by angiographic contrast media (Sheps et al.), 193

P

Pacemaker(s), cardiac, implanted, analysis of electrocardiographic, radiographic, and vectorcardiographic findings in patients with (Kaul et al.), 686
placement, asystole after (Steiner and Sassé), 275 (Letter to Editor)
transvenous, newly developed systolic murmur in patients with a (Shirato and Ishikawa), 722
Pacing, cardiac, endocardial, transvenous, permanent, a complication of requiring surgical correction. Superior vena cava syndrome: Case report (Youngson, McKenzie, and Nichol), 503
Pain sensation, brain peptides and (Jeffcoate), 1
Papillary muscle of the tricuspid valve in primary pulmonary hypertension, rupture of a (Kunhali et al.), 225
Pectoris, angina, and coronary artery disease, distribution and severity of left ventricular wall motion abnormalities according to age and coronary arterial pattern in 500 patients with (Vieweg et al.), 707
patients with and with hypertension, effects of oral labetalol in: a preliminary experience. Part 11 of Clinical pharmacology of the new beta-adrenergic blocking drugs (Halprin et al), 388
Pediatric hospitals, proficiency and cost-effectiveness in (Hohn et al.), 403 (Letter to Editor)
Reply (Guntheroth), 403
spectrum of dynamic left ventricular obstruction (Riggs, Hirschfeld, and Rajai), 301
Peptides, brain, and pain sensation (Jeffcoate), 1
Pericardial disease, technetium-99m stannous pyrophosphate myocardial scintigrams in (Olson et al.), 459
effusion with computed tomography, evaluation of (Tomoda et al.), 701
Permeability factor, vascular, and nephrotic syndrome (Trompeter), 674 (Annot.)
Pharmacokinetic properties of intravenous quinidine and effects on left ventricular performance in humans (Ochs et al.), 468
Physical training in patients with coronary artery disease (Bassler), 274 (Letter to Editor)
Reply (Greenberg and Rubin), 275
Placement, pacemaker, asystole after (Steiner and Sassé), 275 (Letter to Editor)
Plasma anti-heparin activity and platelet survival time in coronary disease, relationship of (Steele and Rainwater), 438
Platelet reactivity, reduced, after aortic valve replacement, bleeding during acetylsalicylic acid and anticoagulant therapy in patients with (Dale, Myhre, and Loew), 746
survival time and plasma anti-heparin activity in coronary disease, relationship of (Steele and Rainwater), 438
Postextrasystolic beat, hemodynamic behavior of the in left ventricular cavity obliteration (Sobrino et al.), 319

Postoperative neurologic dysfunction and cardiopulmonary bypass (Barash), 675 (Annot.)
Prajmalium bitartrate, oral, and intravenous lidocaine in acute myocardial infarction, comparison of antiarrhythmic effects of (Bussmann, Schreiber, and Kaltenbach), 589
Prevention of cardiogenic shock (Geddes, Adgey, and Pantridge), 243
Primary myocardial disease. Correlation with clinical findings, angiographic and biopsy diagnosis. Follow-up of 139 patients (Shirey, Proudfit, and Hawk), 198
pulmonary hypertension (Factor and Reichel), 789 (Clinical Pathologic Conference)
and Laennec's cirrhosis (Chun, San Antionio, and Davia)), 779
Proficiency and cost-effectiveness in pediatric hospitals (Hohn et al.), 403 (Letter to Editor)
Reply (Guntheroth), 403
Prognostic significance of an ST segment depression of patients with an acute coronary attack (Raunio et al.), 565
Prolapse fiasco, mitral, mild mitral regurgitation and the (Leatham and Brigden), 659
mitral valve, effects of induced psychological stress on click and rhythm in (Combs et al.), 714
Proneness of Jews to ischemic heart and bowel diseases, excessive (Walker et al.), 130 (Annot.)
Prophylaxis for bacterial endocarditis, failure of: American Heart Association Registry (Bisno et al.), 274 (Letter to Editor)
Propranolol in hypertension, single daily dosing of (Patterson et al.), 135 (Letter to Editor)
Prostheses(sis), four different, long-term results after aortic valve replacement with (Dale, Levang, and Enge), 155
mitral valve, role of echocardiography in the selection of (Denbow, Pluth, and Giuliani), 586
Psychological stress, induced, effects of on click and rhythm in mitral valve prolapse (Combs et al.), 714
Pulmonary hemodynamics and gas exchange in left ventricular failure, effects of vasodilators on (Pierpont et al.), 208
hypertension, primary (Factor and Reichel), 789 (Clinical Pathologic Conference)
and Laennec's cirrhosis (Chun, San Antonio, and Davia), 779
rupture of a papillary muscle of the tricuspid valve in (Kunhali et al.), 225
venous receptors, of (Burch), 814 (Annot.)
Pyrophosphate myocardial scintigrams, stannous, technetium-99m, in pericardial disease (Olson et al.), 459

Q

QRS amplitudes, reduction of after cardiac dilatation (Pipberger), 679 (Letter to Editor)
QT interval, applicability of correcting the for heart rate (Manion, Whitsett, and Wilson), 678 (Letter to Editor)
Quinidine, intravenous: pharmacokinetic properties and effects on left ventricular performance in humans (Ochs et al.), 468

R

R wave amplitude changes during stress testing. Comparison with ST segment depression and angiographic correlation (de Caprio et al.), 413
Radiographic, electrocardiographic, and vectorcardiographic findings in patients with implanted cardiac pacemakers, an analysis of (Kaul et al.), 686
Radioimmunoassay, study of serum digoxin status in digitoxicity by (Sarangi et al.), 289
Radionuclide ventriculography for the identification and assessment of patients with coronary heart disease, usefulness of (Lindsay et al.), 310
Receptors, venous, pulmonary, of (Burch), 814 (Annot.)
Recurrent angina after bypass surgery:evaluation by early and late arteriography (Hamby et al.), 607
Red cells, sialic acid-depleted, following acute myocardial infarction (Hanson et al.), 483
Reduction of QRS amplitudes after cardiac dilatation (Pipberger), 679 (Letter to Editor)
Reentry, atrial, in chronic repetitive supraventricular tachycardia (Tenczer et al.), 349
Refractoriness, conduction, and excitability, altered properties of—excitation of ischemic myocardium (Hope, Scherlag, and Lazzara), 753
Refractory ventricular arrhythmias, mexiletine in the treatment of: a report of five cases (Cady et al.), 181
Regression equations and normal values for children (Wanderman), 134 (Letter to Editor)
Regurgitation, mitral, mild, and the mitral prolapse fiasco (Leatham and Brigden), 659
Relaxation, left ventricular, and compliance, current concepts of (Lewis and Gotsman), 101
Repetitive supraventricular tachycardia, chronic, atrial reentry in (Tenczer et al.), 349
Repolarization changes, bradycardia-dependent, role of: sudden death in cardiomyopathy (Bissett et al.), 625
variant, early, influence of on the exercise electrocardiogram: a correlation with coronary arteriograms (Alimurung et al.), 739
Rest and exercise hemodynamics in children before and after aortic valvotomy (Orsmond, Bessinger, and Moller), 76
Resuscitation rules, cardiopulmonary, simplifying (Neumann), 541 (Letter to Editor)
Retained left atrial catheter, echocardiographic detection of a (Win et al.), 93
Review of old and recent findings in heparin and atherosclerosis (Engelberg), 359
Rheumatic fever in children (DiSciascio and Taranta), 635
Rhythm of the heart in active elderly subjects, the (Camm et al.), 598
Right coronary artery from the left sinus of Valsalva, morbidity associated with anomalous origin of the (Benge, Martins, and Funk), 96
Risk(s) of coronary angiography and National Health planning, the (Hansing), 812 (Annot.)
of intestinal bypass operations, the (Drenick), 271 (Annot.)
Rules, resuscitation, cardiopulmonary, simplifying (Neumann), 541 (Letter to Editor)
Rupture of a papillary muscle of the tricuspid valve in primary pulmonary hypertension (Kunhali et al.), 225

S

Scintigrams, myocardial, technetium-99m stannous pyrophosphate, in pericardial disease (Olson et al.), 459
Segment depression, ST, and angiographic correlation, comparison with. R wave amplitude changes during stress testing (de Caprio et al.), 413
of patients with an acute coronary attack, prognostic significance of an (Raunio et al.), 565
elevation, ST, during variant angina, correlation of the location of coronary arterial spasm with the lead distribution of (MacAlpin), 555
Self-injector device, effects of atropine administered with a standard syringe and a (Martin et al.), 282
Serial myoglobin vs. CPK analysis as an indicator of uncomplicated myocardial infarction size and its use in assessing early infarct extension (Tommaso et al.), 149
Serum chromium in patients with recent and old myocardial infarction (Abraham et al.), 604

Serum—continued
digoxin status in digitoxicity by radioimmunoassay, study of (Sarangi et al.), 289
Shock, cardiogenic, prevention of (Geddes, Adgey, and Pantridge), 243
Shunting, interatrial, frequency and direction of in valvular pulmonic stenosis with intact ventricular septum and without left ventricular inflow or outflow obstruction. An analysis of 127 patients treated by valvulotomy (Roberts, Shemin, and Kent), 142
Sialic acid-depleted red cells following acute myocardial infarction (Hanson et al.), 483
Simplifying cardiopulmonary resuscitation rules (Neumann), 541 (Letter to Editor)
Single daily dosing of propranolol in hypertension (Patterson et al.). 135 (Letter to Editor)
Sinus blood, coronary, human, nitroglycerin and oxyhemoglobin dissociation curve of (Clerbaux et al.), 404 (Letter to Editor)
node function studies, role of autonomic influences on the reproducibility of. Autonomic tone of patients during an electrophysiological catheterization (Jewell et al.), 51
of Valsalva, left, morbidity associated with anomalous origin of the right coronary artery from the (Benge, Martins, and Funk), 96
Smoking, cigarette, and coronary heart disease: new evidence and old reactions (Friedman), 398 (Annot.)
excess, in malignant hypertension (Isles), 538 (Annot.)
Spontaneous cure of infected left atrial myxoma following embolization (Schweiger et al.), 630
ST segment depression and angiographic correlation, comparison with. R wave amplitude changes during stress testing (de Caprio et al.), 413
and/or T wave inversion, clinical characteristics, electrocardiographic and enzyme correlations, and long-term prognosis of patients with chest pain associated with (Poehlman and Silverman), 173
of patients with an acute coronary attack, prognostic significance of an (Raunio et al.), 565
elevation during variant angina, correlation of the location of coronary arterial spasm with the lead distribution of (MacAlpin), 555
Stannous pyrophosphate myocardial scintigrams, technetium-99m, in pericardial disease (Olson et al.), 459
Stenosis, aortic, in adults, natural history of (Chizner, Pearle, and deLeon), 419
mitral, severe pure, as seen at the Kenyatta National Hospital, left ventricular function in (Silverstein et al.), 727
valvular pulmonic, frequency and direction of interatrial shunting in with intact ventricular septum and without left ventricular inflow or outflow obstruction. An analysis of 127 patients treated by valvulotomy (Roberts, Shemin, and Kent), 142
Stenotic canine model, coronary, effect of norepinephrine on coronary hemodynamics in (Walinsky et al.), 494
Stress, psychological, induced, effects of on click and rhythm in mitral valve prolapse (Combs et al.), 714
testing, R wave amplitude changes during. Comparison with ST segment depression and angiographic correlation (de Caprio et al.), 413
Stroke, threatened, Canadian trial of aspirin and sulfinpyrazone in (Whisnant) 129 (Annot.)
Stroma-free hemoglobin and dextran, effect of hemodilution with on collateral perfusion of ischemic myocardium in the dog (Biro and Beresford-Kroeger), 64
Study of vascular disease, instrumental methods in the (Lieberman), 517
Subendocardial ischemia, limitations of the standard transthoracic electrocardiogram in detecting (Barnard, Buckberg, and Duncan), 476
Submaximal exercise testing after unstable angina (Nixon et al.), 772
Sudden death in cardiomyopathy: role of bradycardia-dependent repolarization changes (Bissett et al.), 625
Sulfinpyrazone and aspirin in threatened stroke, the Canadian trial of (Whisnant), 129 (Annot.)
Superior vena cava syndrome: case report. A complication of permanent transvenous endocardial cardiac pacing requiring surgical correction (Youngson, McKenzie, and Nichol), 503
Supraventricular tachycardia, chronic repetitive, atrial reentry in (Tenczer et al.), 349
Surgical closure of coronary artery fistula emptying into left ventricle (Midell and Bermudez), 133 (Letter to Editor)
Reply (Arani, Greene, and Klocke), 133
Syndrome, nephrotic, and vascular permeability factor (Trompeter), 674 (Annot.)
Syringe, standard, effects of atropine administred with a and a self-injector device (Martin et al.), 282
Systolic murmur, newly developed, in patients with a transvenous pacemaker (Shirato and Ishikawa), 722

T

T wave(s) and chronic congestive heart failure, of (Burch), 132 (Annot.)
inversion and/or ST depression, clinical characteristics, electrocardiographic and enzyme correlations, and long-term prognosis of patients with chest pain associated with (Poehlman and Silverman), 173
Tachycardia, supraventricular, chronic repetitive, atrial reentry in (Tenczer et al.), 349
Technetium-99m stannous pyrophosphate myocardial scintigrams in pericardial disease (Olson et al.), 459
Testing, exercise, for the diagnosis of coronary artery disease (Weiner, McCabe, and Ryan), 811 (Annot.)
submaximal, after unstable angina (Nixon et al.), 772
The Constitution, of (Burch), 273 (Annot.)
Therapeutic indices for transchest defibrillator shocks: Effective, damaging, and lethal electrical doses (Babbs et al.), 734
Therapy, heparin, bleeding complications with (Tideiksaar), 541 (Letter to Editor)
Thrombocytopenia, incidence of in medical patients on "minidose" heparin prophylaxis (Ayars and Tikoff), 816 (Letter to Editor)
Thromboses, coronary, multiple, in previously normal coronary arteries: rare cause of acute myocardial infarction (Schuster et al.), 506
deep-vein, in patients with acute myocardial infarction, low dose heparin in the prevention of (Pitt et al.), 574
Tolerance and dependence, nitrate (Abrams), 113
Tomography, computed, evaluation of pericardial effusion with (Tomoda et al.), 701
Training, physical, in patients with coronary artery disease (Bassler), 274 (Letter to Editor)
Reply (Greenberg and Rubin), 275
Transchest defibrillator shocks, therapeutic indices for: effective, damaging, and lethal electrical doses (Babbs et al.), 734
Transthoracic electrocardiogram, standard, limitations of the in detecting subendocardial ischemia (Barnard, Buckberg, and Duncan), 476
Transvenous endocardial cardiac pacing, permanent, a complication of requiring surgical correction. Superior vena cava syndrome: case report (Youngson, McKenzie, and Nichol), 503
pacemaker, newly developed systolic murmur in patients with a (Shirato and Ishikawa), 722
Transverse midventricular disruption after mitral valve replacement (Cobbs et al.), 33
Trauma, bladder, from jogging (Blacklock), 813 (Annot.)
Treatment-resistant hypertension, severe, captopril in (Ferguson et al.), 579
Tricuspid atresia, a unified classification for (Rao), 799
valve, rupture of a papillary muscle of the in primary pulmonary hypertension (Kunhali et al.), 225

Truncus arteriosus malformation: a spectrum including fourth and sixth aortic arch interruptions (Rothko, Moore, and Hutchins), 17
Two-dimensional and M-mode echocardiographic manifestations in flail aortic valve leaflets (Krivokapich, Child, and Skorton), 425

U

Unified classification for tricuspid atresia, a (Rao), 799
Unstable angina, submaximal exercise testing after (Nixon et al.), 772
Urine, microscopy of—now you see it, now you don't! (György, Kesson, and Talbot), 537 (Annot.)

V

Valsalva, sinus of, left, morbidity associated with anomalous origin of the right coronary artery from the (Benge, Martins, and Funk), 96
Valve, aortic, base of the, cyclic changes and structure of the (Thubrikar et al.), 217
leaflets, aortic, flail: M-mode and two-dimensional echocardiographic manifestations (Krivokapich, Child, and Skorton), 425
prolapse, mitral, effects of induced psychological stress on click and rhythm in (Combs et al.), 714
prosthesis, mitral, role of echocardiography in the selection of (Denbow, Pluth, and Giuliani), 586
replacement, aortic, bleeding during acetylsalicylic acid and anticoagulant therapy in patients with reduced platelet reactivity after (Dale, Myhre, and Loew), 746
with four different prostheses, long-term results after (Dale, Levang, and Enge), 155
mitral, transverse midventricular disruption after (Cobbs et al.), 33
tricuspid, rupture of a papillary muscle of the in primary pulmonary hypertension (Kunhali et al.), 225
Valvotomy, aortic, rest and exercise hemodynamics in children before and after (Orsmond, Bessinger, and Moller), 76
Valvular dehiscence, mitral, Björk-Shiley. Documented by radiography, echocardiography, fluoroscopy, and cineangiography (Chun et al.), 230
pulmonic stenosis, frequency and direction of interatrial shunting in with intact ventricular septum and without left ventricular inflow or outflow obstruction. An analysis of 127 patients treated by valvulotomy (Roberts, Shemin, and Kent), 142
Valvulotomy, analysis of 127 patients treated by. Frequency and direction of interatrial shunting in valvular pulmonic stenosis with intact ventricular septum and without left ventricular inflow or outflow obstruction (Roberts, Shemin, and Kent), 142
Variant angina, correlation of the location of coronary arterial spasm with the lead distribution of ST segment elevation during (MacAlpin), 555
Vascular disease, instrumental methods in the study of (Lieberman), 517
permeability factor and nephrotic syndrome (Trompeter), 674 (Annot.)
Vasculitis, necrotizing, coronary angiitis, and the cardiologist (Parrillo and Fauci), 547
Vasodilators on pulmonary hemodynamics and gas exchange in left ventricular failure, effects of (Pierpont et al.), 208
Vectorcardiographic, electrocardiographic, and radiographic findings in patients with implanted cardiac pacemakers, an analysis of (Kaul et al.), 686
Vena cava syndrome, superior: case report. A complication of permanent transvenous endocardial cardiac pacing requiring surgical correction (Youngson, McKenzie, and Nichol), 503
Venous receptors, pulmonary, of (Burch), 814 (Annot.)
Ventricle, left, congenital aneurysms of the (Singh et al.), 25
surgical closure of coronary artery fistula emptying into (Midell and Bermudez), 133 (Letter to Editor)
Reply (Arani, Greene, and Klocke), 133
Ventricular arrhythmias, refractory, mexiletine in the treatment of: a report of five cases (Cady et al.), 181
cavity obliteration, left: hemodynamic behavior of the postextrasystolic beat (Sobrino et al.), 319
ectopy, exercise-induced, in children and young adults with complete heart block (Winkler, Freed, and Nadas), 87
failure, left, effects of vasodilators on pulmonary hemodynamics and gas exchange in (Pierpont et al.), 208
function, left, in severe pure mitral stenosis as seen at the Kenyatta National Hospital (Silverstein et al.), 727
measuring, after coronary bypass surgery (Preston), 270 (Annot.)
myocardial infarction, left and right, in idiopathic dilated cardiomyopathy (Isner et al.), 235
obstruction, left, dynamic, pediatric spectrum of (Riggs, Hirschfeld, and Rajai), 301
performance, left, in humans, intravenous quinidine—pharmacokinetic properties and effects on (Ochs et al.), 468
relaxation, left and compliance, current concepts of (Lewis and Gotsman), 101
septum, intact, and without left ventricular inflow or outflow obstruction, frequency and direction of interatrial shunting in valvular pulmonic stenosis with. An analysis of 127 patients treated by valvulotomy (Roberts, Shemin, and Kent), 142
wall motion abnormalities, left, distribution and severity of according to age and coronary arterial pattern in 500 patients with coronary artery disease and angina pectoris (Vieweg et al.), 707
Ventriculography, radionuclide, usefulness of for the identification and assessment of patients with coronary heart disease (Lindsay et al.), 310

W

Wall motion abnormalities, ventricular, left, distribution and severity of according to age and coronary arterial pattern in 500 patients with coronary artery disease and angina pectoris (Vieweg et al.), 707
Water, drinking, and cardiovascular disease (Puddu, Menotti, and Signoretti), 539 (Annot.)
Waves, T, and chronic congestive heart failure, of (Burch), 132 (Annot.)
WPW (Wolff-Parkinson-White) syndrome, ajmaline in: an electrophysiologic study (Khalilullah, Sathyamurthy, and Singhal), 766

American Heart Journal

An international publication for the study of the circulation

George E. Burch *Editor*
James A. Cronvich *Assistant Editor*
Peter C. Gazes *Assistant Editor*

International Editorial Board

Walter H. Abelmann, *Boston, Mass.*
William B. Abrams, *West Point, Pa.*
David I. Abramson, *Oak Park, Ill.*
Raymond P. Ahlquist, *Augusta, Ga.*
James K. Alexander, *Houston, Tex.*
A. C. Arntzenius, *Leiden, The Netherlands*
John B. Barlow, *Johannesburg, South Africa*
Giorgio Baroldi, *Milan, Italy*
Henry W. Blackburn, *Minneapolis, Minn.*
Thomas M. Blake, *Jackson, Miss.*
S. Gilbert Blount, Jr., *Denver, Colo.*
Eugene Braunwald, *Boston, Mass.*
Howard B. Burchell, *Minneapolis, Minn.*
Eugenii I. Chazov, *Moscow, U.S.S.R.*
Henri Chevalier, *Paris, France*
Te-Chuan Chou, *Cincinnati, Ohio*
Ernest Craige, *Chapel Hill, N.C.*
Arthur C. DeGraff, *New York, N.Y.*
H. Denolin, *Brussels, Belgium*
James E. Doherty, *Little Rock, Ark.*
Jesse E. Edwards, *St. Paul, Minn.*
Robert H. Eich, *Syracuse, N.Y.*
Mary Allen Engle, *New York, N.Y.*
Ali M. Fakhro, *Manama, Bahrain*
M. Irené Ferrer, *New York, N.Y.*
Nancy C. Flowers, *Louisville, Ky.*
Nicholas J. Fortuin, *Baltimore, Md.*
Martin J. Frank, *Augusta, Ga.*
Edward D. Freis, *Washington, D.C.*
Julian Frieden, *New Rochelle, N.Y.*
Meyer Friedman, *San Francisco, Cal.*
Jacques Genest, *Montreal, Canada*
Allan V.N. Goodyer, *New Haven, Conn.*
Mervyn S. Gotsman, *Jerusalem, Israel*
Joseph C. Greenfield, Jr., *Durham, N.C.*
Robert L. Grissom, *Omaha, Neb.*
Dale Groom, *Oklahoma City, Okla.*
Rolf M. Gunnar, *Chicago, Ill.*
Warren G. Guntheroth, *Seattle, Wash.*
E. William Hancock, *Stanford, Cal.*
Herbert N. Hultgren, *Palo Alto, Cal.*
Hyoe Ishikawa, *Nara, Japan*
Lewis E. January, *Iowa City, Iowa*
James N. Karnegis, *Minneapolis, Minn.*
John A. Kastor, *Philadelphia, Pa.*
Nodar N. Kipshidze, *Tbilisi, U.S.S.R.*
Henri E. Kulbertus, *Liège, Belgium*
Richard Langendorf, *Chicago, Ill.*
Jean Lequime, *Brussels, Belgium*
Maurice Lev, *Chicago, Ill.*
Harold D. Levine, *Boston, Mass.*
R. J. Linden, *Leeds, England*
F. Loogen, *Dusseldorf, Germany*
Hugh A. McAllister, Jr., *Washington, D.C.*
Dan G. McNamara, *Houston, Tex.*
George E. Maha, *West Point, Pa.*
Alberto Malliani, *Milan, Italy*
Bill L. Martz, *Indianapolis, Ind.*
Rashid A. Massumi, *Tehran, Iran*
Clifford V. Nelson, *Portland, Maine*
Satoshi Ohta, *Tokyo, Japan*
Eckhardt G. J. Olsen, *London, England*
Morton Lee Pearce, *Los Angeles, Cal.*
Alfred Pick, *Chicago, Ill.*
Hubert V. Pipberger, *Washington, D. C.*
Walter H. Pritchard, *Cleveland, Ohio*
Ray Pryor, *Denver, Colo.*
William Roberts, *Bethesda, Md.*
Robert C. Schlant, *Atlanta, Ga.*
H. A. Snellen, *Leiden, The Netherlands*
Walter Somerville, *London, England*
John Thomas, *Nashville, Tenn.*
Nong Ting, *Taipei, Taiwan*
Hironori Toshima, *Kyushu, Japan*
Chen-Lang Tung, *Shanghai, China*
William H. Wehrmacher, *Chicago, Ill.*
Hein J. J. Wellens, *Maastricht, The Netherlands*
Alberto Zanchetti, *Milan, Italy*
Douglas P. Zipes, *Indianapolis, Ind.*

VOLUME 100

JULY-DECEMBER 1980

VOLUME 100
COPYRIGHT © 1980 BY
THE C.V. MOSBY COMPANY
All rights reserved

Printed in the United States of America

Author index*

A

AARON, B. L. (*See* Lutz et al.), 349
ABRAMS, HERBERT L. (*See* Szlavy et al.), 323
ACHONG, MICHAEL R. Infectious hazards of mouth-to-mouth resuscitation, 759 (Annot.)
ADACHI, MAKI. (*See* Haneda et al.), 465
ADAMS, DOUGLASS F. (*See* Szlavy et al.), 323
ADGEY, A. A. J. Effective coronary care and mortality rates, 408 (Letter to Editor)
AHMAD, SAEED. Verapamil therapy, 271 (Letter to Editor)
ALAM, MOHSIN, AND GOLDSTEIN, SIDNEY. Echocardiographic features of a stenotic porcine aortic valve, 517
ALDAY, LUIS E. (*See* Moreyra and Alday), 134
ALI, MAJID, FAYEMI, A. OLUSEGUN, MALCOLM, DANIEL, AND BRAUN, EVALYNNE V. Intraventricular thrombosis in polycythemia vera: A cause of intractable cardiac failure, 520
ALIPOUR, MASSOUD, TARBIAT, CYAVOUSH, AND NAZARIAN, IRAJ. Right ventricular endomyocardial fibrosis simulating Ebstein's anomaly, 859
ALPERN, HARVEY L. (*See* Vyden et al.), 590
ALPERT, JOSEPH S. (*See* Haffajee, Alpert, and Dalen), 1013
ALVAREZ, JOSÉ A. (*See* Suarez et al.), 678
AMBROSE, JOHN A., MARTINEZ, EULOGIO E., MELLER, JOSE, GORLIN, RICHARD, PICHARD, AUGUSTO D., HERMAN, MICHAEL V., AND TEICHHOLZ, LOUIS E. Hemodynamic correlates of late diastolic posterior motion of the aortic root, 433
AMORY, DAVID W. (*See* Su et al.), 332
ANDERSON, RAY C. Idiopathic mitral valve prolapse and sudden death, 941 (Letter to Editor)
ANGELINO, PIER FEDERICO. (*See* Paolillo et al.), 763
ANTZELEVITCH, C. (*See* Jalife and Antzelevitch), 128
ARAI, TOHRU. (*See* Haneda et al.), 465
ARMENIAN, HAROUTUNE K. (*See* Sawaya, Mujais, and Armenian), 144
ARNMAN, KRISTER. (*See* Rydén et al.), 1006
ARORA, RAMESH. (*See* Kaul, Arora, and Rani), 673
ARYANPUR-KASHANI, IRAJ. On rheumatic fever in children, 942 (Letter to Editor)
AVISSAR, R. (*See* Berliner et al.), 134

B

BAIN, W. H. (*See* Taylor, Bain, and Morton), 935
BALLANTYNE, D. (*See* Bastian et al.), 1017
BÄR, FRITS W. (*See* Wellens et al.), 934
BAR-OR, ODED. (*See* Sutton and Bar-Or), 778
BARRETT, PETER A., LAKS, MICHAEL M., MANDEL, WILLIAM J., AND YAMAGUCHI, IWAO. The electrophysiologic effects of intravenous lidocaine in the Wolff-Parkinson-White syndrome, 23
BARTECCHI, CARL E. Cardiopulmonary resuscitation—an element of sophistication in the 18th century, 580 (Annot.)
BASS, JOHN L., SHRIVASTAVA, SAVITRI, GRABOWSKI, GREGORY A., DESNICK, ROBERT J., AND MOLLER, JAMES H. The M-mode echocardiogram in Fabry's disease, 807
BASSAN, MAYER M. Branham's sign with atrial fibrillation, 411 (Letter to Editor)
BASTA, LOFTY L. Reply, 768 (Letter to Editor)
BASTIAN, B. C., MACFARLANE, P. W., MCLAUCHLAN, J. H., BALLANTYNE, D., CLARK, R., HILLIS, W. S., RAE, A. P., AND HUTTON, I. A prospective randomized trial of tocainide in patients following myocardial infarction, 1017
BAUMAN, JERRY L., CURTIS, ROBERT A., AND COVINSKY, JOEL O. Effects of antiarrhythmics in ischemic models, 947 (Letter to Editor)
BEDAZOVSKY, BENI. (*See* Shoenfeld et al.), 179
BEMIS, CHARLES E. (*See* Hakki et al.), 441
BENNETT, D. H. (*See* Ramsdale and Bennett), 931

BERGHUIS, BERT. (*See* Branje and Berghuis), 409
BERLINER, S., DEAN, H., SHOENFELD, Y., AVISSAR, R., AND PINKHAS, J. Central retinal vein thrombosis in a patient with primary pulmonary hypertension, 134 (Letter to Editor)
BETOCCHI, SANDRO. (*See* Vigorito et al.), 782
BETRIU, AMADEO, TUBAU, JULIO, SANZ, GINES, MAGRIÑA, JORGE, AND NAVARRO-LOPEZ, FRANCISCO. Relief of angina by periarterial-muscle resection of myocardial bridges, 223
BEWSHER, PETER D. (*See* How, Strachan, and Bewsher), 405
BIAMINO, G., WESSEL, H. J., SCHLAG, W., AND SCHROEDER, R. Echocardiographic pattern of motion of the aortic root as a correlate of left atrial volume changes, 191
BIGGER, J. THOMAS, JR., AND WELD, FRANCIS M. Shortcomings of the Lown grading system for observational and experimental studies in ischemic heart disease, 1081
BISSETT, JOE K. (*See* de Soyza et al.), 631
BLACK, MARTIN M. (*See* Marmor and Black), 95
BLAKE, THOMAS M. (*See* Markov et al.), 639
BLUMENTHAL, DAVID S. (*See* Vlay et al.), 907
BONN, JAMES R. (*See* Brennan and Bonn), 201
BONZANI, GIULIO. (*See* Vigorito et al.), 782
BOUCEK, ROBERT J. (*See* Romanelli et al.), 617
BOVE, ALFRED A. (*See* Santamore et al.), 852
BOWEN, THOMAS E. (*See* Chun et al.), 940
BRAAT, SIMON J. (*See* Wellens et al.), 934
BRANJE, JOHN PH. A., AND BERGHUIS, BERT. Adsorption of NTG, 409 (Letter TO Editor)
BRAUN, EVALYNNE V. (*See* Ali et al.), 520
BRENNAN, F. JAMES, AND BONN, JAMES R. Effects of ouabain on the electrophysiological properties of subendocardial Purkinje fibers surviving in regions of acute myocardial infarction, 201
BRIGDEN, WALLACE. (*See* Leatham and Brigden), 942
BUELL, JAMES C., AND ELIOT, ROBERT S. Psychosocial and behavioral influences in the pathogenesis of acquired cardiovascular disease, 723
BUGNI, WILLIAM J., KRALIOS, ALEXANDROS C., TSAGARIS, THEOFILOS J., AND KUIDA, HIPOSHI. Effect of arterial pressure on left ventricular O_2 consumption, coronary blood flow, and reserve capacity following coronary occlusion, 657
BULKLEY, BERNADINE H. (*See* Schuster and Bulkley), 506
——. (*See* Moore et al.), 610
——. (*See* Vlay et al.), 907
BURCH, G. E. Certain principles in the management of heart disease and pregnancy, 775
——. Of cardiac causalgia, Horner's, syndrome, and the cardiac dermatome, 938 (Annot.)
——. Of 1910, 595
——. Of papillary muscle dysfunction murmurs, 128 (Annot.)
——. Of right ventricular congestive heart failure, 262 (Annot.)
——. Of saphenous vein arteriosclerosis, 931 (Annot.)
——. Of senile anemia, 407 (Annot.)
——. Of the mitral valve and arrhythmias, 583 (Annot.)
——. Of the Q wave and myocardial infarction, 757
——. Of viral nephritis, 759 (Annot.)
——. Of walking and dyspnea of congestive heart failure, 588 (Annot.)
——. Reply, 591 (Letter to Editor)
BURCH, P. R. J. Smoking and coronary disease, 421
BURNS, J. E., CULHAM, J. A. G., AND DUNCAN, W. J. LV hypertrophy versus aneurysm, 767 (Letter to Editor)
BURY, BARBARA, AND JONES, DANIEL. Of bibliographies and medical librarians, 591 (Letter to Editor)

C

CABIN, HENRY S., LESTER, LUCILLE A., AND ROBERTS, WILLIAM C. Congenital heart disease with trisomy 13: Use of the echocardiogram in delineating the location of a left-to-right shunt, 563
CALFEE, RICHARD V. (*See* Griffin, Mason, and Calfee), 1093

*July, pp. 1-138; August, pp. 139-274; September, pp. 275-416; October, pp. 417-594; November, pp. 595-772; December, Part 1, pp. 773-976; December, Part 2, pp. 977-1096.

CAMPBELL, RONALD W. F. Placebo controlled study of prophylaxis of ventricular arrhythmias in acute myocardial infarction, 995
CAPONE, ROBERT J. (*See* Grodman, Capone, and Most), 765
CARASCA, EMILIAN. (*See* Cotoi et al.), 763
CAREY, RITA A. (*See* Santamore et al.), 852
CARLINER, NATHAN H., FISHER, MICHAEL L., CROUTHAMEL, WILLIAM G., NARANG, PREM K., AND PLOTNICK, GARY D. Relation of ventricular premature beat suppression to serum quinidine concentration determined by a new and specific assay, 483
CARLYLE, PETER F. (*See* Zobel et al.), 81
CARR, R. KEITH. (*See* Roden et al.), 15
CARUZZO, CARLO, GASCHINO, GIANNI, TRONI, WALTER, AND CREMO, ROSSANA. Toxic polyneuritis and toxic hepatitis related to long-term perhexiline maleate therapy, 270 (Letter to Editor)
CASELLI, GIOVANNI. (*See* Zeppilli et al.), 281
CHANDY, K. GEORGE, JOHN, T. JACOB, AND CHERIAN, GEORGE. Coxsackieviruses and chronic valvular heart disease, 578 (Annot.)
CHAUDRON, J-M., AND LEBACQ, E. G. Romano-Ward syndrome treated by left stellectomy and intracavitary stimulation, 313 (Annot.)
CHEN, CHIN C. (*See* Naito et al.), 34
——. (*See* Mardelli et al.), 295
CHERIAN, GEORGE. (*See* Chandy, John, and Cherian), 578
CHU, D. (*See* Cocco et al.), 878
CHUN, PATRICK K. C., RAJFER, SOL I., DONOHUE, DENNIS J., BOWEN, THOMAS E., AND DAVIA, JAMES E. Reply (Letter to Editor), 940
CLARK, R. (*See* Bastian et al.), 1017
COBBS, B. WOODFIN, JR. Reply, 946 (Letter to Editor)
COCCO, G., STROZZI, C., CHU, D., AND PANSINI, R. Torsades de pointes as a manifestation of mexiletine toxicity, 878
COHEN, LAWRENCE S. (*See* Langou et al.), 458
COHEN, SIDNEY. (*See* Long and Cohen), 567
COHN, JAY N. (*See* Zobel et al.), 81
COKKINOS, DENNIS V., TSARTSALIS, GEORGE D., HEIMONAS, ELIAS T., AND GARDIKAS, CONSTANTINE D. Comparison of the inotropic action of digitalis and isoproterenol in younger and older individuals, 802
COME, PATRICIA C., MARKIS, JOHN E., VINE, HUGH S., SACKS, BARRY, MCARDLE, COLIN, AND RAMIREZ, ALBERTO. Echocardiographic diagnosis of left ventricular thrombi, 523
CONDORELLI, MARIO. (*See* Vigorito et al.), 782
CONRADSON, THOR-BJÖRN. (*See* Rydén et al.), 1006
CORDAY, ELIOT. (*See* Wyatt et al.), 821
COTOI, SIMION, INCZE, ALEXANDRU, GEORGESCU, CONSTANTIN, AND CARASCA, EMILIAN. Pacing below the ventricular rate in terminating ventricular tachycardia and flutter, 763 (Letter to Editor)
COUMEL, PHILIPPE, AND FIDELLE, JEAN. Amiodarone in the treatment of cardiac arrhythmias in children: One hundred thirty-five cases, 1063
COVINSKY, JOEL O. (*See* Bauman, Curtis, and Covinsky), 947 (Letter to Editor)
COX, ROBERT H. (*See* Santamore et al.), 852
CRAIGE, ERNEST. (*See* Hada et al.), 871
CREMO, ROSSANA. (*See* Caruzzo et al.), 270
CROUTHAMEL, WILLIAM G. (*See* Carliner et al.), 483
CROWE, RAYMOND. (*See* Venkatesh et al.), 302
CULHAM, J. A. G. (*See* Burns, Culham, and Duncan), 767
CURTIS, ROBERT A. (*See* Bauman, Curtis, and Covinsky), 947

D

DALEN, JAMES E. (*See* Haffajee, Alpert, and Dalen), 1013
DAVEY, PETER W. (*See* Kubac et al.), 227
DAVIA, JAMES E. (*See* Chun et al.), 940
DEAN, H. (*See* Berliner et al.), 134
DEMOULIN, J. CL. (*See* Waleffe et al.), 788
DESILVA, REGIS A., GRABOYS, THOMAS B., PODRID, PHILIP J., AND LOWN, BERNARD. Cardioversion and defibrillation, 881
DESNICK, ROBERT J. (*See* Bass et al.), 807
DE SOYZA, NEIL, KANE, JAMES J., MURPHY, MARVIN L., LADDU, ATUL R., DOHERTY, JAMES E., AND BISSETT, JOE K. The long-term suppression of ventricular arrhythmia by oral acebutolol in patients with coronary artery disease, 631
DIBIANCO, ROBERT. Reply, 590 (Letter to Editor)
DISCIASCIO, GERMANO, AND TARANTA, ANGELO. Reply, 943 (Letter to Editor)
DOHERTY, JAMES E. (*See* de Soyza et al.), 631
DONOHUE, DENNIS J. (*See* Chun et al.), 940
DORHOUT MEES, EVERT J. (*See* Rado, Juhos, and Dorhout Mees), 183
DORIS, IAN. (*See* Kubac et al.), 227
DREIFUS, LEONARD S. (*See* Naito et al.), 34
DUFFY, G. J. (*See* Farrell and Duffy), 134
DUNCAN, W. J. (*See* Burns, Culham, and Duncan), 767

E

ELDAR, MICHAEL. (*See* Shoenfeld et al.), 179
ELHARRAR, VICTOR. (*See* Zipes et al.), 1055
ELIOT, ROBERT S. (*See* Buell and Eliot), 723
ELKAYAM, URI, AND FRISHMAN, WILLIAM. Cardiovascular effects of phenothiazines, 397
ESCOBINAS, AMPARO J. (*See* Moschos et al.), 647
EVANS, DENIS A., WILLETT, WALTER C., AND HENNEKENS, CHARLES H. Alcohol and coronary heart disease, 584 (Annot.)

F

FARRELL, R. J., AND DUFFY, G. J. Prophylaxis of venous thromboembolism, 134 (Letter to Editor)
FARSHIDI, ARDESHIR, MICHELSON, ERIC L., GREENSPAN, ALLAN M., SPIELMAN, SCOTT R., HOROWITZ, LEONARD N., AND JOSEPHSON, MARK E. Repetitive responses to ventricular extrastimuli: incidence, mechanism, and significance, 59
FAYEMI, A. OLUSEGUN. (*See* Ali et al.), 520
FAZZINI, P. F., MARCHI, F., PUCCI, P., LEDDA, F., AND MUGELLI, A. Reply, 271 (Letter to Editor)
FEHIR, KIM. (*See* Vlay et al.), 907
FENICI, RICCARDO. (*See* Zeppilli et al.), 213
——. (*See* Zeppilli et al.), 281
FIDELLE, JEAN. (*See* Coumel and Fidelle), 1063
FINKELSTEIN, STANLEY M. (*See* Zobel et al.), 81
FISHER, MICHAEL L. (*See* Carliner et al.), 483
FLETCHER, GERALD F. (*See* Johnston and Fletcher), 763
FOLGER, GORDON M., JR., SABBAH, HANI N., AND STEIN, PAUL D. Evaluation of the anatomy of congenitally malformed aortic valves by orifice-view aortography, 152
FORSSELL, GUNILLA. (*See* Nyquist et al.), 1000
FREI, E. (*See* Henderson and Frei), 947
FRISHMAN, WILLIAM. (*See* Elkayam and Frishman), 397
FUKUI, YOICHI. (*See* Kambe et al.), 53
——. (*See* Hibi et al.), 69

G

GAGNON, ROGER M. (*See* Morissette et al.), 319
GALLAGHER, JOHN J. (*See* Pritchett, McNamara, and Gallagher), 683
GANDHI, ASHWINKUMAR. (*See* Moschos et al.), 647
GARDIKAS, CONSTANTINE D. (*See* Cokkinos et al.), 802
GASCHINO, GIANNI. (*See* Caruzzo et al.), 270
GEORGESCU, CONSTANTIN. (*See* Cotoi et al.), 763
GERACI, JOSEPH E. (*See* Wilson et al.), 689
GILMOUR, ROBERT G., JR. (*See* Zipes et al.), 1055
GIUDICE, PIETRO. (*See* Vigorito et al.), 782

GIULIANI, EMILIO R. (*See* Wilson et al.), 689
GLOFAR, D. (*See* Weber et al.), 764
GOLDSTEIN, SIDNEY. (*See* Alam and Goldstein), 517
GOODNIGHT, SCOTT H., JR., PANTLEY, GEORGE A., AND RAHIMTOOLA, SHAHBUDIN H. Antithrombotic therapy for saphenous vein bypass grafts, 586 (Annot.)
GORGELS, ANTON P. (*See* Wellens et al.), 934
GORLIN, RICHARD. (*See* Ambrose et al.), 433
——. (*See* Kunkes et al.), 813
GOTSMAN, MERVYN S. (*See* Lewis et al.), 490
GRABOWSKI, GREGORY A. (*See* Bass et al.), 807
GRABOYS, THOMAS B. (*See* DeSilva et al.), 881
GREENBLATT, DAVID J. (*See* Ochs et al.), 341
GREENHALGH, R. M., ILLINGWORTH, R. D., MCFIE, J., MILLS, S. P., PERKINS, G. D., AND ROSE, F. CLIFFORD. Extracranial to intracranial microrevascularization for the treatment of completed ischemic stroke, 937 (Annot.)
GREENSPAN, ALLAN M. (*See* Farshidi et al.), 59
GRENADIER, E., KEIDAR, S., AND PALANT, A. Serum myoglobin as a sensitive index of myocardial infarction, 948 (Letter to Editor)
GRIFFIN, JERRY C., MASON, JAY W., AND CALFEE, RICHARD V. Clinical use of an implantable automatic tachycardia-terminating pacemaker, 1093
GRODMAN, RICHARD S., CAPONE, ROBERT J., AND MOST, ALBERT S. Reply, 765 (Letter to Editor)
GROSSMAN, STANLEY J. (*See* Lie and Grossman), 41
GUERET, PASCAL. (*See* Wyatt et al.), 821
GÜREL, TÜRKÂN. Anomalous ECG and PCG recordings, 768 (Letter to Editor)
GUREWICH, VICTOR. (*See* Pandian, Kosowsky, and Gurewich), 847

H

HADA, YOSHIYUKI, WOLFE, CARLA, MURRAY, GORDON F., AND CRAIGE, ERNEST. Right ventricular myxoma. Case report and review of phonocardiographic and auscultatory manifestations, 871
HADIDIAN, ZAREH. (*See* Horn et al.), 1037
——. (*See* Young et al.), 1041
HAFFAJEE, CHARLES I., ALPERT, JOSEPH S., AND DALEN, JAMES E. Tocainide for refractory ventricular arrhythmias of myocardial infarction, 1013
HAGAN, A. D. (*See* Lutz et al.), 349
HAIDER, BUNYAD. (*See* Moschos et al.), 647
HAKKI, A-HAMID, KIMBIRIS, DEMETRIOS, ISKANDRIAN, ABDULMASSIH S., SEGAL, BERNARD L., MINTZ, GARY S., AND BEMIS, CHARLES E. Angina pectoris and coronary artery disease in patients with severe aortic valvular disease, 441
HALL, JUDITH G. (*See* Pauli, Hall, and Wilson), 761
HAMBY, ROBERT I., PRAKASH, M. N., WYNE, UZAIR A., AND HOFFMAN, IRWIN. Electrocardiographic left ventricular hypertrophy and coronary artery disease: clinical, hemodynamic, and angiographic correlates, 794
HAMPTON, J. R. Reply, 408 (Letter to Editor)
HANCOCK, E. WILLIAM. On the elastic and rigid forms of constrictive pericarditis, 917
HANEDA, TAKASHI, MIURA, YUKIO, ARAI, TOHRU, NAKAJIMA, TOSHIYUKI, MIURA, TAKUJI, HONNA, TAKAO, KOBAYASHI, KIYOSHI, SAKUMA, HISAICHI, ADACHI, MAKI, MIYAZAWA, KOZUI, YOSHINAGA, KAORU, AND TAKISHIMA, TAMOTSU. Norepinephrine levels in the coronary sinus in patients with cardiovascular diseases at rest and during isometric handgrip exercise, 465
HARRISON, DONALD C., WINKLE, ROGER, SAMI, MAGDI, AND MASON, JAY. Encainide: A new and potent antiarrhythmic agent, 1046
——. (*See* Winkle, Mason, and Harrison), 1031
HEGER, JAMES J. (*See* Zipes et al.), 1055
HEIMONAS, ELIAS T. (*See* Cokkinos et al.), 802
HELLEMS, HARPER K. (*See* Markov et al.), 639
HENDERSON, I. CRAIG, AND FREI, E., III. Reply, 947 (Letter to Editor)
HENG, MING K. (*See* Wyatt et al.), 821
HENNEKENS, CHARLES H. (*See* Evans, Willett, and Hennekens), 584
HERMAN, MICHAEL V. (*See* Ambrose et al.), 433
——. (*See* Kunkes et al.), 813
HIBI, NORIO, FUKUI, YOICHI, NISHIMURA, KINYA, MIWA, ARATA, KAMBE, TADASHI, AND SAKAMOTO, NOBUO. Cross-sectional echocardiographic study on persistent left superior vena cava, 69
——. (*See* Kambe et al.), 53
HIGGINS, S. B. (*See* Roden et al.), 15
HILLIS, W. S. (*See* Bastian et al.), 1017
HIRATA, TSUNEO. (*See* Sunagawa et al.), 89
HIROTA, YASUO. (*See* Hiyoshi et al.), 424
HISANAGA, ASAKO. (*See* Hisanaga et al.), 605
HISANAGA, KOHZOH, HISANAGA, ASAKO, NAGATA, KAZUHIKO, AND ICHIE, YOSHIYASU. Transesophageal cross-sectional echocardiography, 605
HIYOSHI, YUICHI, OMAE, TERUO, HIROTA, YASUO, TAKESHITA, MORIYUKI, UEDA, KAZUO, NAKANO, MASAHIRO, TANAKA, SEIJI, IKEDA, HISAO, AND KATSUKI, SHIBANOSUKE. Cliniopathological study of the heart and coronary arteries of autopsied cases from the community of Hisayama during a 10-year period. Part IV. QS waves in the precordial leads, 424
HOFFMAN, IRWIN. Clinical vectorcardiography in adults. Part 1, 239
——. Clinical vectocardiography in adults. Part 2, 373
——. (*See* Hamby et al.), 794
HOFVENDAHL, STEFAN. (*See* Rydén et al.), 1006
HOJO, YASUO. (*See* Kambe et al.), 53
HOLLENBERG, NORMAN K. (*See* Szlavy et al.), 323
——. (*See* Meggs and Hollenberg), 753
HONNA, TAKAO. (*See* Haneda et al.), 465
HORN, HOWARD R., HADIDIAN, ZAREH, JOHNSON, JEANNE L., VASSALLO, HELEN G., WILLIAMS, JOHN H., AND YOUNG, MICHAEL D. Safety evaluation of tocainide in the American Emergency Use Program, 1037
——. (*See* Young et al.), 1041
HOROWITZ, LEONARD N. (*See* Farshidi et al.), 59
HOSHIAI, MITSUMOTO. (*See* Tomoda et al.), 306
HOTTA, FUTSUMI. (*See* Saito and Hotta), 866
HOW, JACQUES, STRACHAN, RONALD W., AND BEWSHER, PETER D. Giant cell arteritis—a cardiological blind spot, 405 (Annot.)
HULTGREN, HERBERT N. (*See* Shettigar and Hultgren), 590
HUNDER, GENE G. (*See* Huston and Hunder), 99
HUSTON, KENT A., AND HUNDER, GENE G. Giant cell (cranial) arteritis: a clinical review, 99
HUTCHINS, GROVER M. (*See* Silverman and Hutchins), 230
——. (*See* Moore et al.), 610
HUTTON, I. (*See* Bastian et al.), 1017

I

ICHIE, YOSHIYASU. (*See* Hisanaga et al.), 605
ICHIMIYA, SATOSHI. (*See* Kambe et al.), 53
IKÄHEIMO, MARKKU J. Mitral prosthetic dehiscence and paraprosthetic regurgitation, 940 (Letter to Editor)
IKEDA, HISAO. (*See* Hiyoshi et al.), 424
IKRAM, HAMID. Hemodynamic and electrophysiologic interactions between antiarrhythmic drugs and beta blockers, with special reference to tocainide, 1076
ILLINGWORTH, R. D. (*See* Greenhalgh et al.), 937
IMAIZUMI, TSUTOMU. Arrhythmias in sleep apnea, 513
INCZE, ALEXANDRU. (*See* Cotoi et al.), 763
ISKANDRIAN, ABDULMASSIH S. (*See* Hakki et al.), 441

J

JACOBS, GLENN P., AND PORES, IRA H. Aprindine psychosis, 347

JALIFE, J., AND ANTZELEVITCH, C. Pacemaker annihilation: diagnostic and therapeutic implications, 128 (Annot.)
JANSSENS, W. J. (*See* Vanhoutte and Janssens), 263
JEWITT, DAVID E. Hemodynamic effects of newer anti-arrhythmic drugs, 984
JOHN, T. JACOB. (*See* Chandy, John, and Cherian), 578
JOHNSON, JEANNE L. (*See* Horn et al.), 1037
——. (*See* Young et al.), 1041
JOHNSTON, BARBARA, AND FLETCHER, GERALD F. Reply, 763 (Letter to Editor)
JONES, DANIEL. (*See* Bury and Jones), 591
JONES, N. L. (*See* Oldridge, LaSalle, and Jones), 755
JONES, RICHARD L. (*See* York et al.), 267
JOSEPHSON, MARK E. (*See* Farshidi et al.), 59
JOSKOWICZ, G. (*See* Weber et al.), 764
JUHOS, EVA. (*See* Rado, Juhos, and Dorhout Mees), 183
JUMP, DAVID A. (*See* Ragg et al.), 581

K

KAINDL, K. (*See* Weber et al.), 764
KAIJSER, LENNART, KAISER, PETER, KARLSSON, JAN, AND RÖSSNER, STEPHAN. Beta-blockers and running, 943 (Letter to Editor)
KAISER, PETER. (*See* Kaijser et al.), 943
KAMBE, TADASHI, ICHIMIYA, SATOSHI, TOGUCHI, MASAO, HIBI, NORIO, FUKUI, YOICHI, NISHIMURA, KINYA, SAKAMOTO, NOBUO, AND HOJO, YASUO. Apex and subxiphoid approaches to Ebstein's anomaly using cross-sectional echocardiography, 53
——. (*See* Hibi et al.), 69
KANAZAWA, MASAKUNI. (*See* Vyden et al.), 590
KANE, JAMES J. (*See* de Soyza et al.), 631
KARBONIT, LINDA M. (*See* Ragg et al.), 581
KARLSSON, JAN. (*See* Kaijser et al.), 943
KATO, TADAYUKI, (*See* Sugiyama et al.), 829
KATSUKI, SHIBANOSUKE. (*See* Hiyoshi et al.), 424
KAUL, UPENDRA, ARORA, RAMESH, AND RANI, SUDHA. Uhl's anomaly with rudimentary pulmonary valve leaflets: A clinical, hemodynamic, angiographic, and pathologic study, 673
KAWADA, SHIAKI. (*See* Tomoda et al.), 306
KEIDAR, S. (*See* Grenadier, Keidar, and Palant), 948
KERBER, RICHARD E. (*See* Venkatesh et al.), 302
KERIN, NICHOLAS Z. Reply, 134 (Letter to Editor)
KHAN, ABDUL HAKIM. Spontaneous resumption of sinus rhythm after prolonged AF, 409 (Letter to Editor)
KI, PING, F. (*See* Moore et al.), 610
KIKUCHI, YUTAKA. (*See* Sunagawa et al.), 89
KIMBIRIS, DEMETRIOS. (*See* Hakki et al.), 441
KLINKE, W. P. Treatment of primary pulmonary hypertension, 587 (Annot.)
KOBAYASHI, KIYOSHI. (*See* Haneda et al.), 465
KOIDE, SHIROSAKU. (*See* Tomoda et al.), 306
KOLEV, NIKOLAI S. Evaluation of contractile state of the left ventricle from the peak of the first derivative of the apexcardiogram, 600
KONING, GERRIT, VEEFKIND, ADRIAAN H., AND SCHNEIDER, HANS. Cardiac damage caused by direct application of defibrillator shocks to isolated Langendorff-perfused rabbit heart, 473
KOSOWSKY, BERNARD D. (*See* Pandian, Kosowsky, and Gurewich), 847
KRALIOS, ALEXANDROS C. (*See* Bugni et al.), 657
KRETZ, ANDRÉS. (*See* Suárez et al.), 678
KUBAC, GEORGE, DORIS, IAN, ONDRO, MILENA, AND DAVEY, PETER W. Malignant granular cell myoblastoma with metastatic cardiac involvement: Case report and echocardiogram, 227
KUIDA, HIROSHI. (*See* Bugni et al.), 657
KULBERTUS, H. E. (*See* Waleffe et al.), 788
KUNKES, STEVEN H., PICHARD, AUGUSTO D., SMITH, HARRY, JR., GORLIN, RICHARD, HERMAN, MICHAEL V., AND KUPERSMITH, JOEL. Silent ST segment deviations and extent of coronary artery disease, 813
KUPERSMITH, JOEL. (*See* Kunkes et al.), 813

L

LADDU, ATUL R. (*See* de Soyza et al.), 631
LAIRD, J. D. Thomas Young, (1773-1829), 1
LAKS, MICHAEL M. (*See* Barrett et al.), 23
LAMOUREUX, JACQUES. (*See* Morissette et al.), 319
LANGOU, RENE A., VAN DYKE, CRAIG, TAHAN, STEVEN R., AND COHEN, LAWRENCE S. Cardiovascular manifestations of tricyclic antidepressant overdose, 458
LANIADO, SHLOMO. (*See* Rotmensch et al.), 412
LAP, CEES. (*See* Simoons, Lap, and Pool), 9
LASALLE, D. (*See* Oldridge, LaSalle, and Jones), 755
LATTING, CLIFTON A., AND SILVERMAN, MARK E. Acute myocardial infarction in hospitalized patients over age 70, 311
LAWRIE, T. D. V. Comparison of newer antiarrhythmic agents, 990
LEATHAM, AUBREY, AND BRIGDEN, WALLACE. Reply, 942 (Letter to Editor)
LEBACG, E. G. (*See* Chaudron and Lebacq), 131
LEDDA, F. (*See* Fazzini et al.), 271
LEGRAND, V. (*See* Waleffe et al.), 788
LEHAN, PATRICK H. (*See* Markov et al.), 639
LEIER, CARL V. (*See* Unverferth et al.), 622
LEMIRE, JEAN. (*See* Morissette et al.), 319
LESTER, EVA. Common sense and clinical chemistry, 130 (Annot.)
LESTER, LUCILLE A. (*See* Cabin, Lester, and Roberts), 563
LEVINE, HERBERT J. Difficult problems in the diagnosis of chest pain, 108
LEVY, MORRIS J. (*See* Shoenfeld et al.), 179
LEWIS, BASIL S., LEWIS, NOGA, SAPOZNIKOV, DAN, AND GOTSMAN, MERVYN S. Isovolumic relaxation period in man, 490
LEWIS, NOGA. (*See* Lewis et al.), 490
LEWIS, RICHARD P. (*See* Unverferth et al.), 622
LICHSTEIN, EDGAR. Site of origin of ventricular premature beats in patients with mitral valve prolapse, 450
LIE, J. T., AND GROSSMAN, STANLEY J. Pathology of the heart in acromegaly: anatomic findings in 27 autopsied patients, 41
——, OLNEY, BYRON A., AND SPITTELL, JOHN A. Perioperative hypertensive crisis and hemorrhagic diathesis: Fatal complication of clinically unsuspected pheochromocytoma, 716
LIRON, MEIR. (*See* Rotmensch et al.), 412
LLOYD, BRIAN L. (*See* Ochs et al.), 341
LONG, WILLIAM B., AND COHEN, SIDNEY. The digestive tract as a cause of chest pain, 567
LOPEZ, EMIGDIO A. (*See* Pipberger and Lopez), 597
LOWN, BERNARD. (*See* DeSilva et al.), 881
LUTZ, J. F., HAGAN, A. D., VIEWEG, W. V. R., THOMPSON, S. I., AND AARON, B. L. "Pseudo-tumor" of the right ventricular outflow tract and congenital pulmonary valve regurgitation: A case report, 349
LYONS, CHALMERS. Site of functional right bundle branch block, 653

M

MACCARTHY, E. PAUL (*See* Stokes, Oates, and MacCarthy), 741
MACFARLANE, P. W. (*See* Bastian et al.), 1017
MAGORIEN, RAYMOND D. (*See* Unverferth et al.), 622
MALCOLM, ALASDAIR D. Myocardial mysteries surrounding mitral leaflet prolapse, 265 (Annot.)
MALCOLM, DANIEL. (*See* Ali et al.), 520
MALLIANI, ALBERTO, SCHWARTZ, PETER J., AND ZANCHETTI, ALBERTO. Neural mechanisms in life-threatening arrhythmias, 705
MALONEY, JAMES D., NISSEN, ROGER G., AND MCCOLGAN, J. M. Open clinical studies at a referral center: Chronic maintenance tocainide therapy in patients with recurrent sustained ventricular tachycardia refractory to conventional antiarrhythmic agents, 1023
MANDEL, WILLIAM J. (*See* Barrett et al.) 23

MARCHI, F. (*See* Fazzini et al.), 271
MARDELLI, T. JOSEPH, MORGANROTH, JOEL, NAITO, MASAHITO, AND CHEN, CHIN C. Cross-sectional echocardiographic detection of aortic valve prolapse, 295
—. (*See* Naito et al.), 34
MARK, HERBERT. (*See* Schweitzer and Mark), 119
—. (*See* Schweitzer and Mark), 255
MARKIS, JOHN E. (*See* Come et al.), 523
MARKOV, ANGEL K., OGLETHORPE, NICOLE C., BLAKE, THOMAS M., LEHAN, PATRICK H., AND HELLEMS, HARPER K. Hemodynamic, electrocardiographic, and metabolic effects of fructose diphosphate on acute myocardial ischemia, 639
MARMOR, BRUCE M., AND BLACK, MARTIN M. Unusual manifestations of severe sick sinus syndrome, 95
MARRA, SEBASTIANO. (*See* Paolillo et al.), 763
MARTINEZ, EULOGIO E. (*See* Ambrose et al.), 433
MARTINEZ, JOSÉ A. (*See* Suárez et al.), 678
MARTINS, JAMES B. (*See* Venkatesh et al.), 302
MARY-RABINE, L. (*See* Waleffe et al.), 788
MARZILLI, MARIO. (*See* Sabbah, Marzilli, and Stein), 77
MASON, JAY W. (*See* Griffin, Mason, and Calfee), 1093
—. (*See* Winkle, Mason, and Harrison), 1031
—. (*See* Harrison et al.), 1046
MATSUYAMA, SEIYA. (*See* Tomoda et al.), 306
MATTERN, WILLIAM D. (*See* Walker and Mattern), 896
MAVRIĆ, ZARKO. Mitral valve prolapse syndrome, 409 (Letter to Editor)
MCARDLE, COLIN. (*See* Come et al.), 523
MCCLOY, JAMES. (*See* McCloy and McCloy), 933
MCCLOY, R. F., AND MCCLOY, JAMES. Autoaddiction: a hypothesis on hunger and obesity, 933 (Annot.)
MCCOLGAN, J. M. (*See* Maloney, Nissen, and McColgan), 1023
MCFIE, J. (*See* Greenhalgh et al.), 937
MCLAUCHLAN, J. H. (*See* Bastian et al.), 1017
MCNAMARA, JAMES O. (*See* Pritchett, McNamara, and Gallagher), 683
MEERBAUM, SAMUEL. (*See* Wyatt et al.), 821
MEGGS, LEONARD G., AND HOLLENBERG, NORMAN K. When is loss of responsiveness to a vasodilator agent in the patient with congestive heart failure due to tachyphylaxis? 753
MELLER, JOSÉ. (*See* Ambrose et al.), 433
MENON, DEVIDAS. (*See* York et al.), 267
MEYER, JERRY F. (*See* Wasserman, Meyer, and Ross), 500
MICELI, DOMENICO. (*See* Vigorito et al.), 782
MICHELSON, ERIC L. (*See* Farshidi et al.), 59
MICKLE, ELAINE. (*See* Vyden et al.), 590
MILLS, S. P. (*See* Greenhalgh et al.), 937
MINTZ, GARY S. (*See* Hakki et al.), 441
MIR, M. A. Reply, 271 (Letter to Editor)
MIROWSKI, M., MOWER, MORTON M., AND REID, PHILIP R. The automatic implantable defibrillator, 1089
MITCHELL, WINSTON A. (*See* Romanelli et al.), 617
MIURA, TAKUJI. (*See* Haneda et al.), 465
MIURA, YUKIO. (*See* Haneda et al.), 465
MIWA, ARATA. (*See* Hibi et al.), 69
MIYAZAWA, KOZUI. (*See* Haneda et al.), 465
MOHRI, H. (*See* Su et al.), 332
MOLLER, JAMES H. (*See* Bass et al.), 807
MOORE, G. WILLIAM, HUTCHINS, GROVER M., BULKLEY, BERNADINE H., TSENG, JENNIFER S., AND KI, PING F. Constituents of the human ventricular myocardium: Connective tissue hyperplasia accompanying muscular hypertrophy, 610
MOREYRA, EDUARDO, AND ALDAY, LUIS E. Phentolamine and IHSS, 134 (Letter to Editor)
MORGANROTH, JOEL. (*See* Naito et al.), 34
— (*See* Mardelli, Morganroth, Naito, and Chen), 295
MORISSETTE, MARTIN, GAGNON, ROGER M., LAMOUREUX, JACQUES, AND LEMIRE, JEAN. Effects of angiographic contrast media on colloid oncotic pressure, 319
MORTENSEN, OLE. (*See* Rydén et al.), 1006
MORTON, J. J. (*See* Taylor, Bain, and Morton), 935
MOSCHOS, CHRISTOS B., HAIDER, BUNYAD, ESCOBINAS, AMPARO J., GANDHI, ASHWINKUMAR, AND REGAN, TIMOTHY J. Chronic use of aspirin versus indomethacin during non-thrombotic myocardial ischemia: effects on survival, 647
MOST, ALBERT S. (*See* Grodman, Capone, and Most), 765
MOWER, MORTON M. (*See* Mirowski, Mower, and Reid), 1089
MUGELLI, A. (*See* Fazzini et al.), 271
MUJAIS, SALIM K. (*See* Sawaya, Mujais, and Armenian), 144
MURPHY, MARVIN L. (*See* de Soyza et al.), 631
MURRAY, GORDON F. (*See* Hada et al.), 871
MURRAY, THOMAS F. (*See* Ragg et al.), 581

N

NAGATA, KAZUHIKO. (*See* Hisanaga et al.), 605
NAITO, MASAHITO, MORGANROTH, JOEL, MARDELI, T. JOSEPH, AND CHEN, CHIN C. Rheumatic mitral stenosis: cross-sectional echocardiographic analysis, 34
—. (*See* Mardelli et al.), 295
NAKAJIMA, TOSHIYUKI. (*See* Haneda et al.), 465
NAKAMURA, MOTOOMI. (*See* Sunagawa et al.), 89
NAKANO, MASAHIRO. (*See* Hiyoshi et al.), 424
NARANG, PREM K. (*See* Carliner et al.), 483
NAVARRO-LOPEZ, FRANCISCO. (*See* Betriu et al.), 223
NAZARIAN, IRAJ. (*See* Shakibi, Reyhani, and Nazarian), 766
—. (*See* Alipour, Tarbiat, and Nazarian), 859
NICHOLS, DONALD R. (*See* Wilson et al.), 689
NISHIMURA, KINYA. (*See* Kambe et al.), 53
—. (*See* Hibi et al.), 69
NISSEN, ROGER G. (*See* Maloney, Nissen, and McColgan), 1023
NIXON, P. G. The responsibility of the cardiological mapmaker, 139
NORDLANDER, ROLF. (*See* Nyquist et al.), 1000
NOYES, RUSSELL, JR., (*See* Venkatesh et al.), 302
NYQUIST, OLOF, FORSSELL, GUNILLLA, NORDLANDER, ROLF, AND SCHENCK-GUSTAFSSON, KARIN. Hemodynamic and antiarrhythmic effects of tocainide in patients with acute myocardial infarction, 1000

O

OATES, HELEN F. (*See* Stokes, Oates, and MacCarthy), 741
OATES, J. A. (*See* Roden et al.), 15
OCHS, HERMANN R., GREENBLATT, DAVID J., LLOYD, BRIAN L., WOO, ELAINE, SONNTAG, M., AND SMITH, THOMAS W. Entry of quinidine into cerebrospinal fluid, 341
OGLETHORPE, NICOLE C. (*See* Markov et al.), 639
OKADA, RYOZO. (*See* Takagi and Okada), 838
OLDRIDGE, N. B., LASALLE, D., AND JONES, N. L. Exercise rehabilitation of female patients with coronary heart disease, 755 (Annot.)
OLNEY, BYRON A. (*See* Lie, Olney, and Spittell), 716
OLSEN, E. G. J. The pathology of idiopathic hypertrophic subaortic stenosis (hypertrophic cardiomyopathy). A critical review, 553
OMAE, TERUO. (*See* Hiyoshi et al.), 424
ONDRO, MILENA. (*See* Kubac et al.), 227
OPIE, LIONEL H. Myocardial infarct size. Part 1. Basic considerations, 355
—. Myocardial infarct size. Part 2. Comparison of anti-infarct effects of beta-blockade, glucose-insulin-potassium, nitrates, and hyaluronidase, 531
ORITA, YASUHIKO. (*See* Sunagawa et al.), 89
OSTER, KURT A. Reply, 945 (Letter to Editor)
OZAWA, TAKAYUKI. (*See* Sugiyama et al.), 829

P

PALANT, A. (*See* Grenadier, Keidar, and Palant), 948
PANDIAN, NATESA G., KOSOWSKY, BERNARD D., AND GUREWICH, VICTOR. Transfemoral temporary pacing and deep vein thrombosis, 847

PANSINI, R. (*See* Cocco et al.), 878
PANTLEY, GEORGE A. (*See* Goodnight, Pantley, and Rahimtoola), 586
PAOLILLO, VITO, MARRA, SEBASTIANO, SPADACCINI, FELICE, AND ANGELINO, PIER FEDERICO. Dynamic electrocardiographic recording during sexual activity in recent post-myocardial infarction and revascularization patients, 763 (Letter to Editor)
PAPAZOGLOU, NICHOLAS M. Sex and the differential diagnosis of uncomplicated angina pectoris 410 (Letter to Editor)
PAULI, RICHARD M., HALL, JUDITH G., AND WILSON, KATHLEEN M. Risks of anticoagulation during pregnancy, 761 (Annot.)
PAULS, DAVID L. (*See* Venkatesh et al.), 302
PERELMAN, M. S., AND SHIU, M. F. Migration of redundant pacing electrode, 591 (Letter to Editor)
PERKIN, G. D. (*See* Greenhalgh et al.), 937
PEROSIO, ALBINO M. (*See* Suárez et al.), 678
PETER, ROBERT H. (*See* Rubin and Peter), 757
PHAF, BOB. (*See* Wellens et al.), 934
PICHARD, AUGUSTO D. (*See* Ambrose et al.), 433
——. (*See* Kunkes et al.), 813
PICKUP, J. C. A new approach to improved metabolic control in diabetics: Continuous subcutaneous insulin infusion, 417
PINKHAS, JACK. (*See* Shoenfeld et al.), 179
——. (*See* Berliner et al.), 134
PIPBERGER, HUBERT V., AND LOPEZ, EMIGDIO A. "Silent" subendocardial infarcts: fact or fiction? 597
PIRRAMI, MARCO MARIA. (*See* Zeppilli et al.), 281
——. (*See* Zeppilli et al.), 213
PISCIONE, FEDERICO. (*See* Vigorito et al.), 782
PLOTNICK, GARY D. (*See* Carliner et al.), 483
PODRID, PHILIP J. (*See* DeSilva et al.), 881
POOL, JAN. (*See* Simoons, Lap, and Pool), 9
PORES, IRA H. (*See* Jacos and Pores), 347
PRAKASH, M. N. (*See* Hamby et al.), 794
PRITCHETT, EDWARD L. C., MCNAMARA, JAMES O., AND GALLAGHER, JOHN J. Arrhythmogenic epilepsy: an hypothesis, 683
PRYSTOWSKY, ERIC N. (*See* Zipes et al.), 1055
PUCCI, P. (*See* Fazzini et al.), 271

R

RADO, JANOS P., JUHOS, EVA, AND DORHOUT MEES, EVERT J. Renal response to graded intravenous hypertonic NaCl infusion in healthy and hypertensive subjects: dose-related impairment in distal NaCl reabsorption, 183
RAE, A. P. (*See* Bastian et al.), 1017
RAGG, KERRY E., MURRAY, THOMAS F., KARBONIT, LINDA M., AND JUMP, DAVID A. Errors in predicting functional capacity from a treadmill exercise stress test, 581 (Annot.)
RAHIMTOOLA, SHAHBUDIN H. (*See* Goodnight, Pantley, and Rahimtoola), 586
RAJFER, SOL I. (*See* Chun et al.), 940
RAMIREZ, ALBERTO. (*See* Come et al.), 523
RAMSDALE, D. R., AND BENNETT, D. H. Asymmetric septal hypertrophy in conditions other than IHSS, 931 (Annot.)
RANI, SUDHA. (*See* Kaul, Arora, and Rani), 673
REELE, S. B. (*See* Roden et al.), 15
REGAN, TIMOTHY J. (*See* Moschos et al.), 647
REID, PHILIP R. (*See* Mirowski, Mower, and Reid), 1089
RETTIG, GERD. Reply, 592 (Letter to Editor)
REYHANI, FATEMEH. (*See* Shakibi, Reyhani, and Nazarian), 766
ROBERTS, RAYMOND W. Cyclophosphamide cardiomyopathy, 946 (Letter to Editor)
ROBERTS, WILLIAM C. (*See* Cabin, Lester, and Roberts), 563
RODEN, D. M., REELE, S. B., HIGGINS, S. B., CARR, R. KEITH, SMITH, R. F., OATES, J. A., AND WOOSLEY, R. L. Tocainide therapy for refractory ventricular arrhythmias, 15
ROMANELLI, RENZO, WILLIS, WILLIAM H., JR., MITCHELL, WINSTON A., AND BOUCEK, ROBERT J. Coronary arteriograms and myocardial scintigrams in the electrocardiographic syndrome of septal fibrosis, 617
RONFELD, ROBERT A. Comparative pharmacokinetics of new antiarrhythmic drugs, 978
ROSE, F. CLIFFORD. (*See* Greenhalgh et al.), 937
ROSE, HAROLD B. (*See* Vyden et al.), 590
ROSS, ALLAN M. (*See* Wasserman, Meyer, and Ross), 500
ROSS, M. ALISON, AND STREETER, DANIEL D., JR. Rupture of myocardium and mitral valve replacement, 946 (Letter to Editor)
RÖSSNER, STEPHAN. (*See* Kaijser et al.), 943
ROTMENSCH, HESCHI H., LIRON, MEIR, TUPILSKI, MARCEL, AND LANIADO, SHLOMO. Possible association of pneumonitis with amiodarone therapy, 412 (Letter to Editor)
RUBIN, LEWIS J., AND PETER, ROBERT H. Primary pulmonary hypertension: new approaches to therapy, 757 (Annot.)
RYDÉN, LARS, ARNMAN, KRISTER, CONRADSON, THOR-BJÖRN, HOFVENDAHL, STEFAN, MORTENSEN, OLE, AND SMEDGÅRD, PETER. Prophylaxis of ventricular tachyarrhythmias with intravenous and oral tocainide in patients with and recovering from acute myocardial infarction, 1006

S

SABBAH, HANI N., MARZILLI, MARIO, AND STEIN, PAUL D. Intracardiac phonocardiography in experimental left ventricular cavity obliteration: potential clinical applicability for the distinction of obstructive cardiomyopathy, 77
——. (*See* Folger, Sabbah, and Stein), 152
SACKS, BARRY. (*See* Come et al.), 523
SAITO, REIKO, AND HOTTA, FUTSUMI. Congenital pericardial defect associated with cardiac incarceration: case report, 866
SAKAMOTO, NOBUO. (*See* Kambe et al.), 53
——. (*See* Hibi et al.), 69
SAKUMA, HISAICHI. (*See* Haneda et al.), 465
SAMI, MAGDI. (*See* Harrison et al.), 1046
SAMUEL, PAUL. Drug treatment of hyperlipidemia, 573
SANDLER, GERALD. The importance of the history in the medical clinic and the cost of unnecessary tests, 928 (Annot.)
SANDS, MURRAY P. (*See* Su et al.), 332
SANTAMORE, WILLIAM P., WALINSKY, PAUL., BOVE, ALFRED A., COX, ROBERT H., CAREY, RITA A., AND SPANN, JAMES F. The effects of vasoconstriction on experimental coronary artery stenosis, 852
SANZ, GINES. (*See* Betriu et al.), 223
SAPOZNIKOV, DAN. (*See* Lewis et al.), 490
SASSARA, MASSIMO. (*See* Zeppilli et al.), 213
——. (*See* Zeppilli et al.), 281
SAWAYA, JABER I., MUJAIS, SALIM K., AND ARMENIAN, HAROUTUNE K. Early diagnosis of pericarditis in acute myocardial infarction, 144
SCHAEFER, O. Lo-the poor Eskimo! 944 (Letter to Editor)
SCHAMROTH, LEO. The clinical use of intravenous verapamil, 1070
SCHENCK-GUSTAFSSON, KARIN. (*See* Nyquist et al.), 1000
SCHLAG, W. (*See* Biamino et al.), 191
SCHMITZ, H. (*See* Wink and Schmitz), 667
SCHNEIDER, HANS. (*See* Koning, Veefkind, and Schneider), 473
SCHROEDER, R. (*See* Biamino et al.), 191
SCHUSTER, EDWARD H., AND BULKLEY, BERNADINE H. Ischemic cardiomyopathy: A clinicopathologic study of fourteen patients, 506
SCHWARTZ, PETER J. (*See* Malliani, Schwartz, and Zanchetti), 705
SCHWEITZER, PAUL, AND MARK, HERBERT. The effect of atropine on cardiac arrhythmias and conduction. Part 1, 119
——, AND ——. The effect of atropine on cardiac arrhythmias and conduction. Part 2,255

SEGAL, BERNARD L. (*See* Hakki et al.), 441
SELTZER, CARL C. Smoking and coronary heart disease: what are we to believe? 275
SHAKIBI, JAMI G., REYHANI, FATEMEH, AND NAZARIAN, IRAJ. Ratios of septum and LV free wall in IHSS and HCM, 766 (Letter to Editor)
SHEPHARD, ROY J. Exercise and recurrence of myocardial infarction, 404 (Annot.)
SHETTIGAR, UDIPI R., AND HULTGREN, HERBERT N. Correlation between exercise hemodynamics and increased magnitude of P terminal force, 590 (Letter to Editor)
SHIU, M. F. (*See* Perelman and Shiu), 591
SHOBACK, DOLORES. (*See* Vlay et al.), 907
SHOENFELD, YEHUDA, ELDAR, MICHAEL, BEDAZOVSKY, BENI, LEVY, MORRIS J., AND PINKHAS, JACK. Aortic stenosis associated with gastrointestinal bleeding. A survey of 612 patients, 179
——. (*See* Berliner et al.), 134
SHOTSU, AKIRA. (*See* Tomoda et al.), 306
SHRIVASTAVA, SAVITRI. (*See* Bass et al.), 807
SILVERMAN, GERTRUDE. (*See* Zoneraich, Silverman, and Zoneraich), 754
SILVERMAN, KENNETH J., AND HUTCHINS, GROVER M. Infarct expansion: the "second event" after acute myocardial infarction, 230 (Clinical pathologic conference)
SILVERMAN, MARK E. (*See* Latting and Silverman), 311
SIMOONS, MAARTEN, LAP, CEES, AND POOL, JAN. Heart rate levels and ventricular ectopic activity during cardiac rehabilitation, 9
SINGH, AMARJIT. Reply, 768 (Letter to Editor)
SMEDGÅRD, PETER. (*See* Rydén et al.), 1006
SMITH, HARRY, JR. (*See* Kunkes et al.), 813
SMITH, R. F. (*See* Roden et al.), 15
SMITH, THOMAS W. (*See* Ochs et al.), 341
SONNTAG, M. (*See* Ochs et al.), 341
SPADACCINI, FELICE. (*See* Paolillo et al.), 763
SPANN, JAMES F. (*See* Santamore et al.), 852
SPIELMAN, SCOTT R. (*See* Farshidi et al.), 59
SPITTELL, JOHN A. (*See* Lie, Olney, and Spittell), 716
SPRITZ, NORTON. Diet in the treatment of hyperlipidemia, 924
SPROULE, BRIAN J. (*See* York et al.), 267
STEIN, PAUL D. (*See* Sabbah, Marzilli, and Stein), 77
——. (*See* Folger, Sabbah, and Stein), 152
STEINBACH, K. (*See* Weber et al.), 764
STEWART, I. McD. G. Limited pressure control to "optimum" levels may reduce the rate of myocardial infarction in hypertensive subjects, 402 (Annot.)
STOKES, GORDON S., OATES, HELEN F., AND MACCARTHY, E. PAUL. Antihypertensive therapy: New pharmacological approaches, 741
STRACHAN, RONALD W. (*See* How, Strachan, and Bewsher), 405
STREETER, DANIEL D., JR. (*See* Ross and Streeter), 946
STROZZI, C. (*See* Cocco et al.), 878
SU, JUDY Y., AMORY, DAVID W., SANDS, MURRAY P., AND MOHRI, H. Effects of circulatory arrest and rewarming on regional blood flow during surface-induced hypothermia, 332
SUÁREZ, LUIS D., KRETZ, ANDRÉS, ALVAREZ, JOSÉ A., MARTINEZ, JOSÉ A., AND PEROSIO, ALBINO M. Dissimilar atrial rhythms. A patient with triple right atrial rhythm, 678
SUGIYAMA, SATORU, OZAWA, TAKAYUKI, KATO, TADAYUKI, AND SUZUKI, SHOHACHI. Recovery time course of ventricular vulnerability after coronary reperfusion in relation to mitochondrial function in ischemic myocardium, 829
SUNAGAWA, KENJI, ORITA, YASUHIKO, TANAKA, SENICHI, KIKUCHI, YUTAKA, NAKAMURA, MOTOOMI, AND HIRATA, TSUNEO. Left atrial ball thrombus diagnosed by two-dimensional echocardiography, 89
SUTTON, JOHN R., AND BAR-OR, ODED. Thermal illness in fun running, 778
SUZUKI, SHOHACHI. (*See* Sugiyama et al.), 829
SZLAVY, LASZLO, ADAMS, DOUGLASS F., HOLLENBERG, NORMAN K., AND ABRAMS, HERBERT L. Cardiac lymph and lymphatics in normal and infarcted myocardium, 323

T

TAGAWA, RYUSUKE. (*See* Tomoda et al.), 306
TAHAN, STEVEN R. (*See* Langou et al.), 458
TAKAGI, TATSUJI, AND OKADA, RYOZO. An electrocardiographic–pathologic correlative study on left axis deviation in hypertensive hearts, 838
TAKESHITA, MORIYUKI. (*See* Hiyoshi et al.), 424
TAKISHIMA, TAMOTSU. (*See* Haneda et al.), 465
TANAKA, SEIJI. (*See* Hiyoshi et al.), 424
TANAKA, SENICHI. (*See* Sunagawa et al.), 89
TARANTA, ANGELO. (*See* DiSciascio and Taranta), 943
TARBIAT, CYAVOUSH. (*See* Alipour, Tarbiat, and Nazarian), 859
TAYLOR, K. M., BAIN, H. W., AND MORTON, J. J. The role of angiotensin II in the development of peripheral vasoconstriction during open-heart surgery, 935 (Annot)
TEICHHOLZ, LOUIS E. (*See* Ambrose et al.), 433
THOMPSON, RODNEY L. (*See* Wilson et al.), 689
THOMPSON, S. I. (*See* Lutz et al.), 349
TOGUCHI, MASAO. (*See* Kambe et al.), 53
TOMMASO, CARL L. Reply, 949 (Letter to Editor)
TOMODA, HARUO, HOSHIAI, MITSUMOTO, TAGAWA, RYUSUKE, KOIDE, SHIROSAKU, KAWADA, SHIAKI, SHOTSU, AKIRA, AND MATSUYAMA, SEIYA. Evaluation of left atrial thrombus with computed tomography, 306
TRONI, WALTER. (*See* Caruzzo et al.), 270
TSAGARIS, THEOFILOS J. (*See* Bugni et al.), 657
TSARTSALIS, GEORGE D. (*See* Cokkinos et al.), 802
TSENG, JENNIFER S. (*See* Moore et al.), 610
TUBAU, JULIO. (*See* Betriu et al.), 223
TUPILSKI, MARCEL. (*See* Rotmensch et al.), 412

U

UEDA, KAZUO. (*See* Hiyoshi et al.), 424
UNVERFERTH, DONALD V., MAGORIEN, RAYMOND D., LEWIS, RICHARD P., AND LEIER, CARL V. Long-term benefit of dobutamine in patients with congestive cardiomyopathy, 622

V

VANAGT, EDGAR J. (*See* Wellens et al.), 934
VAN DYKE, CRAIG. (*See* Langou et al.), 458
VANHOUTTE, P. M., AND JANSSENS, W. J. Thermosensitivity of cutaneous vessels and Raynaud's disease, 263 (Annot.)
VAN VALKENBURG, CHARLES. (*See* Venkatesh et al.), 302
VASSALLO, HELEN G. (*See* Horn et al.), 1037
——. (*See* Young et al.), 1041
VEEFKIND, ADRIAAN H. (*See* Koning, Veefkind, and Schneider), 473
VENKATESH, ALAGIRISWAMI, PAULS, DAVID L., CROWE, RAYMOND, NOYES, RUSSELL, JR., VAN VALKENBURG, CHARLES, MARTINS, JAMES B., AND KERBER, RICHARD E. Mitral valve prolapse in anxiety neurosis (panic disorder), 302
VIEWEG, W. V. R. (*See* Lutz et al.), 349
VIGORITO, CARLO, BETOCCHI, SANDRO, BONZANI, GIULIO, GIUDICE, PIETRO, MICELI, DOMENICO, PISCIONE, FEDERICO, AND CONDORELLI, MARIO. Severity of coronary artery disease in patients with diabetes mellitus. Angiographic study of 34 diabetic and 120 nondiabetic patients, 782
VINE, HUGH S. (*See* Come et al.), 523
VLAY, STEPHEN C., BLUMENTHAL, DAVID S., SHOBACK, DOLORES, FEHIR, KIM, AND BULKLEY, BERNADINE H. Delayed acute myocardial infarction after blunt chest trauma in a young woman, 907

VYDEN, JOHN K., ALFERN, HARVEY L., KANAZAWA, MASAHUNI, MICKLE, ELAINE, AND ROSE, HAROLD B. Function testing soon after acute myocardial infarction, 590 (Letter to Editor)

W

WALEFFE, A., MARY-RABINE, L., LEGRAND, V., DEMOULIN, J. CL., AND KULBERTUS, H. E. Combined mexiletine and amiodarone treatment of refractory recurrent ventricular tachycardia, 788
WALINSKY, PAUL. (*See* Santamore et al.), 852
WALKER, DAVID H., AND MATTERN, WILLIAM D. Rickettsial vasculitis, 896
WASSERMAN, ALAN G., MEYER, JERRY F., AND ROSS, ALLAN M. The relationship of pulmonary artery wedge pressure to the posterior aortic wall echocardiogram in patients free of obstructive mitral valve disease, 500
WEBER, H., STEINBACH, K., JOSKOWICZ, G., GLOGAR, D., AND KAINDL, K. TTM versus Holter monitoring of symptomatic arrhythmias, 764 (Letter to Editor)
WELD, FRANCIS M. (*See* Bigger and Weld), 1081
WELLENS, HEIN J. J., GORGELS, ANTON P., BRAAT, SIMON J., BÄR, FRITS W., VANAGT, EDGAR J., AND PHAF, BOB. Effect of oral disopyramide on serum digoxin levels. A prospective study, 934 (Annot.)
WESSEL, H. J. (*See* Biamino et al.), 191
WILLIAMS, ADRIAN J. Reply, 944 (Letter to Editor)
WILLIAMS, JOHN H. (*See* Horn et al.), 1037
WILLETT, WALTER C. (*See* Evans, Willett, and Hennekens), 584
WILLIS, WILLIAM H., JR. (*See* Romanelli et al.), 617
WILSON, KATHLEEN M. (*See* Pauli, Hall, and Wilson), 761
WILSON, WALTER R., NICHOLS, DONALD R., THOMPSON, RODNEY L., GIULIANI, EMILIO R., AND GERACI, JOSEPH E. Infective endocarditis: therapeutic considerations, 689
WINK, K., AND SCHMITZ, H. Cytomegalovirus myocarditis, 667
WINKLE, ROGER A., MASON, JAY W., AND HARRISON, DONALD C. Tocainide for drug-resistant ventricular arrhythmias: Efficacy, side effects, and lidocaine responsiveness for predicting tocainide success, 1031
——. (*See* Harrison et al.), 1046
WOLFE, CARLA. (*See* Hada et al.), 871
WOO, ELAINE. (*See* Ochs et al.), 341
WOOSLEY, R. L. (*See* Roden et al.), 15
WYATT, HORACE L., MEERBAUM, SAMUEL, HENG, MING K., GUERET, PASCAL, AND CORDAY, ELIOT. Cross-sectional echocardiography III. Analysis of mathematic models for quantifying volume of symmetric and asymmetric left ventricles, 821
WYNE, UZAIR A. (*See* Hamby et al.), 794

Y

YAMAGUCHI, IWAO. (*See* Barrett et al.), 23
YORK, ERNEST L., JONES, RICHARD L., SPROULE, BRIAN J., AND MENON, DEVIDAS. Management of secondary polycythemia with hypoxic lung disease, 267 (Annot.)
YOSHINAGA, KAORU. (*See* Haneda et al.), 465
YOUNG, MICHAEL D. (*See* Horn et al.), 1037
——, HADIDIAN, Z., HORN, H., JOHNSON, J., AND VASSALLO, H. Treatment of ventricular arrhythmias with oral tocainide, 1041

Z

ZANCHETTI, ALBERTO. (*See* Malliani, Schwartz, and Zanchetti), 705
ZEPPILLI, PAOLO, PIRRAMI, MARCO M., SASSARA, MASSIMO, AND FENICI, RICCARDO. T wave abnormalities in top-ranking athletes: effects of isoproterenol, atropine, and physical exercise, 213
——, FENICI, RICCARDO, SASSARA, MASSIMO, PIRRAMI, MARCO MARIA, AND CASELLI, GIOVANNI. Wenckebach second-degree A-V block in top-ranking athletes: an old problem revisited, 281
ZIPES, DOUGLAS P., ELHARRAR, VICTOR, GILMOUR, ROBERT G., JR., HEGER, JAMES J., AND PRYSTOWSKY, ERIC N. Studies with aprindine, 1055
ZOBEL, LARRY R., FINKELSTEIN, STANLEY M., CARLYLE, PETER F., AND COHN, JAY N. Pressure pulse contour analysis in determining the effect of vasodilator drugs on vascular hemodynamic impedance characteristics in dogs, 81
ZONERAICH, OLGA. (*See* Zoneraich, Silverman, and Zoneraich), 754
ZONERAICH, SAMUEL, SILVERMAN, GERTRUDE, AND ZONERAICH, OLGA. Primary myocardial disease, diabetes mellitus, and small vessel disease, 754 (Annot.)

Subject index*

A

Acebutolol, oral, long-term suppression of ventricular arrhythmia by in patients with coronary artery disease (de Soyza et al.), 631
Acknowledgment to reviewers, 773
Acquired cardiovascular disease, psychosocial and behavioral influences in the pathogenesis of (Buell and Eliot), 723
Acromegaly, pathology of the heart in: anatomic findings in 27 autopsied patients (Lie and Grossman), 41
Adsorption of NTG (Branje and Berghuis), 409 (Letter to Editor)
Adults, clinical vectorcardiography in. Part 1 (Hoffman), 239
Part 2 (Hoffman), 373
AF (atrial fibrillation), prolonged, spontaneous resumption of sinus rhythm after (Khan), 409 (Letter to Editor)
Agent(s), antiarrhythmic, encainide, a new and potent (Harrison et al.), 1046
newer, comparison of (Lawrie), 990
Alcohol and coronary heart disease (Evans, Willett, and Hennekens), 584 (Annot.)
American Emergency Use Program, safety evaluation of tocainide in the (Horn et al.), 1037
Amiodarone and mexiletine, combined treatment for refractory recurrent ventricular tachycardia (Waleffe et al.), 788
in the treatment of cardiac arrhythmias in children: one hundred thirty-five cases (Coumel and Fidelle), 1063
therapy, possible association of pneumonitis with (Rotmensch et al.), 412 (Letter to Editor)
Anemia, of senile (Burch), 407 (Annot.)
Aneurysm, left ventricular hypertrophy versus (Burns, Culham, and Duncan), 767 (Letter to Editor)
Reply (Singh), 768
Angina pectoris and coronary artery disease in patients with severe aortic valvular disease (Hakki et al.), 441
relief of by periarterial muscle resection of myocardial bridges (Betriu et al.), 223
uncomplicated, sex and the differential diagnosis of (Papazoglou), 410 (Letter to Editor)
Angiographic contrast media on colloid oncotic pressure, effects of (Morissette et al.), 319
Angiotensin II, role of in the development of peripheral vasoconstriction during open-heart surgery (Taylor, Bain, and Morton), 935 (Annot.)
Annihilation, pacemaker: diagnostic and therapeutic implications (Jalife and Antzelevitch), 128 (Annot.)
Announcements, 138, 274, 416, 594, 772, 952
Anomalous ECG and PCG recordings (Gürel), 768 (Letter to Editor)
Reply (Basta), 768
Antiarrhythmic(s) agent(s), conventional, chronic maintenance tocainide therapy in patients with recurrent sustained ventricular tachycardia refractory to: open clinical studies at a referral center (Maloney, Nissen, and McColgan), 1023
encainide, a new and potent (Harrison et al.), 1046
newer, comparison of (Lawrie), 990
and hemodynamic effects of tocainide in patients with acute myocardial infarction (Nyquist et al.), 1000
drugs and beta blockers, hemodynamic and electrophysiologic interactions between, with special reference to tocainide (Ikram), 1076
new, comparative pharmacokinetics of (Ronfeld), 978
newer, hemodynamic effects of (Jewitt), 984
in ischemic models, effects of (Bauman, Curtis, and Covinsky), 947 (Letter to Editor)
Anticoagulation during pregnancy, risks of (Pauli, Hall, and Wilson), 761 (Annot.)
Antidepressant overdose, tricyclic, cardiovascular manifestations of (Langou et al.), 458
Antihypertensive therapy: new pharmacological approaches (Stokes, Oates, and MacCarthy), 741
Anti-infarct effects of beta-blockade, glucose-insulin-potassium, nitrates, and hyaluronidase, comparison of. Part 2 of Myocardial infarct size (Opie), 531
Antithrombotic therapy for saphenous vein bypass grafts? (Goodnight, Pantley, and Rahimtoola), 586 (Annot.)
Anxiety neurosis (panic disorder), mitral valve prolapse in (Venkatesh et al.), 302
Aortic root, echocardiographic pattern of motion of the as a correlate of left atrial volume changes (Biamino et al.), 191
hemodynamic correlates of late diastolic posterior motion of the (Ambrose et al.), 433
stenosis associated with gastrointestinal bleeding. A survey of 612 patients (Shoenfeld et al.), 179
valve(s), congenitally malformed, evaluation of the anatomy of by orifice-view aortography (Folger, Sabbah, and Stein), 152
porcine, stenotic, echocardiographic features of (Alam and Goldstein), 517
prolapse, cross-sectional echocardiographic detection of (Mardelli et al.), 295
valvular disease, severe, angina pectoris and coronary artery disease in patients with (Hakki et al.), 441
wall echocardiogram, posterior, relationship of pulmonary artery wedge pressure to the in patients free of obstructive mitral valve disease (Wasserman, Meyer, and Ross), 500
Aortography, orifice-view, evaluation of the anatomy of congenitally malformed aortic valves by (Folger, Sabbah, and Stein), 152
Apex and subxiphoid approaches to Ebstein's anomaly using cross-sectional echocardiography (Kambe et al.), 53
Apexcardiogram, first derivative of the, evaluation of contractile state of the left ventricle from the peak of the (Kolev), 600
Apnea, sleep, arrhythmias in (Imaizumi), 513

*July, pp. 1-138; August, pp. 139-274; September, pp. 275-416; October, pp. 417-594; November, pp. 595-772; December, Part 1, pp. 773-976; December, Part 2, pp. 977-1096.

Aprindine psychosis (Jacobs and Pores), 347
studies with (Zipes et al.), 1055
Arrhythmias and the mitral valve, of (Burch), 583 (Annot.)
cardiac, and conduction, effect of atropine on. Part 1 (Schweitzer and Mark), 119
Part 2 (Schweitzer and Mark), 225
in children, amiodarone in the treatment of: one hundred thirty-five cases (Coumel and Fidelle), 1063
in sleep apnea (Imaizumi), 513
life-threatening, neural mechanisms in (Malliani, Schwartz, and Zanchetti), 705
symptomatic, TTM versus Holter monitoring of (Weber et al.), 764 (Letter to Editor)
Reply (Grodman, Capone, and Most), 765
ventricular, drug-resistant, tocainide for: efficacy, side effects, and lidocaine responsiveness for predicting tocainide success (Winkle, Mason, and Harrison), 1031
in acute myocardial infarction, placebo controlled study of prophylaxis of (Campbell), 995
long-term suppression of by oral acebutolol in patients with coronary artery disease (de Soyza et al.), 631
refractory, of myocardial infarction, tocainide for (Haffajee, Alpert, and Dalen), 1013
tocainide therapy for (Roden et al.), 15
treatment of with oral tocainide (Young et al.), 1041
Arrhythmogenic epilepsy: an hypothesis (Pritchett, McNamara, and Gallagher), 683
Arterial pressure, effect of on left ventricular O_2 consumption, coronary blood flow, and reserve capacity following coronary occlusion (Bugni et al.), 657
Arteriograms, coronary, and myocardial scintigrams in the electrocardiographic syndrome of septal fibrosis (Romanelli et al.), 617
Arteriosclerosis, saphenous vein, of (Burch), 931 (Annot.)
Arteritis, giant cell--a cardiological blind spot? (How, Strachan, and Bewsher), 405 (Annot.)
(cranial): a clinical review (Huston and Hunder), 99
Artery(ies) disease, coronary, and electrocardiographic left ventricular hypertrophy: clinical, hemodynamic, and angiographic correlates (Hamby, Prakash, Wyne, and Hoffman), 794
in patients with diabetes mellitus, severity of. Angiographic study of 34 diabetic and 120 nondiabetic patients (Vigorito et al.), 782
long-term suppression of ventricular arrhythmia by oral acebutolol in patients with (de Soyza et al.), 631
silent ST segment deviations and extent of (Kunkes et al.), 813
stenosis, coronary, experimental, effects of vasoconstriction on (Santamore et al.), 852
wedge pressure, pulmonary, relationship of to the posterior aortic wall echocardiogram in patients free of obstructive mitral valve disease (Wasserman, Meyer, and Ross), 500
Aspirin versus indomethacin, chronic use of during nonthrombotic myocardial ischemia: effects on survival (Moschos et al), 647
Asymmetric and symmetric left ventricles, analysis of mathematic models for quantifying volume of. Cross-sectional echocardiography III (Wyatt et al.), 821
septal hypertrophy in conditions other than IHSS (Ramsdale and Bennett), 931 (Annot.)
Athletes, top-ranking, T wave abnormalities in: effects of isoproterenol, atropine, and physical exercise (Zeppilli et al.), 213
Wenckebach second-degree block in: an old problem revisited (Zeppilli et al.), 281
Atrial ball thrombus, left, diagnosed by two-dimensional echocardiography (Sunagawa et al.), 89
fibrillation (AF), prolonged, spontaneous resumption of sinus rhythm after (Khan), 409 (Letter to Editor)
with Branham's sign (Bassan), 411 (Letter to Editor)
Atrial--*continued*
rhythm(s), dissimilar. A patient with triple right atrial rhythm (Suárez et al.), 678
right, triple, a patient with: dissimilar atrial rhythms (Suárez et al.), 678
thrombus, left, evaluation of with computed tomography (Tomoda et al.), 306
volume changes, left, echocardiographic pattern of motion of the aortic root as a correlate of (Biamino et al.), 191
Atropine, effect of on cardiac arrhythmias and conduction. Part 1 (Schweitzer and Mark), 119
Part 2 (Schweitzer and Mark), 255
isoproterenol, and physical exercise, effects of: T wave abnormalities in top-ranking athletes (Zeppilli et al.), 213
A-V block, Wenckebach second-degree, in top-ranking athletes: an old problem revisited (Zeppilli et al.), 281
Auscultatory and phonocardiographic manifestations, case report and review of in right ventricular myxoma (Hada et al.), 871
Autoaddiction: a hypothesis on hunger and obesity (McCloy and McCloy), 933 (Annot.)
Automatic implantable defibrillator, the (Mirowski, Mower, and Reid), 1089
tachycardia-terminating pacemaker, implantable, clinical use of an (Griffin, Mason, and Calfee), 1093

B

Basic considerations of myocardial infarct size. Part I of II (Opie), 355
Beat suppression, ventricular premature, relation of to serum quinidine concentration determined by a new and specific assay (Carliner et al.), 483
Behavioral and psychosocial influences in the pathogenesis of acquired cardiovascular disease (Buell and Eliot), 723
Beta-blockade, glucose-insulin-potassium, nitrates, and hyaluronidase, comparison of anti-infarct effects of. Part 2 of Myocardial infarct size (Opie), 531
Beta blockers and antiarrhythmic drugs, hemodynamic and electrophysiologic interactions between, with special reference to tocainide (Ikram), 1076
and running (Kaijser et al.), 943 (Letter to Editor)
Reply (Williams), 944
clinical importance of cardioselectivity and lipophilicity in (Cruickshank), 160
Bibliographies and medical librarians, of (Bury and Jones), 591 (Letter to Editor)
Reply (Burch), 591
Bleeding, gastrointestinal, aortic stenosis associated with. A survey of 612 patients (Shoenfeld et al.), 179
Block, A-V, Wenckebach second-degree, in top-ranking athletes: an old problem revisited (Zeppilli et al.), 281
branch, right bundle, functional, site of (Lyons), 653
Blood flow, coronary, left ventricular O_2 consumption, and reserve capacity following coronary occlusion, effect of arterial pressure on (Bugni et al.), 657
regional, during surface-induced hypothermia, effects of circulatory arrest and rewarming on (Su et al.), 332
Book reviews, 136, 273, 414, 593, 769, 951
Books received, 137, 273, 415, 771, 951
Branch block, right bundle, functional, site of (Lyons), 653
Branham's sign with atrial fibrillation (Bassan), 411 (Letter to Editor)
Bundle branch block, right, functional, site of (Lyons), 653
Bypass grafts, saphenous vein, antithrombotic therapy for? (Goodnight, Pantley, and Rahimtoola), 586 (Annot.)

C

Cardiac arrhythmias and conduction, effect of atropine on. Part 1 (Schweitzer and Mark), 119
Part 2 (Schweitzer and Mark), 255
in children, amiodarone in the treatment of: one hundred thirty-five cases (Coumel and Fidelle), 1063
causalgia, Horner's syndrome, and the cardiac dermatome, of (Burch), 938 (Annot.)
damage caused by direct application of defibrillator shocks to isolated Langendorff-perfused rabbit heart (Koning, Veefkind, and Schneider), 473
dermatome, cardiac causalgia, and Horner's syndrome, of (Burch), 938 (Annot.)
failure, intractable, intraventricular thrombosis in polycythemia vera, a cause of (Ali et al.), 520
incarceration, congenital pericardial defect associated with: case report (Saito and Hotta), 866
involvement, metastatic, with malignant granular cell myoblastoma: case report and echocardiogram (Kubac et al.), 227
lymph and lymphatics in normal and infarcted myocardium (Szlavy et al.), 323
rehabilitation, heart rate levels and ventricular ectopic activity during (Simoons, Lap, and Pool), 9
Cardiological blind spot in giant cell arteritis? (How, Strachan, and Bewsher), 405 (Annot.)
mapmaker, the responsibility of the (Nixon), 139
Cardiomyopathy, congestive, long-term benefit of dobutamine in patients with (Unverferth et al.), 622
cyclophosphamide (Roberts), 946 (Letter to Editor)
Reply (Henderson and Frei), 947
hypertrophic (idiopathic hypertrophic subaortic stenosis), the pathology of. A critical review (Olsen), 553
ischemic: a clinicopathologic study of fourteen patients (Schuster and Bulkley), 506
Cardiopulmonary resuscitation—an element of sophistication in the 18th century (Bartecchi), 580 (Annot.)
Cardioselectivity and lipophilicity in beta blockers, the clinical importance of (Cruickshank), 160
Cardiovascular disease(s), acquired, psychosocial and behavioral influences in the pathogenesis of (Buell and Eliot), 723
at rest and during isometric handgrip exercise, norepinephrine levels in the coronary sinus in patients with (Haneda et al.), 465
effects of phenothiazines (Elkayam and Frishman), 397
manifestations of tricyclic antidepressant overdose (Langou et al.), 458
Cardioversion and defibrillation (DeSilva et al.), 881
Causalgia, cardiac, Horner's syndrome, and the cardiac dermatome, of (Burch), 938 (Annot.)
Cavity obliteration, left ventricular, intracardiac phonocardiography in experimental: potential clinical applicability for the distinction of obliterating left ventricle from hypertrophic obstructive cardiomyopathy (Sabbah, Marzilli, and Stein), 77
Cell arteritis, giant—a cardiological blind spot? (How, Strachan, and Bewsher), 405 (Annot.)
Central retinal vein thrombosis in a patient with primary pulmonary hypertension (Berliner et al.), 134 (Letter to Editor)
Cerebrospinal fluid, entry of quinidine into (Ochs et al.), 341
Certain principles in the management of heart disease and pregnancy (Burch), 775
Chemistry, clinical, and common sense (Lester), 130
Chest pain, diagnosis of, difficult problems in the (Levine), 108
the digestive tract as a cause of (Long and Cohen), 567
trauma, blunt, in a young woman, delayed acute myocardial infarction after (Vlay et al.), 907
Children, cardiac arrhythmias in, amiodarone in the treatment of: one hundred thirty-five cases (Coumel and Fidelle), 1063
on rheumatic fever in (Aryanpur-Kashani), 942 (Letter to Editor)
Reply (DiSciascio and Taranta), 943
Chronic valvular heart disease and Coxsackie-viruses (Chandy, John, and Cherian), 578 (Annot.)
Circulatory arrest and rewarming, effects of on regional blood flow during surface-induced hypothermia (Su et al.), 332
Clinical chemistry and common sense (Lester), 130 (Annot.)
hemodynamic, and angiographic correlates of electrocardiographic left ventricular hypertrophy and coronary artery disease (Hamby et al.), 794
angiographic, and pathologic study of Uhl's anomaly with rudimentary pulmonary valve leaflets (Kaul, Arora, and Rani), 673
use of intravenous verapamil, the (Schamroth), 1070
vectorcardiography in adults. Part 1 (Hoffman), 239
Part 2 (Hoffman), 373
Clinicopathologic study of fourteen patients with ischemic cardiomyopathy (Schuster and Bulkley), 506
of the heart and coronary arteries of autopsied cases from the community of Hisayama during a 10-year period. Part IV. QS waves in the precordial leads (Hiyoshi et al.), 424
Colloid oncotic pressure, effects of angiographic contrast media on (Morissette et al.), 319
Common sense and clinical chemistry (Lester), 130 (Annot.)
Comparative pharmacokinetics of new antiarrhythmic drugs (Ronfeld), 978
Comparison of newer antiarrhythmic agents (Lawrie), 990
Computed tomography, evaluation of left atrial thrombus with (Tomoda et al.), 306
Conduction and cardiac arrhythmias, effect of atropine on. Part 1 (Schweitzer and Mark), 119
Part 2 (Schweitzer and Mark), 255
Congenital heart disease with trisomy 13: use of the echocardiogram in delineating the location of a left-to-right shunt (Cabin, Lester, and Roberts), 563
pericardial defect associated with cardiac incarceration: case report (Saito and Hotta), 866
Congenitally malformed aortic valves, evaluation of the anatomy of by orifice-view aortography (Folger, Sabbah, and Stein), 152
Congestive cardiomyopathy, long-term benefit of dobutamine in patients with (Unverferth et al.), 622
heart failure, loss of responsiveness to a vasodilator agent in the patient with; when is it due to tachyphylaxis? (Meggs and Hollenberg), 753 (Annot.)
of right ventricular (Burch), 262 (Annot.)
of walking and dyspnea of (Burch), 588 (Annot.)
Constrictive pericarditis, on the elastic and rigid forms of (Hancock), 917
Contour analysis, pressure pulse, in determining the effect of vasodilator drugs on vascular hemodynamic impedance characteristics in dogs (Zobel et al.), 81
Contractile state of the left ventricle from the peak of the first derivative of the apexcardiogram, evaluation of (Kolev), 600
Contrast media, angiographic, effects of on colloid oncotic pressure (Morissette et al.), 319
Coronary arteriograms and myocardial scintigrams in the electrocardiographic syndrome of septal fibrosis (Romanelli et al.), 617
Coronary artery(ies) and heart, clinicopathological study of the in autopsied cases from the community of Hisayama during a 10-year period. Part IV. QS waves in the precordial leads (Hiyoshi et al.), 424
disease and angina pectoris in patients with severe aortic valvular disease (Hakki et al.), 441
and electrocardiographic left ventricular hypertrophy: clinical, hemodynamic, and angiographic correlates (Hamby et al.), 794
in patients with diabetes mellitus, severity of. Angiographic study of 34 diabetic and 120 nondiabetic patients (Vigorito et al.), 782
long-term suppression of ventricular arrhythmia by oral acebutolol in patients with (de Soyza et al.), 631

Coronary artery disease—*continued*
silent ST segment deviations and extent of (Kunkes et al.), 813
stenosis, experimental, effects of vasoconstriction on (Santamore et al.), 852
blood flow, left ventricular O_2 consumption, and reserve capacity following coronary occlusion, effect of arterial pressure on (Bugni et al.), 657
care and mortality rates, effective (Adgey), 408 (Letter to Editor)
Reply (Hampton), 408
disease and smoking (Burch), 421
heart disease, alcohol and (Evans, Willett, and Hennekens), 584 (Annot.)
and smoking: what are we to believe? (Seltzer), 275
exercise rehabilitation of female patients with (Oldridge, LaSalle, and Jones), 755 (Annot.)
occlusion, effect of arterial pressure on left ventricular O_2 consumption, coronary blood flow, and reserve capacity following (Bugni et al.), 657
reperfusion in relation to mitochondrial function in ischemic myocardium, recovery time course of ventricular vulnerability after (Sugiyama et al.), 829
sinus, norepinephrine levels in the in patients with cardiovascular diseases at rest and during isometric handgrip exercise (Haneda et al.), 465
Cost of unnecessary tests, the importance of the history in the medical clinic and the (Sandler), 928 (Annot.)
Coxsackieviruses and chronic valvular heart disease (Chandy, John, and Cherian), 578 (Annot.)
Cranial arteritis (giant cell): a clinical review (Huston and Hunder), 99
Cross-sectional echocardiographic detection of aortic valve prolapse (Mardelli et al.), 295
study on persistent left superior vena cava (Hibi et al.), 69
echocardiography. III. Analysis of mathematic models for quantifying volume of symmetric and asymmetric left ventricles (Wyatt et al.), 821
transesophageal (Hisanaga et al.), 605
Cutaneous vessels, and Raynaud's disease, thermosensitivity of (Vanhoutte and Janssens), 263 (Annot.)
Cyclophosphamide cardiomyopathy (Roberts), 946 (Letter to Editor)
Reply (Henderson and Frei), 947
Cytomegalovirus myocarditis (Wink and Schmitz), 667

D

Damage, cardiac, caused by direct application of defibrillator shocks to isolated Langendorff-perfused rabbit heart (Koning, Veefkind, and Schneider), 473
Death, sudden, idiopathic mitral valve prolapse and (Anderson), 941 (Letter to Editor)
Reply (Leatham and Brigden), 942
Deep vein thrombosis and transfemoral temporary pacing (Pandian, Kosowsky, and Gurewich), 847
Defibrillation and cardioversion (DeSilva et al.), 881
Defibrillator, automatic implantable, the (Mirowski, Mower, and Reid), 1089
shocks to isolated Langendorff-perfused rabbit heart, cardiac damage caused by direct application of (Koning, Veefkind, and Schneider), 473
Dehiscence, prosthetic, mitral, and paraprosthetic regurgitation (Ikäheimo), 940 (Letter to Editor)
Reply (Chun et al.), 940
Delayed acute myocardial infarction after blunt chest trauma in a young woman (Vlay et al.), 907
Derivative of the apexcardiogram, first, evaluation of contractile state of the left ventricle from the peak of the (Kolev), 600
Dermatome, cardiac, cardiac causalgia, and Horner's syndrome, of (Burch), 938 (Annot.)
Deviation, left axis, in hypertensive hearts, an electrocardiographic-pathologic correlative study on (Takagi and Okada), 838
Diabetes mellitus, primary myocardial disease, and small vessel disease (Zoneraich, Silverman, and Zoneraich), 754 (Annot.)
severity of coronary artery disease in patients with. Angiographic study of 34 diabetic and 120 nondiabetic patients (Vigorito et al.), 782
Diabetic(s), metabolic control in, new approach to: continuous subcutaneous insulin infusion (Pickup), 417
patients, 34, and 120 nondiabetic patients, angiographic study of. Severity of coronary artery disease in patients with diabetes mellitus (Vigorito et al.), 782
Diagnostic and therapeutic implications of pacemaker annihilation (Jalife and Antzelevitch), 128 (Annot.)
Diagnosis of chest pain, difficult problems in the (Levine), 108
Diastolic posterior motion, late, of the aortic root, hemodynamic correlates of (Ambrose et al.), 433
Diet in the treatment of hyperlipidemia (Spritz), 924
Difficult problems in the diagnosis of chest pain (Levine), 108
Digestive tract as a cause of chest pain, the (Long and Cohen), 567
Digitalis and isoproterenol in younger and older individuals, comparison of the inotropic action of (Cokkinos et al.), 802
Digoxin levels, serum, effect of oral disopyramide on. A prospective study (Wellens et al.), 934 (Annot.)
Diphosphate, fructose, hemodynamic, electrocardiographic, and metabolic effects of on acute myocardial ischemia (Markov et al.), 639
Disopyramide, oral, on serum digoxin levels, effect of. A prospective study (Wellens et al.), 934 (Annot.)
Dissimilar atrial rhythms. A patient with triple right atrial rhythm (Suárez et al.), 678
Dobutamine in patients with congestive cardiomyopathy, long-term benefit of (Unverferth et al.), 622
Drug(s), anti-arrhythmic, newer, hemodynamic effects of (Jewitt), 984
new antiarrhythmic, comparative pharmacokinetics of (Ronfeld), 978
-resistant ventricular arrhythmias, tocainide for: efficacy, side effects, and lidocaine responsiveness for predicting tocainide success (Winkle, Mason, and Harrison), 1031
treatment of hyperlipidemia (Samuel), 573
Dynamic electrocardiographic recording during sexual activity in recent post-myocardial infarction and revascularization patients (Paolillo et al.), 763 (Letter to Editor)
Reply (Johnston and Fletcher), 763
Dysfunction murmurs, papillary muscle, of (Burch), 128 (Annot.)
Dyspnea of congestive heart failure, of walking and (Burch), 588 (Annot.)

E

Early diagnosis of pericarditis in acute myocardial infarction (Sawaya, Mujais, and Armenian), 144
Ebstein's anomaly, apex and subxiphoid approaches to using cross-sectional echocardiography (Kambe et al.), 53
right ventricular endomyocardial fibrosis simulating (Alipour, Tarbiat, and Nazarian), 859
Echocardiogram, M-mode, in Fabry's disease, the (Bass et al.), 807
posterior aortic wall in patients free of obstructive mitral valve disease, relationship of pulmonary artery wedge pressure to (Wasserman, Meyer, and Ross), 500
use of the in delineating the location of a left-to-right shunt: congenital heart disease with trisomy 13 (Cabin, Lester, and Roberts), 563
Echocardiographic analysis, cross-sectional, of rheumatic mitral stenosis (Naito et al.), 34
detection, cross-sectional, of aortic valve prolapse (Mardelli et al.), 295

Echocardiographic—*continued*
diagnosis of left ventricular thrombi (Come et al.), 523
features of a stenotic porcine aortic valve (Alam and Goldstein), 517
pattern of motion of the aortic root as a correlate of left atrial volume changes (Biamino et al.), 191
study, cross-sectional, on persistent left superior vena cava (Hibi et al.),. 69
Echocardiography, cross-sectional, apex and subxiphoid approaches to Ebstein's anomaly using (Kambe et al.), 53
III. Analysis of mathematic models for quantifying volume of symmetric and asymmetric left ventricles (Wyatt et al.), 821
transesophageal (Hisanaga et al.), 605
two-dimensional, left atrial ball thrombus diagnosed by (Sunagawa et al.), 89
Ectopic activity, ventricular, during cardiac rehabilitation, heart rate levels and (Simoons, Lap, and Pool), 9
Effective coronary care and mortality rates (Adgey), 408 (Letter to Editor)
Reply (Hampton), 408
18th century, cardiopulmonary resuscitation, an element of sophistication in the (Bartecchi), 580 (Annot.)
Elastic and rigid forms of constrictive pericarditis, on the (Hancock). 917
Electrocardiographic (ECG) and PCG recordings, anomalous (Gürel), 768 (Letter to Editor)
Reply (Basta), 768
left ventricular hypertrophy and coronary artery disease: clinical, hemodynamic, and angiographic correlates (Hamby et al.), 794
-pathologic correlative study on left axis deviation in hypertensive hearts (Takagi and Okada), 838
recording, dynamic, during sexual activity in recent post-myocardial infarction and revascularization patients (Paolillo et al.), 763 (Letter to Editor)
Reply (Johnston and Fletcher), 763
Electrode, pacing, redundant, migration of (Perelman and Shiu), 591 (Letter to Editor)
Reply (Rettig), 592
Electrophysiologic and hemodynamic interactions between antiarrhythmic drugs and beta blockers, with special reference to tocainide (Ikram), 1076
effects of intravenous lidocaine in the Wolff-Parkinson-White syndrome (Barrett et al.), 23
Emergency Use Program, American, safety evaluation of tocainide in the (Horn et al.), 1037
Encainide: a new and potent antiarrhythmic agent (Harrison et al.), 1046
Endocarditis, infective: therapeutic considerations (Wilson et al.), 689
Endomyocardial fibrosis, right ventricular, simulating Ebstein's anomaly (Alipour, Tarbiat, and Nazarian), 859
Entry of quinidine into cerebrospinal fluid (Ochs et al.), 341
Epilepsy, arrhythmogenic: an hypothesis (Pritchett, McNamara, and Gallagher), 683
Errors in predicting functional capacity from a treadmill exercise stress test (Ragg et al.), 581 (Annot.)
Eskimo, Lo the poor! (Schaefer), 944 (Letter to Editor)
Reply (Oster), 945
Exercise and recurrence of myocardial infarction (Shephard), 404 (Annot.)
hemodynamics and increased magnitude of P terminal force, correlation between (Shettigar and Hultgren), 590 (Letter to Editor)
Reply (DiBianco), 590
isometric handgrip, cardiovascular disease at rest and during, norepinephrine levels in the coronary sinus in patients with (Haneda et al.), 465
physical, isoproterenol, and atropine, effects of: T wave abnormalities in top-ranking athletes (Zeppilli et al.), 213
rehabilitation of female patients with coronary heart disease (Oldridge, LaSalle, and Jones), 755 (Annot.)
stress test, treadmill, errors in predicting functional capacity from a (Ragg et al.), 581 (Annot.)
Extracranial to intracranial microrevascularization for the treatment of completed ischemic stroke (Greenhalgh et al.), 937 (Annot.)
Extrastimuli, ventricular, repetitive responses to: incidence, mechanism, and significance (Farshidi et al.), 59

F

Fabry's disease, the M-mode echocardiogram in (Bass et al.), 807
Failure, heart, congestive, of right ventricular (Burch), 262 (Annot.)
Female patients with coronary heart disease, exercise rehabilitation of (Oldridge, LaSalle, and Jones), 755 (Annot.)
Fever, rheumatic, in children, on (Aryanpur-Kashani), 942 (Letter to Editor)
Reply (DiSciascio and Taranta), 943
Fibrillation, atrial, with Branham's sign (Bassan), 411 (Letter to Editor)
Fibrosis, endomyocardial, right ventricular, simulating Ebstein's anomaly (Alipour, Tarbiat, and Nazarian), 859
septal, electrocardiographic syndrome of, coronary arteriograms and myocardial scintigrams in the (Romanelli et al.), 617
First derivative of the apexcardiogram, evaluation of contractile state of the left ventricle from the peak of the (Kolev), 600
Fluid, cerebrospinal, entry of quinidine into (Ochs et al.), 341
Flutter and ventricular tachycardia, pacing below the ventricular rate in terminating (Cotoi et al.), 763 (Letter to Editor)
Fructose diphosphate, hemodynamic, electrocardiographic, and metabolic effects of on acute myocardial ischemia (Markov et al.), 639
Fun running, thermal illness in (Sutton and Bar-Or), 778
Function testing soon after acute myocardial infarction (Vyden et al.), 590 (Letter to Editor)
Functional capacity, errors in predicting from a treadmill exercise stress test (Ragg et al.), 581 (Annot.)
right bundle branch block, site of (Lyons), 653

G

Gastrointestinal bleeding, aortic stenosis associated with. A survey of 612 patients (Shoenfeld et al.), 179
Giant cell arteritis—a cardiological blind spot? (How, Strachan, and Bewsher), 405 (Annot.)
(cranial) arteritis: a clinical review (Huston and Hunder), 99
Glucose-insulin-potassium, nitrates, beta-blockade, and hyaluronidase, comparison of anti-infarct effects of. Part 2 of Myocardial infarct size (Opie), 531
Grading system, Lown, shortcomings of for observational and experimental studies in ischemic heart disease (Bigger and Weld), 1081
Grafts, bypass, saphenous vein, antithrombotic therapy for? (Goodnight, Pantley, and Rahimtoola), 586 (Annot.)

H

Heart and coronary arteries, clinicopathological study of the in autopsied cases from the community of Hisayama during a 10-year period. Part IV. QS waves in the precordial leads (Hiyoshi et al.), 424
disease and pregnancy, certain principles in the management of (Burch), 775
coronary, alcohol and (Evans, Willett, and Hennekens), 584 (Annot.)
and smoking: what are we to believe (Seltzer), 275

Heart disease, coronary—*continued*
exercise rehabilitation of female patients with (Oldridge, LaSalle, and Jones), 755 (Annot.)
ischemic, shortcomings of the Lown grading system for observational and experimental studies in (Bigger and Weld), 1081
valvular, chronic, and Coxsackieviruses (Chandy, John, and Cherian), 578 (Annot.)
failure. congestive, loss of responsiveness to a vasodilator agent in the patient with; when is it due to tachyphylaxis? (Meggs and Hollenberg), 753 (Annot.)
of right ventricular (Burch), 262 (Annot.)
of walking and dyspnea of (Burch), 588 (Annot.)
pathology of, in acromegaly: anatomic findings in 27 autopsied patients (Lie and Grossman), 41
rate levels and ventricular ectopic activity during cardiac rehabilitation (Simoons, Lap, and Pool), 9
Hemodynamic(s) and antiarrhythmic effects of tocainide in patients with acute myocardial infarction (Nyquist et al.), 1000
and electrophysiologic interactions between antiarrhythmic drugs and beta blockers, with special reference to tocainide (Ikram), 1076
correlates of late diastolic posterior motion of the aortic root (Ambrose et al.), 433
effects of newer anti-arrhythmic drugs (Jewitt), 984
electrocardiographic, and metabolic effects of fructose diphosphate on acute myocardial ischemia (Markov et al.), 639
exercise, and increased magnitude of P terminal force, correlation between (Shettigar and Hultgren), 590 (Letter to Editor)
Reply (DiBianco), 590
impedance characteristics in dogs, vascular, pressure pulse contour analysis in determining the effect of vasodilator drugs on (Zobel et al.), 81
Hemorrhagic diathesis and perioperative hypertensive crisis: fatal complication of clinically unsuspected pheochromocytoma (Lie, Olney, and Spittell), 716
Hepatitis, toxic, and toxic polyneuritis, related to long-term perhexiline maleate therapy (Caruzzo et al.), 270 (Letter to Editor)
Reply (Mir), 271
Hisayama, community of, clinicopathological study of the heart and coronary arteries of autopsied cases from the during a 10-year period. Part IV. QS waves in the precordial leads (Hiyoshi et al.), 424
History, the importance of the in the medical clinic and the cost of unnecessary tests (Sandler), 928 (Annot.)
Holter monitoring versus TTM, of symptomatic arrhythmias (Weber et al.), 764 (Letter to Editor)
Reply (Grodman, Capone, and Most), 765
Horner's syndrome, cardiac causalgia, and the cardiac dermatome, of (Purch), 938 (Annot.)
Hospitalized patients over age 70, acute myocardial infarction in (Latting and Silverman), 311
Human ventricular myocardium, constituents of the: connective tissue hyperplasia accompanying muscular hypertrophy (Moore et al.), 610
Hunger and obesity, a hypothesis on: autoaddiction (McCloy and McCloy), 933 (Annot.)
Hyaluronidase, beta-blockade, glucose-insulin-potassium, and nitrates, comparison of anti-infarct effects of. Part 2 of Myocardial infarct size (Opie), 531
Hyperlipidemia, diet in the treatment of (Spritz), 924
drug treatment of (Samuel), 573
Hyperplasia, tissue, connective, accompanying muscular hypertrophy: constituents of the human ventricular myocardium (Moore et al.), 610
Hypertension, primary pulmonary, central retinal vein thrombosis in a patient with (Berliner et al.), 134 (Letter to Editor)
new approaches to therapy (Rubin and Peter), 757 (Annot.)
treatment for (Klinke), 587 (Annot.)
Hypertensive crisis, perioperative, and hemorrhagic diathesis: fatal complication of clinically unsuspected pheochromocytoma (Lie, Olney, and Spittell), 716
hearts, an electrocardiographic-pathologic correlative study on left axis deviation in (Takagi and Okada), 838
subjects, myocardial infarction in, limited pressure control to "optimum" levels may reduce the rate of (Stewart), 402 (Annot.)
Hypertonic NaCl infusion in healthy and hypertensive subjects, renal response to graded intravenous: dose-related impairment in distal NaCl reabsorption (Radó, Juhos, and Mees), 183
Hypertrophic cardiomyopathy (idiopathic hypertrophic subaortic stenosis), the pathology of. A critical review (Olsen), 553
obstructive cardiomyopathy, potential clinical applicability for the distinction of obliterating left ventricle from: intracardial phonocardiography in experimental left ventricular cavity obliteration (Sabbah, Marzilli, and Stein), 77
subaortic stenosis, idiopathic (hypertrophic cardiomyopathy), the pathology of. A critical review (Olsen), 553
Hypertrophy, left ventricular, electrocardiographic, and coronary artery disease: clinical, hemodynamic, and angiographic correlates (Hamby et al.), 794
versus aneurysm? (Burns, Culham, and Duncan), 767 (Letter to Editor)
Reply (Singh), 768
muscular, connective tissue hyperplasia accompanying: constituents of the human ventricular myocardium (Moore et al.), 610
septal, asymmetric, in conditions other than IHSS (Ramsdale and Bennett), 931 (Annot.)
Hypothermia, surface-induced, effects of circulatory arrest and rewarming on regional blood flow during (Su et al.), 332
Hypoxic lung disease, management of secondary polycythemia with (York et al.), 267 (Annot.)

I

Idiopathic hypertrophic subaortic stenosis (hypertrophic cardiomyopathy), the pathology of. A critical review (Olsen), 553
(IHSS) and hypertrophic cardiomyopathy (HCM), ratios of septum and LV free wall in (Shakibi, Reyhani, and Nazarian), 766 (Letter to Editor)
(IHSS) and phentolamine (Moreyra and Alday), 134 (Letter to Editor)
Reply (Kerin), 134
mitral valve prolapse and sudden death (Anderson), 941 (Letter to Editor)
Reply (Leatham and Brigden), 942
subaortic stenosis (IHSS), asymmetric septal hypertrophy in conditions other than (Ramsdale and Bennett), 931 (Annot.)
IHSS (idiopathic hypertrophic subaortic stenosis) and phentolamine (Moreyra and Alday), 134 (Letter to Editor)
Reply (Kerin), 134
asymmetric septal hypertrophy in conditions other than (Ramsdale and Bennett), 931 (Annot.)
Implantable automatic tachycardia-terminating pacemaker, clinical use of an (Griffin, Mason, and Calfee), 1093
defibrillator, automatic, the (Mirowski, Mower, and Reid), 1089
Incarceration, cardiac, congenital pericardial defect associated with: case report (Saito and Hotta), 866
Indomethacin versus aspirin, chronic use of during nonthrombotic myocardial ischemia: effects on survival (Moschos et al.), 647
Infarct(s) expansion: the "second event" after acute myocardial infarction (Silverman and Hutchins), 230
"silent" subendocardial: fact or fiction? (Pipberger and Lopez), 597

Infarct—*continued*
size, myocardial. Part I. Basic considerations (Opie), 355
Part 2. Comparison of anti-infarct effects of beta-blockade, glucose-insulin-potassium, nitrates, and hyaluronidase (Opie), 531
Infarcted myocardium, cardiac lymph and lymphatics in normal and (Szlavy et al.), 323
Infarction, myocardial, acute, early diagnosis of pericarditis in (Sawaya, Mujais, and Armenian), 144
delayed, after blunt chest trauma in a young woman (Vlay et al.), 907
effects of ouabain on the electrophysiological properties of subendocardial Purkinje fibers surviving in regions of (Brennan and Bonn), 201
function testing soon after (Vyden et al.), 590 (Letter to Editor)
hemodynamic and antiarrhythmic effects of tocainide in patients with (Nyquist et al.), 1000
in hospitalized patients over age 70 (Latting and Silverman), 311
infarct expansion, the "second event" after (Silverman and Hutchins), 230
placebo controlled study of prophylaxis of ventricular arrhythmias in (Campbell), 995
prophylaxis of ventricular tachyarrhythmias with intravenous and oral tocainide in patients with and recovering from (Rydén et al.), 1006
exercise and recurrence of (Shephard), 404 (Annot.)
in hypertensive subjects, limited pressure control to "optimum" levels may reduce the rate of (Stewart), 402 (Annot.)
of the Q wave and (Burch), 757 (Annot.)
prospective randomized trial of tocainide in patients following (Bastian et al.), 1017
serum myoglobin as a sensitive index of (Grenadier, Keidar, and Palant), 948 (Letter to Editor)
Reply (Tommaso), 949
tocainide for refractory ventricular arrhythmias of (Haffajee, Alpert, and Dalen), 1013
post-myocardial, and revescularization patients, recent, dynamic electrocardiographic recording during sexual activity in (Paolillo et al.), 763 (Letter to Editor)
Reply (Johnston and Fletcher), 763
Infectious hazards of mouth-to-mouth resuscitation (Achong), 759 (Annot.)
Infective endocarditis: therapeutic considerations (Wilson et al.), 689
Inotropic action of digitalis and isoproterenol in younger and older individuals, comparison of the (Cokkinos et al.), 802
Insulin infusion, continuous subcutaneous: a new approach to improved metabolic control in diabetics (Pickup), 417
Intracardiac phonocardiography in experimental left ventricular cavity obliteration: potential clinical applicability for the distinction of obliterating left ventricle from hypertrophic obstructive cardiomyopathy (Sabbah, Marzilli, and Stein), 77
Intracavitary stimulation and left stellectomy, Romano-Ward syndrome treated by (Chaudron and Lebacq), 131 (Annot.)
Intracranial to extracranial microrevascularization for the treatment of completed ischemic stroke (Greenhalgh et al.), 937 (Annot.)
Intractable cardiac failure, intraventricular thrombosis in polycythemia vera, a cause of (Ali et al.), 520
Intravenous lidocaine in the Wolff-Parkinson-White syndrome, electrophysiologic effects of (Barrett et al.), 23
verapamil, the clinical use of (Schamroth), 1070
Intraventricular thrombosis in polycythemia vera: a cause of intractable cardiac failure (Ali et al.), 520
Introduction to Supplement (Harrison), 977
Ischemia, myocardial, acute, hemodynamic, electrocardiographic, and metabolic effects of fructose diphosphate on (Markov et al.), 639
Ischemia, myocardial—*continued*
non-thrombotic, chronic use of aspirin versus indomethacin during: effects on survival (Moschos et al.), 647
Ischemic cardiomyopathy: a clinicopathologic study of fourteen patients (Schuster and Bulkley), 506
heart disease, shortcomings of the Lown grading system for observational and experimental studies in (Bigger and Weld), 1081
models, antiarrhythmics in, effects of (Bauman, Curtis, and Covinsky), 947 (Letter to Editor)
myocardium, recovery time course of ventricular vulnerability after coronary reperfusion in relation to mitochondrial function in (Sugiyama et al.), 929
stroke, completed, extracranial to intracranial microrevascularization for the treatment of (Greenhalgh et al.), 937 (Annot.)
Isometric handgrip exercise, cardiovascular disease at rest and during, norepinephrine levels in the coronary sinus in patients with (Haneda et al.), 465
Isoproterenol and digitalis in younger and older individuals, comparison of the inotropic action of (Cokkinos et al.), 802
atropine, and physical exercise, effects of: T wave abnormalities in top-ranking athletes (Zeppilli et al.), 213
Isovolumic relaxation period in man (Lewis et al.), 490

L

Langendorff-perfused rabbit heart, isolated, cardiac damage caused by direct application of defibrillator shocks to (Koning, Veefkind, and Schneider), 473
Leaflet(s) prolapse, mitral, myocardial mysteries surrounding (Malcolm), 265 (Annot.)
valve, pulmonary, rudimentary, Uhl's anomaly with: a clinical, hemodynamic, angiographic, and pathologic study (Kaul, Arora, and Rani), 673
Left atrial ball thrombus diagnosed by two-dimensional echocardiography (Sunagawa et al.), 89
axis deviation in hypertensive hearts, an electrocardiographic-pathologic correlative study on (Takagi and Okada), 838
-to-right shunt, use of the echocardiogram in delineating the location of a: congenital heart disease with trisomy 13 (Cabin, Lester, and Roberts), 563
ventricle(s), contractile state of the, from the peak of the first derivative of the apexcardiogram, evaluation of (Kolev), 600
symmetric and asymmetric, analysis of mathematic models for quantifying volume of. Cross-sectional echocardiography III (Wyatt et al.), 821
ventricular free wall and septum, ratios of in IHSS and HCM (Shakibi, Reyhani, and Nazarian), 766 (Letter to Editor)
hypertrophy versus aneurysm? (Burns, Culham, and Duncan), 767 (Letter to Editor)
Reply (Singh), 768
thrombi, echocardiographic diagnosis of (Come et al.), 523
Librarians, medical, and bibliographies, of (Bury and Jones), 591 (Letter to Editor)
Reply (Burch), 591
Lidocaine, intravenous, in the Wolff-Parkinson-White syndrome, electrophysiologic effects of (Barrett et al.), 23
responsiveness, efficacy, and side effects for predicting tocainide success: tocainide for drug-resistant ventricular arrhythmias (Winkle, Mason, and Harrison), 1031
Life-threatening arrhythmias, neural mechanisms in (Malliani, Schwartz, and Zanchetti), 705
Limited pressure control to "optimum" levels may reduce the rate of myocardial infarction in hypertensive subjects (Stewart), 402 (Annot.)

Lipophilicity and cardioselectivity in beta blockers, the clinical importance of (Cruickshank), 160
Lo—the poor Eskimo! (Schaefer), 944 (Letter to Editor)
Reply (Oster), 945
Long-term benefit of dobutamine in patients with congestive cardiomyopathy (Unverferth et al.), 622
Lown grading system, shortcomings of for observational and experimental studies in ischemic heart disease (Bigger and Weld), 1081
Lung disease, hypoxic, management of secondary polycythemia with (York et al.), 267 (Annot.)
Lymph and lymphatics, cardiac, in normal and infarcted myocardium (Szlavy et al.), 323
Lymphatics and lymph, cardiac, in normal and infarcted myocardium (Szlavy et al.), 323

M

Malignant granular cell myoblastoma with metastatic cardiac involvement: case report and echocardiogram (Kubac et al.), 227
Management of heart disease and pregnancy, certain principles in the (Burch), 775
Mapmaker, cardiological, the responsibility of the (Nixon), 139
Medical clinic and the cost of unnecessary tests, the importance of the history in the (Sandler), 928 (Annot.)
librarians and bibliographies, of (Bury and Jones), 591 (Letter to Editor)
Reply (Burch), 591
Metabolic control in diabetics, new approach to: continuous subcutaneous insulin infusion (Pickup), 417
Metastatic cardiac involvement with malignant granular cell myoblastoma: case report and echocardiogram (Kubac et al.), 227
Mexiletine and amiodarone treatment, combined, for refractory recurrent ventricular tachycardia (Waleffe et al.), 788
toxicity, torsades de pointes as a manifestation of (Cocco et al.), 878
Microrevascularization, extracranial to intracranial, for the treatment of completed ischemic stroke (Greenhalgh et al.), 937 (Annot.)
Migration of redundant pacing electrode (Perelman and Shiu), 591 (Letter to Editor)
Reply (Rettig), 592
Mitochondrial function in ischemic myocardium, recovery time course of ventricular vulnerability after coronary reperfusion in relation to (Sugiyama et al.), 829
Mitral leaflet prolapse, myocardial mysteries surrounding (Malcolm), 265 (Annot.)
prosthetic dehiscence and paraprosthetic regurgitation (Ikäheimo), 940 (Letter to Editor)
Reply (Chun et al.), 940
stenosis, rheumatic: cross-sectional echocardiographic analysis (Naito et al.), 34
valve and arrhythmias, of the (Burch), 583 (Annot.)
disease, obstructive, relationship of pulmonary artery wedge pressure to the posterior aortic wall echocardiogram in patients free of (Wasserman, Meyer, and Ross), 500
prolapse, idiopathic, and sudden death (Anderson), 942 (Letter to Editor)
Reply (Leatham and Brigden), 942
in anxiety neurosis (panic disorder) (Venkatesh et al.), 302
site of origin of ventricular premature beats in patients with (Lichstein), 450
syndrome (Mavrić), 409 (Letter to Editor)
replacement, rupture of myocardium and (Ross and Streeter), 946 (Letter to Editor)
Reply (Cobbs), 946
M-mode echocardiogram in Fabry's disease, the (Bass et al.), 807
Mortality rates and effective coronary care (Adgey), 408 (Letter to Editor)
Reply (Hampton), 408
Mouth-to-mouth resuscitation, infectious hazards of (Achong), 759 (Annot.)
Murmurs, papillary muscle dysfunction, of (Burch), 128 (Annot.)
Muscular hypertrophy, connective tissue hyperplasia accompanying: constituents of the human ventricular myocardium (Moore et al.), 610
Myoblastoma, malignant granular cell, with metastatic cardiac involvement: case report and echocardiogram (Kubac et al.), 227
Myocardial bridges, relief of angina by periarterial muscle resection of (Bertriu et al.), 223
disease, primary, diabetes mellitus, and small vessel disease (Zoneraich, Silverman, and Zoneraich), 754 (Annot.)
infarct size. Part I. Basic considerations (Opie), 355
Part 2. Comparison of anti-infarct effects of beta-blockade, glucose-insulin-potassium, nitrates, and hyaluronidase (Opie), 531
infarction, acute, delayed, after blunt chest trauma in a young woman (Vlay et al.), 907
early diagnosis of pericarditis in (Sawaya, Mujais, and Armenian), 144
effects of ouabain on the electrophysiological properties of subendocardial Purkinje fibers surviving in regions of (Brennan and Bonn), 201
function testing soon after (Vyden et al.), 590 (Letter to Editor)
hemodynamic and antiarrhythmic effects of tocainide in patients with (Nyquist et al.), 1000
in hospitalized patients over age 70 (Latting and Silverman), 311
infarct expansion, the "second event" after (Silverman and Hutchins), 230
placebo controlled study of prophylaxis of ventricular arrhythmias in (Campbell), 995
prophylaxis of ventricular tachyarrhythmias with intravenous and oral tocainide in patients with and recovering from (Rydén et al.), 1006
exercise and recurrence of (Shephard), 404 (Annot.)
in hypertensive subjects, limited pressure control to "optimum" levels may reduce the rate of (Stewart), 402 (Annot.)
of the Q wave and (Burch), 757 (Annot.)
prospective randomized trial of tocainide in patients following (Bastian et al.), 1017
serum myoglobin as a sensitive index of (Grenadier, Keidar, and Palant), 948 (Letter to Editor)
Reply (Tommaso), 949
tocainide for refractory ventricular arrhythmias of (Haffajee, Alpert, and Dalen), 1013
ischemia, acute, hemodynamic, electrocardiographic, and metabolic effects of fructose diphosphate on (Markov et al.), 639
non-thrombotic, chronic use of aspirin versus indomethacin during: effects on survival (Moschos et al.), 647
mysteries surrounding mitral leaflet prolapse (Malcolm), 265 (Annot.)
scintigrams and coronary arteriograms in the electrocardiographic syndrome of septal fibrosis (Romanelli et al.), 617
Myocarditis, cytomegalovirus (Wink and Schmitz), 667
Myocardium, infarcted, cardiac lymph and lymphatics in normal and (Szlavy et al.), 323
ischemic, recovery time course of ventricular vulnerability after coronary reperfusion in relation to mitochondrial function in (Sugiyama et al.), 829
rupture of and mitral valve replacement (Ross and Streeter), 946 (Letter to Editor)
Reply (Cobbs), 946
ventricular, human, constituents of the: connective tissue hyperplasia accompanying muscular hypertrophy (Moore et al.), 610

Myoglobin, serum, as a sensitive index of myocardial infarction (Grenadier, Keidar, and Palant), 948 (Letter to Editor)
Reply (Tommaso), 949
Myxoma, right ventricular. Case report and review of phonocardiographic and auscultatory manifestations (Hada et al.), 871

N

NaCl infusion, hypertonic, intravenous, in healthy and hypertensive subjects, renal response to graded: dose-related impairment in distal NaCl reabsorption (Radó, Juhos, and Mees), 183
reabsorption, dose-related impairment in distal: renal response to graded intravenous hypertonic NaCl infusion in healthy and hypertensive subjects (Radó, Juhos, and Mees), 183
Nephritis, viral, of (Burch), 759 (Annot.)
Neural mechanisms in life-threatening arrhythmias (Malliani, Schwartz, and Zanchetti), 705
Neurosis, anxiety (panic disorder), mitral valve prolapse in (Venkatesh et al.), 302
New and potent antiarrhythmic agent—encainide (Harrison et al.), 1046
antiarrhythmic drugs, comparative pharmacokinetics of (Ronfeld), 978
Newer antiarrhythmic agents, comparison of (Lawrie), 990
anti-arrhythmic drugs, hemodynamic effects of (Jewitt), 984
1910, of (Burch), 595
Nitrates, beta-blockade, glucose-insulin-potassium, and hyaluronidase, comparison of anti-infarct effects of. Part 2 of Myocardial infarct size (Opie), 531
Nitroglycerin (NTG), adsorption of (Branje and Berghuis), 409 (Letter to Editor)
Non-thrombotic myocardial ischemia, chronic use of aspirin versus indomethacin during: effects on survival (Moschos et al.), 647
Norepinephrine levels in the coronary sinus in patients with cardiovascular diseases at rest and during isometric handgrip exercise (Haneda et al.), 465
NTG, adsorption of (Branje and Berghuis), 409 (Letter to Editor)

O

Obesity and hunger, a hypothesis on: autoaddiction (McCloy and McCloy), 933 (Annot.)
Of bibliographies and medical librarians (Bury and Jones), 591 (Letter to Editor)
Reply (Burch), 591
cardiac causalgia, Horner's syndrome, and the cardiac dermatome (Burch), 938 (Annot.)
1910 (Burch), 595
papillary muscle dysfunction murmurs (Burch), 128 (Annot.)
right ventricular congestive heart failure (Burch), 262 (Annot.)
saphenous vein arteriosclerosis (Burch), 931 (Annot.)
senile anemia (Burch), 407 (Annot.)
the mitral valve and arrhythmias (Burch), 583 (Annot.)
the Q wave and myocardial infarction (Burch), 757 (Annot.)
viral nephritis (Burch), 759 (Annot.)
walking and dyspnea of congestive heart failure (Burch), 588 (Annot.)
On rheumatic fever in children (Aryanpur-Kashani), 942 (Letter to Editor)
Reply (DiSciascio and Taranta), 943
Oncotic pressure, colloid, effects of angiographic contrast media on (Morissette et al.), 319
Open clinical studies at a referral center: chronic maintenance tocainide therapy in patients with recurrent sustained ventricular tachycardia refractory to conventional antiarrhythmic agents (Maloney, Nissen, and McColgan), 1023
Open—*continued*
-heart surgery, role of angiotensin II in the development of peripheral vasoconstriction during (Taylor, Bain, and Morton), 935 (Annot.)
Oral disopyramide on serum digoxin levels, effect of. A prospective study (Wellens et al.), 934 (Annot.)
tocainide, treatment of ventricular arrhythmias with (Young et al.), 1041
Ouabain, effects of on the electrophysiological properties of subendocardial Purkinje fibers surviving in regions of acute myocardial infarction (Brennan and Bonn), 201
Overdose, tricyclic antidepressant, cardiovascular manifestations of (Langou et al.), 458
Oxygen consumption, left ventricular, coronary blood flow, and reserve capacity following coronary occlusion, effect of arterial pressure on (Bugni et al.), 657

P

P terminal force, correlation between exercise hemodynamics and increased magnitude of (Shettigar and Hultgren), 590 (Letter to Editor.)
Reply (DiBianco), 590
Pacemaker annihilation: diagnostic and therapeutic implications (Jalife and Antzelevitch), 128 (Annot.)
implantable automatic tachycardia-terminating, clinical use of an (Griffin, Mason, and Calfee), 1093
Pacing below the ventricular rate in terminating ventricular tachycardia and flutter (Cotoi et al.), 763 (Letter to Editor)
electrode, redundant, migration of (Perelman and Shiu), 591 (Letter to Editor)
Reply (Rettig), 592
transfemoral temporary, and deep vein thrombosis (Pandian, Kosowsky, and Gurewich), 847
Pain, chest, diagnosis of, difficult problems in the (Levine), 108
the digestive tract as a cause of (Long and Cohen), 567
Panic disorder (anxiety neurosis), mitral valve prolapse in (Venkatesh et al.), 302
Papillary muscle dysfunction murmurs, of (Burch), 128 (Annot.)
Paraprosthetic regurgitation, mitral prosthetic dehiscence and (Ikäheimo), 940 (Letter to Editor)
Reply (Chun et al.), 940
Pathologic-electrocardiographic correlative study of left axis deviation in hypertensive hearts (Takagi and Okada), 838
Pathology of the heart in acromegaly: anatomic findings in 27 autopsied patients (Lie and Grossman), 41
Pectoris, angina, uncomplicated, sex and the differential diagnosis of (Papazoglou), 410 (Letter to Editor)
Perhexiline maleate therapy, long-term, toxic polyneuritis and toxic hepatitis related to (Caruzzo et al.), 270 (Letter to Editor)
Reply (Mir), 271
Periarterial muscle resection of myocardial bridges, relief of angina by (Betriu et al.), 223
Pericardial defect, congenital, associated with cardiac incarceration: case report (Saito and Hotta), 866
Pericarditis, constrictive, on the elastic and rigid forms of (Hancock), 917
in acute myocardial infarction, early diagnosis of (Sawaya, Mujais, and Armenian), 144
Perioperative hypertensive crisis and hemorrhagic diathesis: fatal complication of clinically unsuspected pheochromocytoma (Lie, Olney, and Spittell), 716
Peripheral vasoconstriction during open-heart surgery, role of angiotensin II in the development of (Taylor, Bain, and Morton), 935 (Annot.)
Pharmacokinetics, comparative, of new antiarrhythmic drugs (Ronfeld), 978
Pharmacological approaches, new, in antihypertensive therapy (Stokes, Oates, and MacCarthy), 741

Phenothiazines, cardiovascular effects of (Elkayam and Frishman), 397
Phentolamine and IHSS (Moreyra and Alday), 134 (Letter to Editor)
Reply (Kerin), 134
Pheochromocytoma, clinically unsuspected, fatal complication of: perioperative hypertensive crisis and hemorrhagic diathesis (Lie, Olney, and Spittell), 716
Phonocardiographic and auscultatory manifestations, case report and review of in right ventricular myxoma (Hada et al.), 871
and electrocardiographic recordings, anomalous (Gürel), 768 (Letter to Editor)
Reply (Basta), 768
Phonocardiography, intracardiac, in experimental left ventricular cavity obliteration: potential clinical applicability for the distinction of obliterating left ventricle from hypertrophic obstructive cardiomyopathy (Sabbah, Marzilli, and Stein), 77
Placebo controlled study of prophylaxis of ventricular arrhythmias in acute myocardial infarction (Campbell), 995
Pneumonitis, possible association of with amiodarone therapy (Rotmensch et al.), 412 (Letter to Editor)
Polycythemia, secondary, with hypoxic lung disease, management of (York et al.), 267 (Annot.)
vera, intraventricular thrombosis in: a cause of intractable cardiac failure (Ali et al.), 520
Polyneuritis, toxic, and toxic hepatitis related to long-term perhexiline maleate therapy (Caruzzo et al.), 270 (Letter to Editor)
Reply (Mir), 271
Poor Eskimo, Lo the! (Schaefer), 944 (Letter to Editor)
Reply (Oster), 945
Porcine aortic valve, stenotic, echocardiographic features of (Alam and Goldstein), 517
Possible association of pneumonitis with amiodarone therapy (Rotmensch et al.), 412 (Letter to Editor)
Post-myocardial infarction and revascularization patients, recent, dynamic electrocardiographic recording during sexual activity in (Paolillo et al.), 763 (Letter to Editor)
Reply (Johnston and Fletcher), 763
Precordial leads, QS waves in the. Part IV of Clinicopathological study of the heart and coronary arteries of autopsied cases from the community of Hisayama during a 10-year period (Hiyoshi et al.), 424
Pregnancy and heart disease, certain principles in the management of (Burch), 775
risks of anticoagulation during (Pauli, Hall, and Wilson), 761 (Annot.)
Premature beat(s) suppression, ventricular, relation of to serum quinidine concentration determined by a new and specific assay (Carliner et al.), 483
ventricular, site of origin in patients with mitral valve prolapse (Lichstein), 450
Pressure control, limited, to "optimum" levels may reduce the rate of myocardial infarction in hypertensive subjects (Stewart), 402 (Annot.)
pulse contour analysis in determining the effect of vasodilator drugs on vascular hemodynamic impedance characteristics in dogs (Zobel et al.), 81
Primary myocardial disease, diabetes mellitus, and small vessel disease (Zoneraich, Silverman, and Zoneraich), 754 (Annot.)
pulmonary hypertension, central retinal vein thrombosis in a patient with (Berliner et al.), 134 (Letter to Editor)
new approaches to therapy (Rubin and Peter), 757 (Annot.)
treatment for (Klinke), 587 (Annot.)
Prolapse, mitral leaflet, myocardial mysteries surrounding (Malcolm), 265 (Annot.)
idiopathic, and sudden death (Anderson), 941 (Letter to Editor)
Reply (Leatham and Brigden), 942
site of origin of ventricular premature beats in patients with (Lichstein), 450
Prolapse—*continued*
syndrome, mitral valve (Mavrić), 409 (Letter to Editor)
Prophylaxis of venous thromboembolism (Farrell and Duffy), 134 (Letter to Editor)
of ventricular arrhythmias in acute myocardial infarction, placebo controlled study of (Campbell), 995
tachyarrhythmias with intravenous and oral tocainide in patients with and recovering from acute myocardial infarction (Rydén et al.), 1006
Prospective randomized trial of tocainide in patients following myocardial infarction, a (Bastian et al.), 1017
Prosthetic dehiscence, mitral, and paraprosthetic regurgitation (Ikäheimo), 940 (Letter to Editor)
Reply (Chun et al.), 940
"Psuedo-tumor" of the right ventricular outflow tract and congenital pulmonary valve regurgitation: a case report (Lutz et al.), 349
Psychosis, aprindine (Jacobs and Pores), 347
Psychosocial and behavioral influences in the pathogenesis of acquired cardiovascular disease (Buell and Eliot), 723
Pulmonary artery wedge pressure to the posterior aortic wall echocardiogram in patients free of obstructive mitral valve disease, relationship of (Wasserman, Meyer, and Ross), 500
hypertension, primary: new approaches to therapy (Rubin and Peter), 757 (Annot.)
treatment for (Klinke), 587 (Annot.)
valve leaflets, rudimentary, Uhl's anomaly with: a clinical, hemodynamic, angiographic, and pathologic study (Kaul, Arora, and Rani), 673
regurgitation, congenital, "pseudo-tumor" of the right ventricular outflow tract and: a case report (Lutz et al.), 349
Purkinje fibers, subendocardial, electrophysiological properties of, effects of ouabain on the surviving in regions of acute myocardial infarction (Brennan and Bonn), 201

Q

Q wave and myocardial infarction, of the (Burch), 757 (Annot.)
Q waves in the precordial leads. Part IV of Clinicopathological study of the heart and coronary arteries of autopsied cases from the community of Hisayama during a 10-year period (Hiyoshi et al.), 424
Quinidine concentration, serum, determined by a new and specific assay, relation of ventricular premature beat suppression to (Carliner et al.), 483
into cerebrospinal fluid, entry of (Ochs et al.), 341

R

Ratios of septum and LV free wall in IHSS and HCM (Shakibi, Reyhani, and Nazarian), 766 (Letter to Editor)
Raynaud's disease and thermosensitivity of cutaneous vessels (Vanhoutte and Janssens), 263 (Annot.)
Recordings, anomalous ECG and PCG (Gürel), 768 (Letter to Editor)
Reply (Basta), 768
Recovery time course of ventricular vulnerability after coronary reperfusion in relation to mitochondrial function in ischemic myocardium (Sugiyama et al.), 829
Recurrence of myocardial infarction with exercise (Shephard), 404 (Annot.)
Redundant pacing electrode, migration of (Perelman and Shiu), 591 (Letter to Editor)
Reply (Rettig), 592
Refractory ventricular arrhythmias of myocardial infarction, tocainide for (Haffajee, Alpert, and Dalen), 1013
tocainide therapy for (Roden et al.), 15

Regional blood flow during surface-induced hypothermia, effects of circulatory arrest and rewarming on (Su et al.), 332
Regurgitation, congenital pulmonary valve, "pseudo-tumor" of the right ventricular outflow tract and: a case report (Lutz et al.), 349
paraprosthetic, mitral prosthetic dehiscence and (Ikäheimo), 940 (Letter to Editor)
Reply (Chun et al.), 940
Rehabilitation, cardiac, heart rate levels and ventricular ectopic activity during (Simoons, Lap, and Pool), 9
Reiaxation period in man, isovolumic (Lewis et al.), 490
Renal response to graded intravenous hypertonic NaCl infusion in healthy and hypertensive subjects: dose-related impairment in distal NaCl reabsorption (Radó, Juhos, and Mees), 183
Repetitive responses to ventricular extrastimuli: incidence, mechanism, and significance (Farshidi et al.), 59
Resection, periarterial muscle, of myocardial bridges, relief of angina by (Betriu et al.), 223
Reserve capacity, left ventricular O_2 consumption, and coronary blood flow following coronary occlusion, effect of arterial pressure on (Bugni et al.), 657
Responsibility of the cardiological mapmaker, the (Nixon), 139
Responsiveness, loss of, to a vasodilator agent in the patient with congestive heart failure; when is it due to tachyphylaxis? (Meggs and Hollenberg), 753 (Annot.)
Resuscitation, cardiopulmonary—an element of sophistication in the 18th century (Bartecchi), 580 (Annot.)
mouth-to-mouth, infectious hazards of (Achong), 759 (Annot.)
Retinal vein thrombosis, central, in a patient with primary pulmonary hypertension (Berliner et al.), 134 (Letter to Editor)
Rewarming and circulatory arrest, effects of on regional blood flow during surface-induced hypothermia (Su et al.), 332
Rheumatic fever in children, on (Aryanpur-Kashani), 942 (Letter to Editor)
Reply (DiSciascio and Taranta), 943
mitral stenosis: cross-sectional echocardiographic analysis (Naito et al.), 34
Rhythm(s), dissimilar atrial. A patient with triple right atrial rhythm (Suárez et al.), 678
sinus, spontaneous resumption of after prolonged AF (Khan), 409 (Letter to Editor)
triple right atrial, a patient with: dissimilar atrial rhythms (Suárez et al.), 678
Rickettsial vasculitis (Walker and Mattern), 896
Right atrial rhythm, triple, a patient with: dissimilar atrial rhythms (Suárez et al.), 678
bundle branch block, functional, site of (Lyons), 653
ventricular congestive heart failure, of (Burch), 262 (Annot.)
endomyocardial fibrosis simulating Ebstein's anomaly (Alipour, Tarbiat, and Nazarian), 859
myxoma. Case report and review of phonocardiographic and auscultatory manifestations (Hada et al.), 871
Rigid and elastic forms of constrictive pericarditis, on the (Hancock), 917
Risks of anticoagulation during pregnancy (Pauli, Hall, and Wilson), 761 (Annot)
Romano-Ward syndrome treated by left stellectomy and intracavitary stimulation (Chaudron and Lebacq), 131 (Annot.)
Root, aortic, hemodynamic correlates of late diastolic posterior motion of the (Ambrose et al.), 433
Rudimentary pulmonary valve leaflets, Uhl's anomaly with: a clinical, hemodynamic, angiographic, and pathologic study (Kaul, Arora, and Rani), 673
Running and beta-blockers (Kaijser et al.), 943 (Letter to Editor)
Reply (Williams), 944
fun, thermal illness in (Sutton and Bar-Or), 778
Rupture of myocardium and mitral valve replacement (Ross and Streeter), 946 (Letter to Editor)
Reply (Cobbs), 946

S

Safety evaluation of tocainide in the American Emergency Use Program (Horn et al.), 1037
Saphenous vein arteriosclerosis, of (Burch), 931 (Annot.)
bypass grafts, antithrombotic therapy for? (Goodnight, Pantley, and Rahimtoola), 586 (Annot.)
Scintigrams, myocardial, and coronary arteriograms in the electrocardiographic syndrome of septal fibrosis (Romanelli et al.), 617
Secondary polycythemia with hypoxic lung disease, management of (York et al.), 267 (Annot.)
Senile anemia, of (Burch), 407 (Annot.)
Septal fibrosis, electrocardiographic syndrome of, coronary arteriograms and myocardial scintigrams in the (Romanelli et al.), 617
hypertrophy, asymmetric, in conditions other than IHSS (Ramsdale and Bennett), 931 (Annot.)
Septum and LV free wall, ratios of in IHSS and HCM (Shakibi, Reyhani, and Nazarian), 766 (Letter to Editor)
Serum digoxin levels, effect of oral disopyramide on. A prospective study (Wellens et al.), 934 (Annot.)
myoglobin as a sensitive index of myocardial infarction (Grenadier, Keidar, and Palant), 948 (Letter to Editor)
Reply (Tommaso), 949
quinidine concentration determined by a new and specific assay, relation of ventricular premature beat suppression to (Carliner et al.), 483
70, hospitalized patients over age, acute myocardial infarction in (Lattirg and Silverman), 311
Sex and the differential diagnosis of uncomplicated angina pectoris (Papazoglou), 410 (Letter to Editor)
Sexual activity in recent post-myocardial infarction and revascularization patients, dynamic electrocardiographic recording during (Paolillo et al.), 763 (Letter to Editor)
Reply (Johnston and Fletcher), 763
Shunt, left-to-right, use of the echocardiogram in delineating the location of a: congenital heart disease with trisomy 13 (Cabin, Lester, and Roberts), 563
Sick sinus syndrome, severe, unusual manifestations of (Marmor and Black), 95
Silent ST segment deviations and extent of coronary artery disease (Kunkes et al.), 813
subendocardial infarcts: fact or fiction? (Pipberger and Lopez), 597
Sinus rhythm, spontaneous resumption of after prolonged AF (Khan), 409 (Letter to Editor)
syndrome, sick, severe, unusual manifestations of (Marmor and Black), 95
Site of functional right bundle branch block (Lyons), 653
Sleep apnea, arrhythmias in (Imaizumi), 513
Small vessel disease, primary myocardial disease, and diabetes mellitus (Zoneraich, Silverman, and Zoneraich), 754 (Annot.)
Smoking and coronary disease (Burch), 421
heart disease: what are we to believe? (Seltzer), 275
Spontaneous resumption of sinus rhythm after prolonged AF (Khan), 409 (Letter to Editor)
ST segment deviations, silent, and extent of coronary artery disease (Kunkes et al.), 813
Stellectomy, left, and intracavitary stimulation, Romano-Ward syndrome treated by (Chaudron and Lebacq), 131 (Annot.)
Stenosis, aortic, associated with gastrointestinal bleeding. A survey of 612 patients (Shoenfeld et al.), 179
coronary artery, experimental, effects of vasoconstriction on (Santamore et al.), 852
idiopathic hypertrophic subaortic (hypertrophic cardiomyopathy), the pathology of. A critical review (Olsen), 553

Stenosis—*continued*
mitral, rheumatic: cross-sectional echocardiographic analysis (Naito et al.), 34
Stenotic porcine aortic valve, echocardiographic features of (Alam and Goldstein), 517
Stress test, treadmill exercise, errors in predicting functional capacity from a (Ragg et al.), 581 (Annot.)
Stroke, ischemic, completed, extracranial to intracranial microrevascularization for the treatment of (Greenhalgh et al.), 937 (Annot.)
Studies with aprindine (Zipes et al.), 1055
Subaortic stenosis, hypertrophic, idiopathic (hypertrophic cardiomyopathy), the pathology of. A critical review (Olsen), 553
Subcutaneous insulin infusion, continuous: a new approach to improved metabolic control in diabetics (Pickup), 417
Subendocardial infarcts, "silent": fact or fiction? (Pipberger and Lopez), 597
Subxiphoid and apex approaches to Ebstein's anomaly using cross-sectional echocardiography (Kambe et al.), 53
Sudden death, idiopathic mitral valve prolapse and (Anderson), 941 (Letter to Editor)
Reply (Leatham and Brigden), 942
Superior vena cava, left, cross-sectional echocardiographic study on persistent (Hibi et al.), 69
Suppression of ventricular arrhythmia, long-term, by oral acebutolol in patients with coronary artery disease (de Soyza et al.), 631
Symmetric and asymmetric left ventricles, analysis of mathematic models for quantifying volume of. Cross-sectional echocardiography III (Wyatt et al.), 821
Symptomatic arrhythmias, TTM versus Holter monitoring of (Weber et al.), 764 (Letter to Editor)
Reply (Grodman, Capone, and Most), 765

T

T wave abnormalities in top-ranking athletes: effects of isoproterenol, atropine, and physical exercise (Zeppilli et al.), 213
Tachyarrhythmias, ventricular, prophylaxis of with intravenous and oral tocainide in patients with and recovering from acute myocardial infarction (Rydén et al.), 1006
Tachycardia-terminating pacemaker, implantable automatic, clinical use of an (Griffin, Mason, and Calfee), 1093
ventricular, recurrent sustained, refractory to conventional antiarrhythmic agents, chronic maintenance tocainide therapy in patients with: open clinical studies at a referral center (Maloney, Nissen, and McColgan), 1023
refractory recurrent, combined mexiletine and amiodarone treatment of (Waleffe et al.), 788
Tachyphylaxis, when is loss of responsiveness to a vasodilator agent in the patient with congestive heart failure due to (Meggs and Hollenberg), 753 (Annot.)
Temporary pacing, transfemoral, and deep vein thrombosis (Pandian, Kosowsky, and Gurewich), 847
Terminal force, P, correlation between exercise hemodynamics and increased magnitude of (Shettigar and Hultgren), 590 (Letter to Editor)
Reply (DiBianco), 590
Testing, function, soon after acute myocardial infarction (Vyden et al.), 590 (Letter to Editor)
Therapeutic considerations with infective endocarditis (Wilson et al.), 689
Therapy, antihypertensive: new pharmacological approaches (Stokes, Oates, and MacCarthy), 741
verapamil (Ahmad), 271 (Letter to Editor)
Reply (Fazzini et al.), 271
Thermal illness in fun running (Sutton and Bar-Or), 778
Thermosensitivity of cutaneous vessels and Raynaud's disease (Vanhoutte and Janssens), 263 (Annot.)
Thomas Young, M.D. (1773-1829) (Laird), 1
Thrombi, ventricular, left, echocardiographic diagnosis of (Come et al.), 523
Thromboembolism, venous, prophylaxis of (Farrell and Duffy), 134 (Letter to Editor)
Thrombosis, central retinal vein, in a patient with primary pulmonary hypertension (Berliner et al.), 134 (Letter to Editor)
deep vein, and transfemoral temporary pacing (Pandian, Kosowsky, and Gurewich), 847
intraventricular, in polycythemia vera: a cause of intractable cardiac failure (Ali et al.), 520
Thrombus, left atrial ball, diagnosed by two-dimensional echocardiography (Sunagawa et al.), 89
evaluation of with computed tomography (Tomoda et al.), 306
Tissue hyperplasia, connective, accompanying muscular hypertrophy: constituents of the human ventricular myocardium (Moore et al.), 610
Tocainide, a prospective randomized trial of in patients following myocardial infarction (Bastian et al.), 1017
for drug-resistant ventricular arrhythmias: efficacy, side effects, and lidocaine responsiveness for predicting tocainide success (Winkle, Mason, and Harrison), 1031
for refractory ventricular arrhythmias of myocardial infarction (Haffajee, Alpert, and Dalen), 1013
hemodynamic and antiarrhythmic effects of in patients with acute myocardial infarction (Nyquist et al.), 1000
and electrophysiologic interactions between antiarrhythmic drugs and beta blockers, with special reference to (Ikram), 1076
intravenous and oral, prophylaxis of ventricular tachyarrhythmias with in patients with and recovering from acute myocardial infarction (Rydén et al.), 1006
oral, treatment of ventricular arrhythmias with (Young et al.), 1041
safety evaluation of in the American Emergency Use Program (Horn et al.), 1037
success, efficacy, side effects, and lidocaine responsiveness for predicting: tocainide for drug-resistant ventricular arrhythmias (Winkle, Mason, and Harrison), 1031
therapy, chronic maintenance, in patients with recurrent sustained ventricular tachycardia refractory to conventional antiarrhythmic agents: open clinical studies at a referral center (Maloney, Nissen, and McColgan), 1023
for refractory ventricular arrhythmias (Roden et al.), 15
Tomography, computed, evaluation of left atrial thrombus with (Tomoda et al.), 306
Torsades de pointes as a manifestation of mexiletine toxicity (Cocco et al.), 878
Toxic polyneuritis and toxic hepatitis related to long-term perhexiline maleate therapy (Caruzzo et al.), 270 (Letter to Editor)
Reply (Mir), 271
Toxicity, mexiletine, torsades de pointes as a manifestation of (Cocco et al.), 878
Tract, digestive, as a cause of chest pain, the (Long and Cohen), 567
Transesophageal cross-sectional echocardiography (Hisanaga et al.), 605
Transfemoral temporary pacing and deep vein thrombosis (Pandian, Kosowsky, and Gurewich), 847
Trauma, chest, blunt, in a young woman, delayed acute myocardial infarction after (Vlay et al.), 907
Treadmill exercise stress test, errors in predicting functional capacity from a (Ragg et al.), 581 (Annot.)
Treatment for primary pulmonary hypertension (Klinke), 587 (Annot.)

Treatment—*continued*
of hyperlipidemia, diet in the (Spritz), 924
drug (Samuel), 573
Tricyclic antidepressant overdose, cardiovascular manifestations of (Langou et al.), 458
Triple right atrial rhythm, a patient with: dissimilar atrial rhythms (Suárez et al.), 678
Trisomy 13, congenital heart disease with: use of the echocardiogram in delineating the location of a left-to-right shunt (Cabin, Lester, and Roberts), 563
TTM versus Holter monitoring of symptomatic arrhythmias (Weber et al.), 764 (Letter to Editor)
Reply (Grodman, Capone, and Most), 765

U

Uhl's anomaly with rudimentary pulmonary valve leaflets: a clinical, hemodynamic, angiographic, and pathologic study (Kaul, Arora, and Rani), 673
Unnecessary tests, cost of, the importance of the history in the medical clinic and the (Sandler), 928 (Annot.)
Unusual manifestations of severe sick sinus syndrome (Marmor and Black), 95

V

Valve(s), aortic, congenitally malformed, evaluation of the anatomy of by orifice-view aortography (Folger, Sabbah, and Stein), 152
leaflets, pulmonary rudimentary, Uhl's anomaly with: a clinical, hemodynamic, angiographic, and pathologic study (Kaul, Arora, and Rani), 673
mitral, and arrhythmias, of the (Burch), 583 (Annot.)
prolapse, aortic, cross-sectional echocardiographic detection of (Mardelli et al.), 295
mitral, idiopathic, and sudden death (Anderson), 941 (Letter to Editor)
Reply (Leatham and Brigden), 942
in anxiety neurosis (panic disorder) (Venkatesh et al.), 302
site of origin of ventricular premature beats in patients with (Lichstein), 450
syndrome, mitral (Mavrić), 409 (Letter to Editor)
regurgitation, pulmonary, congenital, "pseudo-tumor" of the right ventricular outflow tract and: a case report (Lutz et al.), 349
replacement, mitral, rupture of myocardium and (Ross and Streeter), 946 (Letter to Editor)
Reply (Cobbs), 946
stenotic porcine aortic, echocardiographic features of (Alam and Goldstein), 517
Valvular disease, aortic, severe, angina pectoris and coronary artery disease in patients with (Hakki et al.), 441
heart disease, chronic, and Coxsackieviruses (Chandy, John, and Cherian), 578 (Annot.)
Vascular hemodynamic impedance characteristics in dogs, pressure pulse contour analysis in determining the effect of vasodilator drugs on (Zobel et al.), 81
Vasculitis, rickettsial (Walker and Mattern), 896
Vasoconstriction on experimental coronary artery stenosis, effects of (Santamore et al.), 852
peripheral, during open-heart surgery, role of angiotensin II in the development of (Taylor, Bain, and Morton), 935 (Annot.)
Vasodilator agent, loss of responsiveness to a in the patient with congestive heart failure; when is it due to tachyphylaxis? (Meggs and Hollenberg), 753 (Annot.)
drugs on vascular hemodynamic impedance characteristics in dogs, pressure pulse contour analysis in determining the effect of (Zobel et al.), 81
Vectorcardiography, clinical, in adults. Part 1 (Hoffman), 239
Part 2 (Hoffman), 373
Vein arteriosclerosis, saphenous, of (Burch), 931 (Annot.)
Vena cava, superior, left, cross-sectional echocardiographic study on persistent (Hibi et al.), 69
Venous thromboembolism, prophylaxis of (Farrell and Duffy), 134 (Letter to Editor)
Ventricle(s), left, contractile state of the from the peak of the first derivative of the apexcardiogram, evaluation of (Kolev), 600
obliterating from hypertrophic obstructive cardiomyopathy, potential clinical applicability for the distinction of: intracardiac phonocardiography in experimental left ventricular cavity obliteration (Sabbah, Marzilli, and Stein), 77
symmetric and asymmetric, analysis of mathematic models for quantifying volume of. Cross-sectional echocardiography III (Wyatt et al.), 821
Ventricular arrhythmia(s), drug-resistant, tocainide for: efficacy, side effects, and lidocaine responsiveness for predicting tocainide success (Winkle, Mason, and Harrison), 1031
in acute myocardial infarction, placebo controlled study of prophylaxis of (Campbell), 995
long-term suppression of by oral acebutolol in patients with coronary artery disease (de Soyza et al.), 631
refractory, of myocardial infarction, tocainide for (Haffajee, Alpert, and Dalen), 1013
tocainide therapy for (Roden et al.), 15
with oral tocainide, treatment of (Young et al.), 1041
congestive heart failure, of right (Burch), 262 (Annot.)
ectopic activity during cardiac rehabilitation, heart rate levels and (Simoons, Lap, and Pool), 9
endomyocardial fibrosis, right, simulating Ebstein's anomaly (Alipour, Tarbiat, and Nazarian), 859
extrastimuli, repetitive responses to: incidence, mechanism, and significance (Farshidi et al.), 59
hypertrophy, left, electrocardiographic, and coronary artery disease: clinical, hemodynamic, and angiographic correlates (Hamby et al.), 794
myocardium, human, consituents of the: connective tissue hyperplasia accompanying muscular hypertrophy (Moore et al.), 610
myxoma, right. Case report and review of phonocardiographic and auscultatory manifestations (Hada et al.), 871
outflow tract, right, "pseudo-tumor" of the and congenital pulmonary valve regurgitation: a case report (Lutz et al.), 349
O_2 consumption, left, coronary blood flow, and reserve capacity following coronary occlusion, effect of arterial pressure on (Bugni et al.), 657
premature beat(s), site of origin in patients with mitral valve prolapse (Lichstein), 450
suppression, relation of to serum quinidine concentration determined by a new and specific assay (Carliner et al.), 483
rate, pacing below, in terminating ventricular tachycardia and flutter (Cotoi et al.), 763 (Letter to Editor)
tachyarrhythmias, prophylaxis of with intravenous and oral tocainide in patients with and recovering from acute myocardial infarction (Rydén et al.), 1006
tachycardia and flutter, pacing below the ventricular rate in terminating (Cotoi et al.), 763 (Letter to Editor)
recurrent sustained, refractory to conventional antiarrhythmic agents, chronic maintenance tocainide therapy in patients with: open clinical studies at a referral center (Maloney, Nissen, and McColgan), 1023
refractory recurrent, combined mexiletine and amiodarone treatment of (Waleffe et al.), 788
thrombi, left, echocardiographic diagnosis of (Come et al.), 523
vulnerability after coronary reperfusion, recovery time course of in relation to mitochondrial function in ischemic myocardium (Sugiyama et al.), 829
Verapamil, intravenous, the clinical use of (Schamroth), 1070

Verapamil—*continued*
therapy (Ahmad), 271 (Letter to Editor)
Reply (Fazzini et al.), 271
Vessel disease, small, primary myocardial disease, and diabetes mellitus (Zoneraich, Silverman, and Zoneraich), 754 (Annot.)
Viral nephritis, of (Burch), 759 (Annot.)
Volume changes, left atrial, echocardiographic pattern of motion of the aortic root as a correlate of (Biamino et al.), 191

W

Walking and dyspnea of congestive heart failure, of (Burch), 588 (Annot.)
Wave, Q, of the and myocardial infarction (Burch), 757 (Annot.)
Wenckebach second-degree A-V block in top-ranking athletes: an old problem revisited (Zeppilli et al.), 281
Wolff-Parkinson-White syndrome, electrophysiologic effects of intravenous lidocaine in the (Barrett et al.), 23

Y

Young, Thomas, M.D. (1773-1829) (Laird), 1
Younger and older individuals, comparison of the inotropic action of digitalis and isoproterenol in (Cokkinos et al.), 802